

# Cucumber Report

04-Dec-2022, 10:15:49 am

**Start : Dec 04, 9:56:31.685 am**

**End : Dec 04, 10:15:45.891 am**

**Duration : 19 m 14.206 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 2**

**SKIPPED - 0**

**PASSED - 4**

**FAILED - 2**


**SKIPPED - 17**



| Feature                        |               | Scenario |   |   |   | Step |   |   |    |
|--------------------------------|---------------|----------|---|---|---|------|---|---|----|
| Name                           | Duration      | T        | P | F | S | T    | P | F | S  |
| <u>Reinstate Fleet feature</u> | 3 m 55.324 s  | 1        | 0 | 1 | 0 | 6    | 1 | 1 | 4  |
| <u>Renew Fleet feature</u>     | 19 m 14.179 s | 1        | 0 | 1 | 0 | 17   | 3 | 1 | 13 |





| # | Feature Name                   | T | P | F | S | Duration      |
|---|--------------------------------|---|---|---|---|---------------|
| 1 | <u>Reinstate Fleet feature</u> | 1 | 0 | 1 | 0 | 3 m 55.324 s  |
| 2 | <u>Renew Fleet feature</u>     | 1 | 0 | 1 | 0 | 19 m 14.179 s |






| # | Feature Name                   | Scenario Name                   | T  | P | F | S  | Duration      |
|---|--------------------------------|---------------------------------|----|---|---|----|---------------|
| 1 | <u>Reinstate Fleet feature</u> | <u>IRP Reinstate fleet edge</u> | 6  | 1 | 1 | 4  | 3 m 55.316 s  |
| 2 | <u>Renew Fleet feature</u>     | <u>IRP Renew fleet chrome</u>   | 17 | 3 | 1 | 13 | 19 m 14.179 s |

## Reinstate Fleet feature

|                                       |                                |  |   |  |   |
|---------------------------------------|--------------------------------|--|---|--|---|
| <b>FAILED</b>                         | <b>DURATION - 3 m 55.324 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 6<br>Pass - 1<br>Fail - 1<br>Skip - 4 |  |
| / 9:56:31.685 am // 10:00:27.009 am / |                                |  |   |  |   |


## IRP Reinstate fleet edge

|  |  |  |   |   |
|--|--|--|---|---|
| <div><div>FAILED</div><div>DURATION - 3 m 55.316 s</div></div> |  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
| / 9:56:31.693 am // 10:00:27.009 am /                          |  |  |   |   |
| Reinstate Fleet feature  |  |  |   |   |



| # | Step / Hook Details   | Status | Duration     |
|---|---|--------|--------------|
| 1 | Given User login as an Internal user<br>Launch the application using URL and login with valid credentials   | PASSED | 1 m 15.884 s |
|   | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br>anyname<br>   | PASSED | 0.392 s      |
| 2 | When User will navigate to IRP & Reinstate Fleet<br>Expand the Services header on the left column of the screen and select IRP<br>Navigate to Fleet menu .Click on More and select Fleet Reinstatement<br>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //li[@class='dropdown']/a[contains(text(),'More')]' (tried for 30 second(s) with 500 milliseconds interval)<br>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) | FAILED | 1 m 32.587 s |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:337)</p> <p>at com.celtic.automation.cmcs.pages.DashBoardPage.clickFleetMore(DashBoardPage.java:142)</p> <p>at com.celtic.automation.cmcs.parallel.RIN001.user_will_navigate_to_irp_reinstate_fleet(RIN001.java:138)</p> <p>at ?.User will navigate to IRP &amp; Reinstate Fleet(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RIN001.feature:4)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/li[@class='dropdown']/a[contains(text(),'More')]"} (Session info: MicrosoftEdge=107.0.1418.35) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2c6ed06101adad785be886a6570a386b, findElement {using=xpath, value=/li[@class='dropdown']/a[contains(text(),'More')]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:56815}, msedge: {msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\Local\Microsoft\Edge\Selenium\msedge\userDataDir\Profile1)}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56815/devtools, se:cdpVersion: 107.0.1418.35, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c6ed06101adad785be886a6570a386b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:337)</p> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at com.celtic.automation.cmcs.pages.DashBoardPage.clickFleetMore(DashBoardPage.java:142) at com.celtic.automation.cmcs.parallel.RIN001.user_will_navigate_to_irp_reinstate_fleet(RIN001.java:138) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) </pre> <p>* Not displayable characters are replaced by '?'.<br/> </p> |        |          |
|   | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)   | PASSED | 0.442 s  |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <p>anyname</p>   |         |          |
| 3 | Then User will provide all the inputs & select the record on the grid   | SKIPPED | 0.002 s  |
| 4 | Then User will navigate to Distance page & Proceed  | SKIPPED | 0.000 s  |
| 5 | Then User will navigate to billing Page & provide mandatory inputs & proceed  | SKIPPED | 0.001 s  |
| 6 | And User will validate the Success Information Message  | SKIPPED | 0.000 s  |
|   | <p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:56815}, msedge: {msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56815/devtoo..., se:cdpVersion: 107.0.1418.35, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69)</p> | FAILED  | 0.005 s  |



## Renew Fleet feature


|                                       |                          |           |   |            |   |
|---------------------------------------|--------------------------|-----------|---|------------|---|
| FAILED                                | DURATION - 19 m 14.179 s | Scenarios |   | Steps      |   |
| / 9:56:31.712 am // 10:15:45.891 am / |                          | Total - 1 |  | Total - 17 |  |
|                                       |                          | Pass - 0  |   | Pass - 3   |   |
|                                       |                          | Fail - 1  |   | Fail - 1   |   |
|                                       |                          | Skip - 0  |   | Skip - 13  |   |

## IRP Renew fleet chrome




|  |                                     |   |   |  |
|--|-------------------------------------|---|---|--|
| <div>FAILED</div>                                | <div>DURATION - 19 m 14.179 s</div> | <div></div> | <div>Steps</div> <div>Total - 17</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 13</div> | <div></div> |
| <div>/ 9:56:31.712 am // 10:15:45.891 am /</div> |                                     |   |   |  |
| <div>Renew Fleet feature</div>                   |                                     |   |   |  |
|  |                                     |   |   |  |

| # | Step / Hook Details  | Status | Duration    |
|---|--|--------|-------------|
| 1 | Given User login as a Internal user<br>Launch the application using URL and login with valid credentials   | PASSED | 1 m 7.196 s |
|   | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br>anyname   | PASSED | 0.665 s     |
|   |   |        |             |
| 2 | When User will navigate to the IRPLink<br>Expand the Services header on the left column of the screen and select IRP<br>Click on Renew fleet from Fleet card menu. | PASSED | 1 m 8.363 s |
|   | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br>anyname   | PASSED | 2.102 s     |
|   |   |        |             |
| 3 | Then User will provide all the Account Number Details to start with IRP Transaction<br>Enter valid search data and click to proceed                                | PASSED | 11.304 s    |
|   | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br>anyname   | PASSED | 0.336 s     |

| # | Step / Hook Details  | Status | Duration      |
|---|--|--------|---------------|
|   |   |        |               |
| 4 | <p><b>Then User will navigate to account section and fill the data</b></p> <p>Enter valid all detail in account page with comments and click on proceed button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //li[@aria-controls='tabs-2']' (tried for 30 second(s) with 500 milliseconds interval)<br/> at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br/> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br/> at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:337)<br/> at com.celtic.automation.cmcs.pages.AccountTabPage.clickMailingAddress(AccountTabPage.java:224)<br/> at com.celtic.automation.cmcs.parallel.<br/> RWC001.user_will_navigate_to_account_section_and_fill_the_data_and_validate_message(RWC001.java:170)<br/> at ?.User will navigate to account section and fill the data(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RWC001.feature:7)<br/> Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/> {"method":"xpath","selector":"//li[@aria-controls='tabs-2']"} (Session info: chrome=108.0.5359.95) For documentation on this error, please visit:<br/> https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2be52a0d9cd59deff3e97a6275d392fc, findElement {using=xpath, value=//li[@aria-controls='tabs-2']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.95, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\SANGEE~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56808}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56808/devtoo..., se:cdpVersion: 108.0.5359.95, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2be52a0d9cd59deff3e97a6275d392fc<br/> at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)<br/> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> | FAILED | 15 m 39.799 s |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:337)</p> <p>at com.celtic.automation.cmcs.pages.AccountTabPage.clickMailingAddress(AccountTabPage.java:224)</p> <p>at com.celtic.automation.cmcs.parallel.</p> <p>RWC001.user_will_navigate_to_account_section_and_fill_the_data_and_validate_message(RWC001.java:170)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) </pre> <p>* Not displayable characters are replaced by '?'. </p> |         |          |
|    | <p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>   | PASSED  | 0.684 s  |
| 5  | Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."   | SKIPPED | 0.001 s  |
| 6  | Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."  | SKIPPED | 0.000 s  |
| 7  | Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated."   | SKIPPED | 0.001 s  |
| 8  | Then User will navigate to Amend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."   | SKIPPED | 0.000 s  |
| 9  | Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."   | SKIPPED | 0.001 s  |
| 10 | And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"   | SKIPPED | 0.000 s  |
| 11 | Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"   | SKIPPED | 0.001 s  |
| 12 | Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."   | SKIPPED | 0.000 s  |
| 13 | And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated"  | SKIPPED | 0.000 s  |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."   |         |          |
| 14 | Then User will navigate to supplement continuance and validate the meessage "GENPAY01 : [E] This transaction already exists in the cart."   | SKIPPED | 0.001 s  |
| 15 | Then User will navigate to payment tab and fill the requirement   | SKIPPED | 0.000 s  |
| 16 | And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."   | SKIPPED | 0.001 s  |
| 17 | Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"   | SKIPPED | 0.001 s  |
|    | AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.003 s  |
|    | <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.95, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\SANGEE~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56808}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56808/devtoo..., se:cdpVersion: 108.0.5359.95, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69)</p> |         |          |