

Cucumber Report

30-Nov-2022, 12:48:16 pm

Start : Nov 30, 12:47:36.755 pm

End : Nov 30, 12:48:14.075 pm

Duration : 37.320 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1

FAILED - 1


SKIPPED - 4



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Reinstate Fleet feature</u>	37.320 s	1	0	1	0	6	1	1	4





#	Feature Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	1	0	1	0	37.320 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	<u>IRP Reinstate fleet edge</u>	6	1	1	4	37.318 s



Reinstate Fleet feature

FAILED	DURATION - 37.320 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 12:47:36.755 pm // 12:48:14.075 pm /					

IRP Reinstate fleet edge

FAILED	DURATION - 37.318 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 12:47:36.757 pm // 12:48:14.075 pm /				
Reinstate Fleet feature				

#	Step / Hook Details	Status	Duration
1	Given User login as an Internal user Launch the application using URL and login with valid credentials	PASSED	18.281 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.317 s
2	When User will navigate to IRP & Reinstate Fleet Expand the Services header on the left column of the screen and select IRP java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null at com.celtic.automation.cmcs.parallel.RIN001.user_will_navigate_to_irp_reinstate_fleet(RIN001.java:73) at ?.User will navigate to IRP & Reinstate Fleet(file:///C:/Users/HP/Downloads/celtic-main(3)/celtic-main/src/test/resources/parallel/RIN001.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	15.440 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.388 s
3	Then User will provide all the inputs & select the record on the grid	SKIPPED	0.000 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.000 s
5	Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.000 s
6	And User will validate the Success Information Message	SKIPPED	0.000 s
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>IRP_Reinstate_fleet_edge</p> 	PASSED	0.507 s