

Cucumber Report

04-Dec-2022, 7:45:07 pm

Start : Dec 04, 7:41:36.603 pm

End : Dec 04, 7:45:06.289 pm

Duration : 3 m 29.686 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 4
FAILED - 2
SKIPPED - 17



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Reinstate Fleet feature</u>	2 m 59.449 s	1	0	1	0	6	2	1	3
<u>Renew Fleet feature</u>	3 m 29.666 s	1	0	1	0	17	2	1	14





#	Feature Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	1	0	1	0	2 m 59.449 s
2	<u>Renew Fleet feature</u>	1	0	1	0	3 m 29.666 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	<u>IRP Reinstate fleet edge</u>	6	2	1	3	2 m 59.444 s
2	<u>Renew Fleet feature</u>	<u>IRP Renew fleet chrome</u>	17	2	1	14	3 m 29.666 s



Reinstate Fleet feature

FAILED	DURATION - 2 m 59.449 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 7:41:36.603 pm // 7:44:36.052 pm /					

IRP Reinstate fleet edge



FAILED	DURATION - 2 m 59.444 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 7:41:36.608 pm // 7:44:36.052 pm /				
Reinstate Fleet feature				

#	Step / Hook Details	Status	Duration
1	Given User login as an Internal user Launch the application using URL and login with valid credentials	PASSED	1 m 16.883 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.295 s
			
2	When User will navigate to IRP & Reinstate Fleet Expand the Services header on the left column of the screen and select IRP Navigate to Fleet menu .Click on More and select Fleet Reinstatement	PASSED	1 m 16.848 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.352 s



#	Step / Hook Details	Status	Duration
			
3	<p>Then User will provide all the inputs & select the record on the grid</p> <p>Enter the fleet details having inactive duration of 18 months or more .(ie the fleet was last active in June 2019 if current year is 2020) & hit the proceed button</p> <pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source) at com.celtic.automation.cmcs.util.ElementUtil.webEditTxt(ElementUtil.java:1211) at com.celtic.automation.cmcs.pages.FleetPage.enterLastInactiveDays(FleetPage.java:98) at com.celtic.automation.cmcs.parallel.RIN001.user_will_provide_all_the_inputs_select_the_record_on_the_grid(RIN001.java:157) at ?.User will provide all the inputs & select the record on the grid(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RIN001.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.599 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.212 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.000 s
5	Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.001 s
6	And User will validate the Success Information Message	SKIPPED	0.000 s
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.27.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:60041}, msedge: {msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60041/devtoo..., se:cdpVersion: 107.0.1418.35, </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69) </pre>		




Renew Fleet feature

FAILED	DURATION - 3 m 29.666 s	Scenarios		Steps	
/ 7:41:36.623 pm // 7:45:06.289 pm /		Total - 1	1	Total - 17	17
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	

IRP Renew fleet chrome

<div><div>FAILED</div><div>DURATION - 3 m 29.666 s</div></div>			Steps Total - 17 Pass - 2 Fail - 1 Skip - 14	
/ 7:41:36.623 pm // 7:45:06.289 pm /				
Renew Fleet feature				

#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	1 m 48.017 s
	Launch the application using URL and login with valid credentials		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.262 s
	anyname		

#	Step / Hook Details	Status	Duration
			
2	When User will navigate to the IRPLink Expand the Services header on the left column of the screen and select IRP Click on Renew fleet from Fleet card menu.	PASSED	59.216 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.343 s
			
3	Then User will provide all the Account Number Details to start with IRP Transaction java.lang.IllegalStateException: You can not use Scenario.log or Scenario.attach when a step is not being executed at io.cucumber.core.runner.TestCaseState.requireActiveTestStep(TestCaseState.java:157) at io.cucumber.core.runner.TestCaseState.log(TestCaseState.java:106) at io.cucumber.java.Scenario.log(Scenario.java:100) at com.celtic.automation.cmcs.parallel. RWC001.user_will_provide_all_the_account_number_details_to_start_with_irp_transaction(RWC001.java:139) at ?.User will provide all the Account Number Details to start with IRP Transaction(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RWC001.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.271 s
			
4	Then User will navigate to account section and fill the data	SKIPPED	0.001 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.000 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.001 s
8	Then User will navigate to Amend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.001 s
9	Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.000 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.001 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.001 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.000 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
17	Then user should land on the installment payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.000 s
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.27.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.95, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\SANGEE~1\AppData\Local\Temp\WebDriver-Chrome\108.0.5359.95\chrome\userDataDir\Default Content\}, goog:chromeOptions: {debuggerAddress: localhost:60035}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60035/devtools, se:cdpVersion: 108.0.5359.95, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69) </pre>	FAILED	0.006 s