

Cucumber Report

28-Nov-2022, 12:44:05 pm

Start : Nov 28, 12:43:37.733 pm

End : Nov 28, 12:44:03.135 pm

Duration : 25.402 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1

FAILED - 1


SKIPPED - 15



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renew Fleet feature</u>	25.402 s	1	0	1	0	17	1	1	15





#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	25.402 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	17	1	1	15	25.399 s

Renew Fleet feature

FAILED	DURATION - 25.402 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 1 Fail - 1 Skip - 15	
/ 12:43:37.733 pm // 12:44:03.135 pm /					

IRP Renew fleet

<div><div>FAILED</div><div>DURATION - 25.399 s</div></div>			<div>Steps</div> <div>Total - 17</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 15</div>	
/ 12:43:37.736 pm // 12:44:03.135 pm /				
Renew Fleet feature				

#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	20.274 s
	Launch the application using URL and login with valid credentials		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.355 s
	anyname		
			
2	When User will navigate to the IRPLink	FAILED	2.342 s
	Expand the Services header on the left column of the screen and select IRP		
	Click on Renew fleet from Fleet card menu.		
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99947d83c96d30d0cf566dd46d5e1532, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\HP\AppData\Local\T..., goog:chromeOptions: {debuggerAddress: localhost:51768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51768/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 99947d83c96d30d0cf566dd46d5e1532</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.ScreenshotUtility.captureScreenshot(ScreenshotUtility.java:19) at com.celtic.automation.cmcs.parallel.RWC001.user_will_navigate_to_the_irp_link(RWC001.java:114) at ?.User will navigate to the IRPLink(file:///C:/Users/HP/Downloads/celtic-main(3)/celtic-main/src/test/resources/parallel/RWC001.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99947d83c96d30d0cf566dd46d5e1532, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:51768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51768/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 99947d83c96d30d0cf566dd46d5e1532</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.GenericFunctions.getBytesScreenshot(GenericFunctions.java:33) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(ApplicationHooks.java:48)		
3	Then User will provide all the Account Number Details to start with IRP Transaction	SKIPPED	0.000 s
4	Then User will navigate to account section and fill the data	SKIPPED	0.001 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.001 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
7	Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.001 s
8	Then User will navigate to Amend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.001 s
9	Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.000 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.000 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.000 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.000 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.001 s
17	Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99947d83c96d30d0cf566dd46d5e1532, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:51768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51768/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 99947d83c96d30d0cf566dd46d5e1532</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:68)</p>	FAILED	0.009 s