100

Start: Nov 28, 9:16:32.440 am End: Nov 28, 9:16:35.549 am **Duration**: 3.109 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 6 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Reinstate Fleet feature	3.109 s	1	0	1	0	6	0	1	5

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Reinstate Fleet feature	1	0	1	0	3.109 s


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Reinstate Fleet feature	IRP Reinstate fleet	6	0	1	5	3.107 s

DETAILED SECTION -- 5 --

Reinstate Fleet feature



IRP Reinstate fleet



#	Step / Hook Details	Status	Duration
1	Given User login as an Internal user	FAILED	0.340 s
	java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at com.celtic.automation.cmcs.util.ConfigReader.readRINexcel(ConfigReader.java:187) at com.celtic.automation.cmcs.parallel.RIN001.user_login_as_an_internal_user(RIN001.java:47) at ?.User login as an Internal user(file:///C:/Users/HP/Downloads/celtic-main(3)/celtic-main/src/test/resources/parallel/RIN001.feature:3) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.137 s
	anyname		
2	When User will navigate to IRP & Reinstate Fleet	SKIPPED	0.000 s
3	Then User will provide all the inputs & select the record on the grid	SKIPPED	0.001 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.000 s

Step / Hook Details	Status	Duration
Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.000 s
And User will validate the Success Information Message	SKIPPED	0.000 s
AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.251 s
IRP_Reinstate_fleet		
	Then User will navigate to billing Page & provide mandatory inputs & proceed And User will validate the Success Information Message AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	Then User will navigate to billing Page & provide mandatory inputs & proceed And User will validate the Success Information Message AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) PASSED