# Cucumber Report

| Start : Nov 29, 9:55:02.102 pm | End : Nov 29, 9:59:19.419 pm | Duration : 4 m 17.317 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 7<br>FAILED - 1<br>SKIPPED - 9 |

**Features**

1

Pass %

0 %

**Scenarios**

1

Pass %

0 %

**Steps**

17

Pass %

41 %

| Feature | | Scenario | | | | Step | | | |
|---------|----------|---|---|---|---|----|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Renew Fleet feature* | *4 m 17.317 s* | *1* | *0* | *1* | *0* | *17* | *7* | *1* | *9* |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Renew Fleet feature | 1 | 0 | 1 | 0 | 4 m 17.317 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Renew Fleet feature | IRP Renew fleet | 17 | 7 | 1 | 9 | 4 m 17.313 s |

## Renew Fleet feature

| FAILED | DURATION - 4 m 17.317 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 17<br>Pass - 7<br>Fail - 1<br>Skip - 9 |  |
|---|---|---|---|---|---|
| / 9:55:02.102 pm // 9:59:19.419 pm / | | | | | |

## IRP Renew fleet

| FAILED | DURATION - 4 m 17.313 s |  | Steps<br>Total - 17<br>Pass - 7<br>Fail - 1<br>Skip - 9 |  |
|---|---|---|---|---|
| / 9:55:02.106 pm // 9:59:19.419 pm / | | | | |
| Renew Fleet feature | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | **Given User login as a Internal user** | PASSED | 23.069 s |
| | Launch the application using URL and login with valid credentials | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.302 s |
| | anyname | | |
| |  | | |
| 2 | **When User will navigate to the IRPLink** | PASSED | 21.414 s |
| | Expand the Services header on the left column of the screen and select IRP | | |
| | Click on Renew fleet from Fleet card menu. | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.230 s |
| | anyname | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then User will provide all the Account Number Details to start with IRP Transaction | PASSED | 5.492 s |
| | Enter valid search data and click to proceed | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | anyname | | |
| |  | | |
| 4 | Then User will navigate to account section and fill the data | PASSED | 17.717 s |
| | Enter valid all detail in account page with comments and click on proceed button | | |
| | Click on proceed from the verification page | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| | anyname | | |
| |  | | |
| 5 | Then User will navigate to Fleet section and fill the data and validate message  "IRPACC00 : [I] Renewal account has been generated." | PASSED | 36.670 s |
| | Message in Fleet ScreenIRPACC00 : [I] Renewal account has been generated. | | |
| | Enter update all the mandatory and valid details in fleet page. Also update Fleet Expiration Date & Fleet Type & Commodity Class and click on proceed button after entering comments | | |
| | Click on proceed button from the verification page | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.250 s |
| | anyname | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 6 | Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."<br><br>Select Actual Distance radio button & Enter all the mandatory and valid details in distance page and click on proceed button after entering comments<br>Message in Distance ScreenIRPFLT01 : [I] Renewal fleet has been generated.<br>Message in Distance Screen[I] MCE: IRP status successfully updated.<br>Click on proceed button from the verification page | PASSED | 51.572 s |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br><br>anyname<br> | PASSED | 0.269 s |
| 7 | Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."<br>Click on Add weight group button Add new Weight Group(s) & enter all the mandatory and valid details in the weight group page and click on proceed button<br>Update an existing Weight Group & enter comments<br>Message in Weight Group ScreenIRPMLG13 : [I] Renewal Distance has been generated.<br>Click on proceed button from the verification page<br>Click Done | PASSED | 26.181 s |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)<br><br>anyname<br> | PASSED | 0.202 s |
| 8 | Then User will navigate to Ammend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."<br>Complete Amend vehicle  and edit Ownership Details Safety USDOT and TIN and change Weight Group such that New Plate is requested Also request TVR and enter comments Delete Vehicle(s) such that all Documents are collected and Comments entered<br>Message in Amend Vehicle ScreenIRPVEH375 : [I] Please search the VIN first to process a vehicle.<br>Message in Amend Vehicle Screennull<br>Message in Amend Vehicle Screen IRPVEH004 : [I] Vehicle amended successfully.<br><br>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. | FAILED | 1 m 11.221 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | ChromeDriver Command: [09521fc662bc52eb19428b820874a96a, findElement {using=xpath, value=//input[@id='VehDtlUnladenWeight']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:58631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58631/devtoo. .., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09521fc662bc52eb19428b820874a96a<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>  at jdk.proxy2/jdk.proxy2.$Proxy32.toString(Unknown Source)<br>  at java.base/java.lang.String.valueOf(String.java:4218)<br>  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)<br>  at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:673)<br>  at java.base/java.lang.String.valueOf(String.java:4218)<br>  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)<br>  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)<br>  at com.celtic.automation.cmcs.util.ElementUtil.webEditTxtChange(ElementUtil.java:271)<br>  at com.celtic.automation.cmcs.pages.VehicleAmend.enterUnladenWeight(VehicleAmend.java:241)<br>  at com.celtic.automation.cmcs.parallel.RWC001.user_will_navigate_to_Ammend_vehicle_and_validate_the_message(RWC001.java:588)<br>  at ?.User will navigate to Ammend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."(file:///C:/Users/HP/Downloads/celtic-main(3)/celtic-main/src/test/resources/parallel/RWC001.feature:10)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [09521fc662bc52eb19428b820874a96a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:58631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58631/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09521fc662bc52eb19428b820874a96a<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>  at com.celtic.automation.cmcs.util.GenericFunctions.getByteScreenshot(GenericFunctions.java:33)<br>  at com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(ApplicationHooks.java:54) | | |
| 9 | Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully." | SKIPPED | 0.000 s |
| 10 | And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.001 s |
| 11 | Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.000 s |
| 12 | Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required." | SKIPPED | 0.001 s |
| 13 | And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully." | SKIPPED | 0.000 s |
| 14 | Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart." | SKIPPED | 0.000 s |
| 15 | Then User will navigate to payment tab and fill the requirement | SKIPPED | 0.000 s |
| 16 | And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully." | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 17 | Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully" | SKIPPED | 0.000 s |
| | AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [09521fc662bc52eb19428b820874a96a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:58631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58631/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09521fc662bc52eb19428b820874a96a<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>    at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:74) | | |