

Open Design: The Motion Slide Ecosystem

Orchestrating Agents, Skills, and Systems

A Comprehensive Guide to Kinetic Presentations

1. The Open Design Philosophy

Open Design (OD) is not just a tool; it is a **Substrate**.

- **BYO-Agent**: Orchestrates 13+ CLIs (Claude Code, Codex, Gemini, etc.).
- **Composable Skills**: 31+ file-based skills (Prototype, Deck, Motion).
- **Portable Systems**: 129+ `DESIGN.md` brand systems.
- **Local-First**: Runs on your laptop; web-deployable to Vercel.

"Stop writing prose. Start shipping artifacts."

2. Design Governance: DESIGN.md

Every pixel is governed by the **9-Section Schema**:

1. **Visual Theme**: Mood and atmosphere.
2. **Color**: OKLch/Hex tokens.
3. **Typography**: Scale and font stacks.
4. **Spacing**: 8pt baseline grids.
5. **Layout**: Column logic.
6. **Components**: Button/Card specs.
7. **Motion**: The kinetic signature.
8. **Voice**: Content tone.
9. **Anti-patterns**: The "Slop Blacklist."

3. Visual Directions: The 5 Schools

When no brand exists, OD uses **Deterministic Fallbacks**:

- **Editorial (Monocle)**: Print magazine, ink + cream + warm rust.
- **Modern Minimal**: Cool, structured (Linear/Vercel style).
- **Tech Utility**: Dense, monospace, Bauhaus-inspired.
- **Brutalist**: Raw, oversized type, no shadows, harsh accents.
- **Soft Warm**: Peachy neutrals, low contrast (Apple/Notion style).

4. The Interaction Loop

Open Design prevents "AI Slop" through a structured protocol:

1. **Question Form First:** Turn 1 is always a `<question-form>`. No code yet.
2. **Discovery:** Surface, audience, tone, and constraints are locked.
3. **TodoWrite:** The agent emits a live plan before improvising.
4. **Prototype:** The artifact is rendered in a sandboxed iframe.

5. Artifact Modes: Prototype vs. Deck

- **Prototype Mode:**
 - Single-page artifacts.
 - Landing pages, dashboards, social carousels.
- **Deck Mode:**
 - Horizontal-swipe engine.
 - Magazine-style (`guizang-ppt`).
 - Product walkthroughs (`replit-deck`).



6. Static Deck Architecture

Our decks are built on the **Magazine-Web-PPT** philosophy:

- **Engine:** `guizang-ppt` (bundled verbatim).
- **Features:** WebGL background shaders, P0/P1/P2 checklists.
- **Print-Ready:** CSS-aware PDF export.
- **Control:** Every layout inherits tokens from the active `DESIGN.md` .

7. Adding Kineticism with GSAP

For high-end presentations, **CSS Transitions** are the floor; **GSAP** is the ceiling.

- **Precision:** Frame-accurate orchestration.
- **Physics:** Realistic easing (Spring, Elastic, Bounce).
- **Staggers:** Sequential text/element reveals.
- **Deterministic:** Critical for video export.

8. GSAP Signatures by Style

Match your easing to the school of design:

Style	Mood	GSAP Easing
Swiss Pulse	Clinical	<code>expo.out</code>
Velvet Standard	Luxury	<code>sine.inOut</code>
Deconstructed	Raw	<code>back.out(2.5)</code>
Data Drift	Futuristic	<code>power2.out</code>



9. HyperFrames: HTML → MP4

HyperFrames is our motion-graphics engine.

- **Render:** Headless Chrome + FFmpeg.
- **Workflow:** Compose in HTML → Animate in GSAP → Export as deterministic Video.
- **Use Cases:** Product reveals, TikTok-style verticals, kinetic typography.

10. Media Generation Integration

OD drives **Image, Video, and Audio** alongside code:

- **GPT-Image-2**: Posters, avatars, and infographics.
- **Seedance 2.0**: Cinematic 15s narrative videos.
- **Prompt Gallery**: 93+ ready-to-replicate templates.
- **Workspace Integration**: All renders land as project files (`.png` , `.mp4`).

11. Quality Gates: Anti-AI-Slop

We enforce a **Junior-Designer Pass** protocol:

1. **Honest Placeholders:** No fake stats; use  or grey blocks.
2. **Five-Dim Critique:** Agent scores itself on Philosophy, Hierarchy, Detail, Function, and Innovation.
3. **P0 Checklist:** Hard gates for every skill (e.g., "No overlapping text").
4. **Surgical Edits:** Refining specific regions without breaking the whole.

12. Implementation: GSAP Patterns

```
<!-- Include GSAP -->
<script src="https://cdn.jsdelivr.net/npm/gsap@3.12.2/dist/gsap.min.js"></script>

<script>
  // Entrance Animation Sequence
  const tl = gsap.timeline();
  tl.from(".hero-h1", { y: 100, opacity: 0, duration: 1, ease: "expo.out" })
    .from(".hero-p", { opacity: 0, duration: 0.8 }, "-=0.5")
    .from(".cta", { scale: 0, ease: "back.out(1.7)", duration: 0.5 });
</script>
```

13. HyperFrames Workflow Details

1. **Final State:** Build the layout as a static CSS grid.
2. **Tweening:** Use `gsap.from()` for every visible element.
3. **Transition Shaders:**
 - `vortex` : Swirling depth transitions.
 - `blur` : Cinematic focus shifts.
 - `slide` : Directional pushes with motion blur.
4. **Duration:** Sync with `data-duration` on the stage container.

14. Summary Workflow

1. **Brief:** Natural language input.
2. **Question Form:** Lock down the "Discovery" metadata.
3. **System:** Apply a `DESIGN.md` system.
4. **Skill:** Choose the PPT or Motion-Frame skill.
5. **GSAP Pass:** Inject kinetic entrance signatures.
6. **Critique:** Self-score against the 5-dim checklist.
7. **Export:** Deliver as Web Deck or Cinematic MP4.

FIN.

The Agent is ready.

Let's ship.

<footer>Open Design Ecosystem · 2026</footer>