

**Name** : Kambala Chandu  
**Domain** : Cloud Computing  
**Batch** : CC-MAJOR-JULY

**Major Project** : Create a Static website using Azure Storage Service

with help of required Parameters Static website must contain HTML Content it includes : Table data consisting of 100 Employees Data Like : Name of the Employee ,City ,Phone Number (Assume any data and Create a Table) Table borders should be thick

Note:Static website service should be enabled

# Creating Storage account

✕

Basics   Advanced   Networking   Data protection   Encryption   Tags   Review

storage accounts

### Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Pay-As-You-Go 

empioyee data

[Create new](#)

### Instance details

acme2023storage98765

(US) East US

### Deploy to an edge zone

Standard: Recommended for most scenarios (general-purpose v2 account)

○ Premium: Recommended for scenarios that require low latency.

Locally-redundant storage (LRS)

#### 4. Discussion

[Give feedback](#)

# Create a storage account

- Basics
- Advanced
- Networking
- Data protection
- Encryption
- Tags
- Review

## Security

Configure security settings that impact your storage account.

Require secure transfer for REST API operations ⓘ ☒

Allow enabling anonymous access on individual containers ⓘ ☒

Enable storage account key access ⓘ ☒

Default to Azure Active Directory authorization in the Azure portal ⓘ ☐

Minimum TLS version ⓘ 

Version 1.2

Permitted scope for copy operations (preview) ⓘ 

From any storage account

## Hierarchical Namespace

Hierarchical namespace, complemented by Data Lake Storage Gen2 endpoint, enables file and directory semantics, accelerates big data analytics workloads, and enables access control lists (ACLs) [Learn more](#)

Enable hierarchical namespace ☐

ⓘ

Hierarchical namespace and cross-tenant object replication cannot be enabled simultaneously.

## Access protocols

Blob and Data Lake Gen2 endpoints are provisioned by default [Learn more](#)

Home > Create a resource > Marketplace >

## Create a storage account

Basics **Advanced** Networking Data protection Encryption Tags Review

Enable hierarchical namespace ☐

**i** Hierarchical namespace and cross-tenant object replication cannot be enabled simultaneously.

### Access protocols

Blob and Data Lake Gen2 endpoints are provisioned by default. [Learn more](#)

Enable SFTP ☐

**i** To enable SFTP, 'hierarchical namespace' must be enabled.

Enable network file system v3 ☐

**i** To enable NFS v3 'hierarchical namespace' must be enabled. [Learn more about NFS v3](#)

### Blob storage

Allow cross-tenant replication ☒

Access tier ☒ Hot: Frequently accessed data and day-to-day usage scenarios

☐ Cool: Infrequently accessed data and backup scenarios

### Azure Files

Enable large file shares ☐

**Review** < Previous Next: Networking >

[Give feedback](#)

Home > Create a resource > Marketplace >

## Create a storage account

Basics Advanced **Networking** Data protection Encryption Tags Review

### Network connectivity

You can connect to your storage account either publicly, via public IP addresses or service endpoints, or privately, using a private endpoint.

Network access \*

- ☒ Enable public access from all networks
- ☐ Enable public access from selected virtual networks and IP addresses
- ☐ Disable public access and use private access.
- i** Enabling public access from all networks might make this resource available publicly. Unless public access is required, we recommend using a more restricted access type. [Learn more](#)

### Network routing

Determine how to route your traffic as it travels from the source to its Azure endpoint. Microsoft network routing is recommended for most customers.

Routing preference ⓘ \*

- ☒ Microsoft network routing
- ☐ Internet routing

[Review](#)

[< Previous](#)

[Next : Data protection >](#)

[Give feedback](#)

## Create a storage account

- Basics
- Advanced
- Networking
- Data protection**
- Encryption
- Tags
- Review

### Recovery

Protect your data from accidental or erroneous deletion or modification.

☐ Enable point-in-time restore for containers  
Use point-in-time restore to restore one or more containers to an earlier state. If point-in-time restore is enabled, then versioning, change feed, and blob soft delete must also be enabled. [Learn more](#)

☒ Enable soft delete for blobs  
Soft delete enables you to recover blobs that were previously marked for deletion, including blobs that were overwritten. [Learn more](#)

Days to retain deleted blobs ⓘ

☒ Enable soft delete for containers  
Soft delete enables you to recover containers that were previously marked for deletion. [Learn more](#)

Days to retain deleted containers ⓘ

☒ Enable soft delete for file shares  
Soft delete enables you to recover file shares that were previously marked for deletion. [Learn more](#)

Days to retain deleted file shares ⓘ

### Tracking

Manage versions and keep track of changes made to your blob data.

☐

## Create a storage account

Basics Advanced Networking **Data protection** Encryption Tags Review

☒ Enable soft delete for file shares  
Soft delete enables you to recover file shares that were previously marked for deletion. [Learn more](#)

Days to retain deleted file shares ⓘ

### Tracking

Manage versions and keep track of changes made to your blob data.

- ☐ Enable versioning for blobs  
Use versioning to automatically maintain previous versions of your blobs. [Learn more](#)
- Consider your workloads, their impact on the number of versions created, and the resulting costs. Optimize costs by automatically managing the data lifecycle. [Learn more](#)
- ☐ Enable blob change feed  
Keep track of create, modification, and delete changes to blobs in your account. [Learn more](#)

### Access control

- ☐ Enable version-level immutability support  
Allows you to set time-based retention policy on the account-level that will apply to all blob versions. Enable this feature to set a default policy at the account level. Without enabling this, you can still set a default policy at the container level or set policies for specific blob versions. Versioning is required for this property to be enabled. [Learn more](#)

[Review](#) [< Previous](#) [Next : Encryption >](#)

[Give feedback](#)



## Create a storage account

Basics Advanced Networking Data protection **Encryption** Tags Review

Encryption type \* ⓘ

☒ Microsoft-managed keys (MMK)

☐ Customer-managed keys (CMK)

Enable support for customer-managed keys ⓘ

☒ Blobs and files only

☐ All service types (blobs, files, tables, and queues)

⚠ This option cannot be changed after this storage account is created.

Enable infrastructure encryption ⓘ

☐

Review

< Previous

Next : Tags >

Give feedback

# Create a storage account

- Basics
- Advanced
- Networking
- Data protection
- Encryption
- Tags
- Review

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. [Learn more about tags](#)

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name	Value	Resource
<input type="text"/>	<input type="text"/>	All resources selected

Review

< Previous

Next : Review >

Give feedback

## Create a storage account

Basics Advanced Networking Data protection Encryption Tags Review

### Basics

Subscription	Pay-As-You-Go
Resource Group	employeedata
Location	eastus
Storage account name	acme2023storage98765
Deployment model	Resource manager
Performance	Standard
Replication	Locally-redundant storage (LRS)

### Advanced

Enable hierarchical namespace	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Enabled
Access tier	Hot
Enable SFTP	Disabled
Large file shares	Disabled

### Networking

Network connectivity	Public endpoint (all networks)
Default routing tier	Microsoft network routing
Endpoint type	Standard

### Security

Secure transfer	Enabled
Allow storage account key access	Enabled

Create < Previous Next > Download a template for automation

Give feedback

## Create a storage account

Basics Advanced Networking Data protection Encryption Tags Review

Allow storage account key access	Enabled
Default to Azure Active Directory authorization in the Azure portal	Disabled
Blob anonymous access	Enabled
Minimum TLS version	Version 1.2
Permitted scope for copy operations (preview)	From any storage account

### Data protection

Point-in-time restore	Disabled
Blob soft delete	Enabled
Blob retainment period in days	7
Container soft delete	Enabled
Container retainment period in days	7
File share soft delete	Enabled
File share retainment period in days	7
Versioning	Disabled
Blob change feed	Disabled
Version-level immutability support	Disabled

### Encryption

Encryption type	Microsoft-managed keys (MMK)
Enable support for customer-managed keys	Blobs and files only
Enable infrastructure encryption	Disabled

Create < Previous Next > Download a template for automation

Give feedback

# acme2023storage98765\_1695383360891 | Overview

Deployment

Search Delete Cancel Redeploy Download Refresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name: acme2023storage98765\_1695383360891  
Subscription: [Pay-As-You-Go](#)  
Resource group: [employeeedata](#)

Start time: 9/22/2023, 5:19:23 PM  
Correlation ID: 237331fc-4872-4d05-b506-705f25fc239a

Deployment details

Next steps

Go to resource

Give feedback

Tell us about your experience with deployment



## Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill.  
[Set up cost alerts >](#)



## Microsoft Defender for Cloud

Secure your apps and infrastructure.  
[Go to Microsoft Defender for Cloud >](#)

## Free Microsoft tutorials

[Start learning today >](#)

## Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.  
[Find an Azure expert >](#)

# acme2023storage98765

Storage account

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Data storage
  - Containers
  - File shares
  - Queues
  - Tables
- Security + networking
  - Networking
  - Front Door and CDN
  - Access keys
  - Shared access signature

Upload Open in Explorer Delete Move Refresh Open in mobile CLI / PS Feedback

## Essentials

JSON View

Resource group (move)	: employeeedata	Performance	: Standard
Location	: East US	Replication	: Locally-redundant storage (LRS)
Subscription (move)	: Pay-As-You-Go	Account kind	: StorageV2 (general purpose v2)
Subscription ID	: d2dfcc27-c589-47f6-b003-b86d89be8654	Provisioning state	: Succeeded
Disk state	: Available	Created	: 9/22/2023, 5:19:25 PM
Tags (edit)	: Add tags		

## Properties Monitoring Capabilities (7) Recommendations (0) Tutorials Tools + SDKs

### Blob service

Hierarchical namespace	Disabled
Default access tier	Hot
Blob anonymous access	Enabled
Blob soft delete	Enabled (7 days)
Container soft delete	Enabled (7 days)
Versioning	Disabled
Change feed	Disabled
NFS v3	Disabled
Allow cross-tenant replication	Enabled

### Security

Require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Disabled

### Networking

Allow access from	All networks
Number of private endpoint connections	0
Network routing	Microsoft network routing
Access for trusted Microsoft services	Yes

### File service



[Home](#) > [acme2023storage98765\\_1695383360891](#) | [Overview](#) >

acme2023storage98765

Search

Overview

Activity log

 Tags

- ✕ Diagnose and solve problems

 Access Control (IAM)

 Data migration

Events

- Storage browser

 Storage Mover

### Data storage

Containers

- File shares

 Queues

 Tables

## Security + networking

 Networking

## Front Door and CDN

 Access keys

 Shared access signature

31°C  
Partly sunny

Metastore namespace	Disabled
Default access tier	Hot
Blob anonymous access	Enabled
Blob soft delete	Enabled (7 days)
Container soft delete	Enabled (7 days)
Versioning	Disabled
Change feed	Disabled
NFS v3	Disabled
Allow cross-tenant replication	Enabled

 File service

Large file share	Disabled
Active Directory	Not configured
Default share-level permissions	Disabled
Soft delete	Enabled (7 days)
Share capacity	5 TiB

 Queue service

CMK support	Disabled
-------------	----------

 **Table service**

CMK support	Disabled
-------------	----------

require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Disabled

 Networking

Allow access from	All networks
Number of private endpoint connections	0
Network routing	Microsoft network routing
Access for trusted Microsoft services	Yes
Endpoint type	Standard

# Open Static Website



## acme2023storage98765 | Static website

Storage account

Search

Queues

Tables

### Security + networking

Networking

Front Door and CDN

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

### Data management

Redundancy

Data protection

Object replication

Blob inventory

Static website

Lifecycle management

Azure search

### Settings

Configuration

Save Discard Give feedback

Enabling static websites on the blob service allows you to host static content. Webpages may include static content and client-side scripts. Server-side scripting is not supported. As data is replicated asynchronously from primary to secondary regions, files at the secondary endpoint may not be immediately available or in sync with files at the primary endpoint. [Learn more](#)

Static website

Disabled Enabled



acme2023storage98765 | Static website  
Storage account

Search

Queues

Tables

Security + networking

Networking

Front Door and CDN

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

Data management

Redundancy

Data protection

Object replication

Blob inventory

Static website

Lifecycle management

Azure search

Settings

Configuration

Save Discard Give feedback

Enabling static websites on the blob service allows you to host static content. Webpages may include static content and client-side scripts. Server-side scripting is not supported. As data is replicated asynchronously from primary to secondary regions, files at the secondary endpoint may not be immediately available or in sync with files at the primary endpoint. [Learn more](#)

Static website


Disabled Enabled

Index document name ⓘ

index.html ✓

Error document path ⓘ

error.html ✓



## The requested content does not exist.

- HttpStatusCode: 404
- ErrorCode: WebContentNotFound
- RequestId : fc7dbf21-901e-001e-784b-ed40e5000000
- TimeStamp : 2023-09-22T11:51:35.4543205Z

\$web  
Container

X

Search

«

Upload Change access level Refresh Delete Change tier Acquire lease Break lease View snapshots Create snapshot Give feedback

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings
- Shared access tokens
- Access policy
- Properties
- Metadata
- Editor (preview)

Authentication method: Access key (Switch to Azure AD User Account)  
Location: \$web

Search blobs by prefix (case-sensitive)

☐ Show deleted blobs

+ Add filter

Name	Modified	Access tier	Archive status	Blob type	Size	Lease state
No results						

## \$web

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

Editor (preview)

Upload Change access level Refresh Delete Change tier Acquire lease

Authentication method: Access key (Switch to Azure AD User Account)

Location: \$web

Search blobs by prefix (case-sensitive)

Add filter

Name	Modified	Access tier	Arch
No results			

## Upload blob



1 file(s) selected: Index.html

Drag and drop files here or [Browse for files](#)

☐ Overwrite if files already exist

Advanced

Upload

Give feedback



Html code

```
<!DOCTYPE html>
<html>
<head>
  <title>Employee Data</title>
  <style>
    table {
      border-collapse: collapse;
      width: 100%;
    }

    table, th, td {
      border: 2px solid black;
    }

    th, td {
      padding: 8px;
      text-align: left;
    }

    th {
      background-color: #f2f2f2;
    }
  </style>
</head>
<body>
  <h1>Employee Data</h1>
  <table>
    <tr>
      <th>S.no</th>
      <th>Name of the Employee</th>
      <th>City</th>
      <th>Phone Number</th>
    </tr>
```



```
<tr>
  <tr>
    <td>1</td>
    <td>Chandu</td>
    <td>Nuzvid</td>
    <td>9392581544</td>
  </tr>
  <tr>
    <td>2</td>
    <td>Ashritha</td>
    <td>vizag</td>
    <td>(123) 456-7890</td>
  </tr>
  <tr>
    <td>3</td>
    <td>Vidhya</td>
    <td>bangloore</td>
    <td>(555) 123-4567</td>
  </tr>
  <tr>
    <td>4</td>
    <td>Praneetha</td>
    <td>lakkavaram</td>
    <td>9348285156</td>
  </tr>
  <tr>
    <td>5</td>
    <td>Ritvik</td>
    <td>New Delhi</td>
    <td>2003101426</td>
  </tr>
  <tr>
    <td>6</td>
```

```
<td>Raghava</td>
<td>Mumbai</td>
<td>2003105902</td>
</tr>
<tr>
  <td>7</td>
  <td>Subramanyam</td>
  <td>Kolkata</td>
  <td>2003105685</td>
</tr>
<tr>
  <td>8</td>
  <td>Yamuna</td>
  <td>Chennai</td>
  <td>2003104683</td>
</tr>
<tr>
  <td>9</td>
  <td>Arun</td>
  <td>Hyderabad</td>
  <td>2003105834</td>
</tr>
<tr>
  <td>10</td>
  <td>Neha Sri</td>
  <td>Pune</td>
  <td>2003101175</td>
</tr>
<tr>
  <td>11</td>
  <td>Nethra Lahari</td>
  <td>Ahmedabad</td>
  <td>2003105754</td>
```

```
</tr>
<tr>
  <td>12</td>
  <td>Siddartha</td>
  <td>Jaipur</td>
  <td>2003105710</td>
</tr>
<tr>
  <td>13</td>
  <td>Gayathri</td>
  <td>Lucknow</td>
  <td>2003101777</td>
</tr>
<tr>
  <td>14</td>
  <td>Shivam</td>
  <td>Kochi</td>
  <td>2003100921</td>
</tr>
<tr>
  <td>15</td>
  <td>Amulya</td>
  <td>Varanasi </td>
  <td>2003105648</td>
</tr>
<tr>
  <td>16</td>
  <td>Jaswanth Sai</td>
  <td>Agra</td>
  <td>2003202726</td>
</tr>
<tr>
  <td>17</td>
```

```
<td>Suman Kumar </td>
<td>Amritsar</td>
<td>2003105558</td>
</tr>
<tr>
<td>18</td>
<td>Srikanth</td>
<td>Bhopal</td>
<td>2003105907</td>
</tr>
<tr>
<td>19</td>
<td>Deekshitha</td>
<td>Coimbatore</td>
<td>2003100016</td>
</tr>
<tr>
<td>20</td>
<td>Sai Deekshith</td>
<td>Thiruvananthapuram</td>
<td>2003103905</td>
</tr>
<tr>
<td>21</td>
<td>Pradeep Naik</td>
<td>Nagpur</td>
<td>2003102413</td>
</tr>
<tr>
<td>22</td>
<td>Matyalingam</td>
<td>Indore</td>
<td>2003100016</td>
```

```
</tr>
<tr>
  <td>23</td>
  <td>Mohit Kumar</td>
  <td>Surat</td>
  <td>2003103133</td>
</tr>
<tr>
  <td>24</td>
  <td>Karthikeya Singh</td>
  <td>Kanpur</td>
  <td>2003103133</td>
</tr>
<tr>
  <td>25</td>
  <td>Sri Ram</td>
  <td>Vadodara</td>
  <td>2003103479</td>
</tr>
<tr>
  <td>26</td>
  <td>Nikhil Krishna</td>
  <td>Ludhiana</td>
  <td>2003101614</td>
</tr>
<tr>
  <td>27</td>
  <td>Shaik Gayub</td>
  <td>Nashik</td>
  <td>2003105203</td>
</tr>
<tr>
  <td>28</td>
```

```
<td>Thimmapatini Kumar</td>
<td>Meerut</td>
<td>2003103479</td>
</tr>
<tr>
<td>29</td>
<td>Siri Chandana</td>
<td>Faridabad</td>
<td>2003101614</td>
</tr>
<tr>
<td>30</td>
<td>Shubham Singh</td>
<td>Rajkot</td>
<td>2003105203</td>
</tr>
<tr>
<td>31</td>
<td>Deepti Sai</td>
<td>Srinagar</td>
<td>2003104542</td>
</tr>
<tr>
<td>32</td>
<td>Sriram</td>
<td>Dhanbad</td>
<td>200310159</td>
</tr>
<tr>
<td>33</td>
<td>Akshay Kumar</td>
<td>Amravati</td>
<td>200310636</td>
```

```
</tr>
<tr>
  <td>34</td>
  <td>Mitali ishvar</td>
  <td>Allahabad</td>
  <td>2003101888</td>
</tr>
<tr>
  <td>35</td>
  <td>Yaswanth Kumar Reddy</td>
  <td>Allahabad</td>
  <td>2003101888</td>
</tr>
<tr>
  <td>36</td>
  <td>Sai Teja</td>
  <td>Jabalpur</td>
  <td>20031067</td>
</tr>
<tr>
  <td>37</td>
  <td>Srvani</td>
  <td>Gwalior</td>
  <td>2003104319</td>
</tr>
<tr>
  <td>38</td>
  <td>Javohar Rohit</td>
  <td>Vijayawada</td>
  <td>2003102384</td>
</tr>
<tr>
  <td>39</td>
```

```
<td>Hari Kiran</td>
<td>Guwahati</td>
<td>20031014871</td>
</tr>
<tr>
<td>40</td>
<td>Siva Rama</td>
<td>Aurangabad</td>
<td>2003104028</td>
</tr>
<tr>
<td>41</td>
<td>Sai Kiran</td>
<td>Solapur</td>
<td>2003103101</td>
</tr>
<tr>
<td>42</td>
<td>Harsha Sai</td>
<td>Ranchi</td>
<td>200310930</td>
</tr>
<tr>
<td>43</td>
<td>Sadiya Samreen</td>
<td>Jodhpur</td>
<td>2003102360</td>
</tr>
<tr>
<td>44</td>
<td>Venu Madhav</td>
<td>Raipur</td>
<td>200310157</td>
```



```
</tr>
<tr>
  <td>45</td>
  <td>Mayank Kumar</td>
  <td>Kota</td>
  <td>2003108260</td>
</tr>
<tr>
  <td>46</td>
  <td>Srija Kare</td>
  <td>Thane</td>
  <td>2003100784</td>
</tr>
<tr>
  <td>47</td>
  <td>Vishwajeet Shoorra</td>
  <td>Howrah</td>
  <td>200310180</td>
</tr>
<tr>
  <td>48</td>
  <td>Sravanthi Korabandi</td>
  <td>Pimpri Chinchwad</td>
  <td>2003106737</td>
</tr>
<tr>
  <td>49</td>
  <td>Hemanth</td>
  <td>Salem</td>
  <td>2003100665</td>
</tr>
<tr>
  <td>50</td>
```

```
<td>Vijay Kadam</td>
<td>Patna</td>
<td>2003103873</td>
</tr>
<tr>
<td>51</td>
<td>Shiny</td>
<td>Dehradun</td>
<td>2003101495</td>
</tr>
<tr>
<td>52</td>
<td>Suresh Kumar</td>
<td>Suresh Kumar</td>
<td>2003100025</td>
</tr>
<tr>
<td>53</td>
<td>Rushyanth Kumar</td>
<td>Mangalore</td>
<td>2003108618</td>
</tr>
<tr>
<td>54</td>
<td>Chandra Sekhar</td>
<td>Udaipur</td>
<td>2003107031</td>
</tr>
<tr>
<td>55</td>
<td>Neha Sai Sree</td>
<td>Asansol</td>
<td>2003102953</td>
```

```
</tr>
<tr>
  <td>56</td>
  <td>Lokesh Reddy</td>
  <td>Ajmer</td>
  <td>2003102433</td>
</tr>
<tr>
  <td>57</td>
  <td>Satyam Kumar</td>
  <td>Bhavnagar</td>
  <td>2003101152</td>
</tr>
<tr>
  <td>58</td>
  <td>Rakesh</td>
  <td>Tiruchirappall</td>
  <td>2003100990</td>
</tr>
<tr>
  <td>59</td>
  <td>Naga Sri</td>
  <td>Bhubaneswa</td>
  <td>2003103985</td>
</tr>
<tr>
  <td>60</td>
  <td>Jayanth</td>
  <td>Mysore</td>
  <td>2003106870</td>
</tr>
<tr>
  <td>61</td>
```

```
<td>Krishnam Raju</td>
<td>Noida</td>
<td>2003105093</td>
</tr>
<tr>
<td>62</td>
<td>Pavan Kumar</td>
<td>Gandhinagar</td>
<td>2003108551</td>
</tr>
<tr>
<td>63</td>
<td>Chandrika</td>
<td>Kollam</td>
<td>2003102744</td>
</tr>
<tr>
<td>64</td>
<td>Venkata Surya </td>
<td>Jammu</td>
<td>2003105936</td>
</tr>
<tr>
<td>65</td>
<td>Aaditya Priyadarshi</td>
<td>Siliguri</td>
<td>2003104563</td>
</tr>
<tr>
<td>66</td>
<td>Tarun Kumar</td>
<td>Nellore</td>
<td>2003102263</td>
```

```
</tr>
<tr>
  <td>67</td>
  <td>Uday Kumar</td>
  <td>Jhansi</td>
  <td>2003102262</td>
</tr>
<tr>
  <td>68</td>
  <td>Vijay Ram</td>
  <td>Belgaum</td>
  <td>2003106314</td>
</tr>
<tr>
  <td>69</td>
  <td>Srilaaxmi</td>
  <td>Sangli</td>
  <td>2003100609</td>
</tr>
<tr>
  <td>70</td>
  <td>Pravallika</td>
  <td>Ambala</td>
  <td>2003102581</td>
</tr>
<tr>
  <td>71</td>
  <td>Aryan Singh</td>
  <td>Warangal</td>
  <td>2003106506</td>
</tr>
<tr>
  <td>72</td>
```

```
<td>Atul Kumar</td>
<td>Aligarh</td>
<td>2003105307</td>
</tr>
<tr>
<td>73</td>
<td>Shaik Chotavali</td>
<td>Tirunelveli</td>
<td>2003102288</td>
</tr>
<tr>
<td>74</td>
<td>Akash Kumar</td>
<td>Malegaon</td>
<td>2003106767</td>
</tr>
<tr>
<td>75</td>
<td>Swamy Saxena</td>
<td>Gaya</td>
<td>2003101424</td>
</tr>
<tr>
<td>76</td>
<td>Ajeet Kumar</td>
<td>Jalgaon</td>
<td>2003101129</td>
</tr>
<tr>
<td>77</td>
<td>Rupesh </td>
<td>Maheshtala</td>
<td>2003100846</td>
```

```
</tr>
<tr>
  <td>78</td>
  <td>Krishna Priya</td>
  <td>Davanagere</td>
  <td>2003103849</td>
</tr>
<tr>
  <td>79</td>
  <td>Nikhil</td>
  <td>Kozhikode</td>
  <td>2003104711</td>
</tr>
<tr>
  <td>80</td>
  <td>Sai Siddhartha</td>
  <td>Akola</td>
  <td>2003104758</td>
</tr>
<tr>
  <td>81</td>
  <td>Jaya Prakash</td>
  <td>Kurnool</td>
  <td>2003105215</td>
</tr>
<tr>
  <td>82</td>
  <td>Rajender</td>
  <td>Rajpur Sonarpur</td>
  <td>2003104837</td>
</tr>
<tr>
  <td>83</td>
```

```
<td>Riteesh Kumar</td>
<td>Rajahmundry</td>
<td>2003101468</td>
</tr>
<tr>
<td>84</td>
<td>Suryanarayana</td>
<td>Bokaro Steel City</td>
<td>2003105258</td>
</tr>
<tr>
<td>85</td>
<td>Peddi Siddartha</td>
<td>South Dumdum</td>
<td>2003107342</td>
</tr>
<tr>
<td>86</td>
<td>Ajay Kumar</td>
<td>Bellary</td>
<td>Patiala</td>
</tr>
<tr>
<td>87</td>
<td>Sathvik </td>
<td>Gopalpur</td>
<td>2003100987</td>
</tr>
<tr>
<td>88</td>
<td>Prasanth Kumar</td>
<td>Agartala</td>
<td>2003106692</td>
```



```
</tr>
<tr>
  <td>89</td>
  <td>Navin Kumar</td>
  <td>Bhagalpur</td>
  <td>2003104852</td>
</tr>
<tr>
  <td>90</td>
  <td>Bhanu</td>
  <td>Muzaffarnagar</td>
  <td>2003106262</td>
</tr>
<tr>
  <td>91</td>
  <td>Banothu Sai</td>
  <td>Bhatpara</td>
  <td>2003107890</td>
</tr>
<tr>
  <td>92</td>
  <td>Rajkishor Kumar</td>
  <td>Panihati</td>
  <td>2003105366</td>
</tr>
<tr>
  <td>93</td>
  <td>Gopi Krishna</td>
  <td>Latur</td>
  <td>2003104800</td>
</tr>
<tr>
```

```
<td>94</td>
<td>Pranay Kumar</td>
<td>Dhule</td>
<td>2003105446</td>
</tr>
<tr>
<td>95</td>
<td>Sanjana</td>
<td>Sambalpur</td>
<td>2003105306</td>
</tr>
<tr>
<td>96</td>
<td>Sai Sri </td>
<td>Purnia</td>
<td>2003103446</td>
</tr>
<tr>
<td>97</td>
<td>Satyam kumar</td>
<td>Hisar</td>
<td>2003107119</td>
</tr>
<tr>
<td>98</td>
<td>Rahel</td>
<td>Bidar</td>
<td>2003103004</td>
</tr>
<tr>
<td>99</td>
<td>Nandini</td>
<td>Raichur</td>
```

```
        <td>2003108445</td>
    </tr>
    <tr>
        <td>100</td>
        <td>Vara Prasad</td>
        <td>Kalyan-Dombivali</td>
        <td>2003105063</td>
    </tr>
    <tr>
    </table>
</body>
</html>
```

 **\$web** ...  
Container

Successfully uploaded blob(s)  
Successfully uploaded 1 blob(s).

Search

Upload Change access level Refresh Delete Change tier Acquire lease Break lease View snapshots Create snapshot Give feedback

Overview

Authentication method: Access key (Switch to Azure AD User Account)  
Location: \$web

Diagnose and solve problems

Access Control (IAM)

Search blobs by prefix (case-sensitive)

Show deleted blobs

Settings

Add filter

Shared access tokens

Access policy

Properties

Metadata

Editor (preview)

Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
<input type="checkbox"/>  Index.html	9/22/2023, 5:22:32 PM	Hot (Inferred)		Block blob	13.07 KiB	Available	...

## \$web

Container

[Upload](#) [Change access level](#) [...](#)

### Overview

[Diagnose and solve problems](#)[Access Control \(IAM\)](#)

### Settings

[Shared access tokens](#)[Access policy](#)[Properties](#)[Metadata](#)[Editor \(preview\)](#)**Authentication method:** Access key ([Switch to Azure AD User Account](#))**Location:** \$web☐ Show deleted blobs[Add filter](#)

Name

☐ [index.html](#) [...](#)

## index.html

Blob

[Save](#) [Discard](#) [Download](#) [Refresh](#) [Delete](#) [Change tier](#) [Acquire lease](#) [Break lease](#) [Give feedback](#)[Overview](#) [Versions](#) [Snapshots](#) [Edit](#) [Generate SAS](#)

### Properties

URL	<a href="https://acme2023storag...">https://acme2023storag...</a>
LAST MODIFIED	9/22/2023, 6:08:35 PM
CREATION TIME	9/22/2023, 5:27:34 PM
VERSION ID	-
TYPE	Block blob
SIZE	13.11 KiB
ACCESS TIER	Hot (Inferred)
ACCESS TIER LAST MODIFIED	N/A
ARCHIVE STATUS	-
REHYDRATE PRIORITY	-
SERVER ENCRYPTED	true
ETAG	0x8DBBB68D6D3D9F6
VERSION-LEVEL IMMUTABILITY POLICY	Disabled
CACHE-CONTROL	<input type="text"/>
CONTENT-TYPE	<input type="text" value="text/html"/>
CONTENT-MD5	<input type="text" value="RXwjejfmXLAL3JHOGtkMQ..."/>
CONTENT-ENCODING	<input type="text"/>
CONTENT-LANGUAGE	<input type="text"/>
CONTENT-DISPOSITION	<input type="text"/>

Home &gt; acme2023storage98765\_1695383360891 | Overview &gt; acme2023storage98765 | Static website &gt; \$web &gt;

## \$web

Container

Search

Upload Change access level

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

Editor (preview)

Authentication method: Access key (Switch to Azure AD User Account)

Location: \$web

Search blobs by prefix (case-...)

Show deleted blobs

Add filter

Name

index.html

## index.html

Blob

Save Discard Download Refresh Delete


Overview Versions Snapshots Edit Generate SAS

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Employee Data</title>
5   <style>
6     table {
7       border-collapse: collapse;
8       width: 100%;
9     }
10
11     table, th, td {
12       border: 2px solid black;
13     }
14
15     th, td {
16       padding: 8px;
17       text-align: left;
18     }
19
20     th {
21       background-color: #f2f2f2;
22     }
23   </style>
```

Html

Preview







Employee Data

https://acme2023storage98765.z13.web.core.windows.net

Gmail YouTube Maps New Tab

All Bookmarks

# Employee Data

S.no	Name of the Employee	City	Phone Number
1	Chandu	Nuzvid	9392581544
2	Ashritha	vizag	(123) 456-7890
3	Vidhya	bangloore	(555) 123-4567
4	Praneetha	lakkavaram	9348285156
5	Ritvik	New Delhi	2003101426
6	Raghava	Mumbai	2003105902
7	Subramanyam	Kolkata	2003105685
8	Yamuna	Chennai	2003104683
9	Arun	Hyderabad	2003105834
10	Neha Sri	Pune	2003101175
11	Nethra Lahari	Ahmedabad	2003105754
12	Siddartha	Jaipur	2003105710
13	Gayathri	Lucknow	2003101777
14	Shivam	Kochi	2003100921
15	Amulya	Varanasi	2003105648
16	Jaswanth Sai	Agra	2003202726
17	Suman Kumar	Amritsar	2003105558
18	Srikanth	Bhopal	2003105907

31°C Partly sunny

Search

ENG IN 18:16 22-09-2023



19	Deekshitha	Coimbatore	2003100016
20	Sai Deekshitha	Thiruvananthapuram	2003103905
21	Pradeep Naik	Nagpur	2003102413
22	Matyalingam	Indore	2003100016
23	Mohit Kumar	Surat	2003103133
24	Karthikeya Singh	Kanpur	2003103133
25	Sri Ram	Vadodara	2003103479
26	Nikhil Krishna	Ludhiana	2003101614
27	Shaik Gayub	Nashik	2003105203
28	Thimmapatini Kumar	Meerut	2003103479
29	Siri Chandana	Faridabad	2003101614
30	Shubham Singh	Rajkot	2003105203
31	Deepti Sai	Srinagar	2003104542
32	Sriram	Dhanbad	200310159
33	Akshay Kumar	Amravati	200310636
34	Mitali ishvar	Allahabad	2003101888
35	Yaswanth Kumar Reddy	Allahabad	2003101888
36	Sai Teja	Jabalpur	20031067
37	Srvani	Gwalior	2003104319
38	Javohar Rohit	Vijayawada	2003102384
39	Hari Kiran	Guwahati	20031014871
40	Siva Rama	Aurangabad	2003104028

41	Sai Kiran	Solapur	2003103101
42	Harsha Sai	Ranchi	200310930
43	Sadiya Samreen	Jodhpur	2003102360
44	Venu Madhav	Raipur	200310157
45	Mayank Kumar	Kota	2003108260
46	Srija Kare	Thane	2003100784
47	Vishwajeet Shooru	Howrah	200310180
48	Sravanthi Korabandi	Pimpri Chinchwad	2003106737
49	Hemanth	Salem	2003100665
50	Vijay Kadam	Patna	2003103873
51	Shiny	Dehradun	2003101495
52	Suresh Kumar	Suresh Kumar	2003100025
53	Rushyanti Kumar	Mangalore	2003108618
54	Chandra Sekhar	Udaipur	2003107031
55	Neha Sai Sree	Asansol	2003102953
56	Lokesh Reddy	Ajmer	2003102433
57	Satyam Kumar	Bhavnagar	2003101152
58	Rakesh	Tiruchirappalli	2003100990
59	Naga Sri	Bhubaneswa	2003103985
60	Jayanth	Mysore	2003106870
61	Krishnam Raju	Noida	2003105093
62	Roshan Kumar	Goodbye	2003108551

62	Pavan Kumar	Gandhinagar	2003108551
63	Chandrika	Kollam	2003102744
64	Venkata Surya	Jammu	2003105936
65	Aaditya Priyadarshi	Siliguri	2003104563
66	Tarun Kumar	Nellore	2003102263
67	Uday Kumar	Jhansi	2003102262
68	Vijay Ram	Belgaum	2003106314
69	Srilaxmi	Sangli	2003100609
70	Pravallika	Ambala	2003102581
71	Aryan Singh	Warangal	2003106506
72	Atul Kumar	Aligarh	2003105307
73	Shaik Chotavali	Tirunelveli	2003102288
74	Akash Kumar	Malegaon	2003106767
75	Swamy Saxena	Gaya	2003101424
76	Ajeet Kumar	Jalgaon	2003101129
77	Rupesh	Maheshkala	2003100846
78	Krishna Priya	Davanagere	2003103849
79	Nikhil	Kozhikode	2003104711
80	Sai Siddhartha	Akola	2003104758
81	Jaya Prakash	Kumool	2003105215
82	Rajender	Rajpur Sonarpur	2003104837
83	Riteesh Kumar	Rajahmundry	2003101468

80	Sai Siddhartha	Akola	2003104758
81	Jaya Prakash	Kurnool	2003105215
82	Rajender	Rajpur Sonarpur	2003104837
83	Riteesh Kumar	Rajahmundry	2003101468
84	Suryanarayana	Bokaro Steel City	2003105258
85	Peddi Siddartha	South Dumdum	2003107342
86	Ajay Kumar	Bellary	Patiala
87	Sathvik	Gopalpur	2003100987
88	Prasanth Kumar	Agartala	2003106692
89	Navin Kumar	Biagalpur	2003104852
90	Bhanu	Muzaffarnagar	2003106262
91	Banothu Sai	Bhatpara	2003107890
92	Rajkishor Kumar	Panihati	2003105366
93	Gopi Krishna	Latur	2003104800
94	Pranay Kumar/td>	Dhule	2003105446
95	Sanjana	Sambalpur	2003105306
96	Sai Sri	Purnia	2003103446
97	Satyam kumar	Hisar	2003107119
98	Rahel	Bidar	2003103004
99	Nandini	Raichur	2003108445
100	Vara Prasad	Kalyan-Dombivali	2003105063

THE END