

ROBLOX BUSINESS · JUSTIN & HUNTER · V1.4

Parallel Swarm

Answer first: do not 100% copy a live place and reskin it. Do slavishly reconstruct the winning loop on your engine while other agents prepare the unique second pass — then snap the two together.

v1.3 made Claude faster by removing waiting. v1.4 makes it faster by removing idle agents. Research, uniqueness, economy, art specs and the test script run at the same time. Code still has one writer. Assembly is a file contract, not a second Studio.

The question, answered in one breath

No — do not attempt to copy a game 100% and then pull it apart. That is slower, more fragile, and the thing that gets titles deleted after they finally have metrics. Yes — use a two-pass: Pass 1 reconstructs the public loop as faithfully as observation allows, on your engine, with legal stand-in art. Pass 2, prepared in parallel, swaps theme, names, clip wedge and rules that are actually yours. The speed is in tracing the machine, not in stealing the place.

PART 0 · THE QUESTION

Why a 100% copy-then-reskin is the wrong kind of fast

The instinct is right. Blank slates are slow. Most hits in a category share a machine. Tracing that machine is how you get a testable loop before dinner. The mistake is treating "the machine" as "the other creator's place." Those are different objects.

What "100% copy" actually means on Roblox

A working clone of someone else's experience, pulled apart later, means their meshes, textures, audio, scripts, names, map layout and product list as the starting file. That is not a research method. It is a ripped place. Roblox fingerprints audio and takes down owned names and characters on sight. The takedown lands after Gate B — after the title is finally worth something. Exploit-style extraction also risks the account, which ends the factory, not just the title.

Why it is also slower than it looks

IF YOU START FROM A RIPPED PLACE	IF YOU START FROM YOUR ENGINE + A TRACED LOOP
You inherit their bugs, their economy wall, their week-2 billionaire curve, and their fade.	You inherit R1-R7, DataService, RemoteGuard, the sim, the hooks. Those are already paid for.
Pass 2 is a decontamination pass: rename, replace assets, pray nothing fingerprints.	Pass 2 is a uniqueness pass: theme, names, clip wedge, one rule that is yours.
You are reverse-engineering an undocumented DataModel. That is days, not hours.	You are filling a content pack the engine already boots. That is hours.
One source = their ceiling. When the wave dies, you die with it.	Three-source blend + one complaint-wedge is how evergreens are made from fading shapes.
Moderation deletes the title after metrics exist. The funeral is expensive.	Store IDs + generated-in-style + new names survive the week you start earning.

Steal a Fish is the exhibit: launch, 192k peak, hundreds left inside a few months. A 100% copy of a fading #1 is a high-speed ticket onto a sinking wave, plus a takedown risk. Mine a Mountain without a social surface is the same lesson from the other direction — the loop without the clip is already dying. Copy the loop. Do not photocopy the graveyard.

The legal two-pass that keeps the speed

Pass 1 — Trace. From public play and public video, write the loop as a spec: first 60 seconds, verb cadence, how the bag/plot/hive teaches the sink, first purchase, appointment timer. Build that loop on the factory engine with generic Store stand-ins. No original names, no original meshes, no original audio.

Pass 2 — Make it ours. Prepared while Pass 1 is being built, not after: blended style from 3–5 comps, new names, new destination building, one clip hook taken from what players complain the comps lack, economy numbers run through your sim — not theirs.

Assembly. Snap Pass 2 files onto the already-green Pass 1 loop. MCP re-runs the four-beat. That is the unique product. The unique work was never blocked on the clone.

PART 1 · WHAT MAY BE TRACED

A hard line so "aggressive" cannot be read as "rip it"

TRACE FROM PUBLIC PLAY / VIDEO (PASS 1)	NEVER TAKE FROM ANOTHER PLACE
The verb and its cadence (mine 4s, bag full, walk to bank).	Meshes, textures, animations, particle graphs, map geometry.
How the first minute teaches the sink without a speech.	Scripts, ModuleScripts, RemoteEvent names, DataStore keys.
Meta loop shape: offline cap, rebirth, collection slots.	Audio files, even ones listed as "free" if they carry another game's name.
Social / clip surface type: gift, steal-show, public pile.	Names, taglines, mascots, logos, characters with an owner.
Price-ladder shape and first-purchase moment — not their SKU names.	Private endpoints, unpublished place files, anything that needs an exploit.
HUD density, camera distance, colour logic, thumbnail formula.	A one-source visual clone that a moderator can match to the original storefront.
Complaints in comments — the wedge Pass 2 exploits.	A reference-board image shipped as a texture.

If a session cannot tell which column a step belongs in, it belongs on the right until proven otherwise. Speed is not an argument for the right column. The August 2026 #1 takedown is.

PART 2 · THE SWARM

Many agents at once, one writer, one assembly

More agents only help if they do not collide. The factory already learned this: two writers in Studio corrupt the DataModel. The swarm therefore writes contracts on disk. The builder is the only process that touches src/ and the live place. Grok and extra Claude subagents never open the DataModel.

The roster — twelve jobs, four waves

AGENT	WAVE	WRITES (DISK ONLY)	MUST NOT
Conductor	all	STATE.md, the wave board, merge decisions	Invent content. Its job is traffic control.
Intake	0	games/<slug>/brief.md, hypotheses	Wait for a form.
Ledger scout	1	brief.md appendix: matches, n=1 flags, contradictions	Veto a new idea.
Tracker	1	research/<slug>/ccu-board.md — 5–10 titles by CCU + wave	Hit private endpoints.
Teardown A/B/C...	1	One TEMPLATE.md each, in parallel	Write essays. The form is the job.
Wedge / uniqueness	1	games/<slug>/wedge.md — what comps lack that kids complain about	Add a second core verb.
Style + shelf	1	theme spec, ≥15 Store IDs, audio IDs	Download another creator's assets.
Economy tracer	1	ladder shape + first buy + Candidate numbers for the sim	Copy their SKU names.
Cutter	2	cut-list.md + parking list, line pre-drawn	Delete parked ideas.
Builder	3	src content pack only. The one writer.	Open research rabbit holes.
Shadow crew (Grok + extras)	3	confusion pass, art sheets, thumb prompts, MCP script, first-session script — while Builder codes	Touch src/ or Studio.
Assembler + MCP tester	4	dress from shelf, four-beat run log, persist rows	Declare done on a red beat.

File-ownership rule — how they do not collide

Every agent owns one path. No shared draft. The conductor is the only process allowed to copy a finished contract into another folder. If two agents need the same fact, they read; they do not both write. Collision on a path is a failed wave, not a merge-at-the-end surprise.

PATH	OWNER
games/<slug>/brief.md	Intake, then frozen. Later agents append only under ## Swarm notes
research/<slug>/ccu-board.md	Tracker
research/patterns/<slug>-<comp>.md	That teardown agent only
games/<slug>/wedge.md	Uniqueness agent
games/<slug>/theme.md + shelf.md	Style + shelf
games/<slug>/economy.md	Economy tracer
games/<slug>/cut-list.md	Cutter
games/<slug>/mcp-script.md + session-script.md + thumbs.md	Shadow crew
games/<slug>/*.luau and src pack	Builder, then Assembler
docs/runs/ + STATE.md + evidence/	Conductor / session-close

PART 3 · THE FOUR WAVES

What runs at the same time, and what must wait

Parallelism that ignores dependencies produces eight half-documents and no game. The waves below are the only schedule. Inside a wave, everything listed runs at once. Across waves, nothing starts early.

WAVE	CLOCK	RUNS IN PARALLEL	FAN-IN / GATE
0 Kick	0:00–0:15	Intake drafts the brief from four paragraphs. Conductor slugs the title, opens folders, sets STATE.md = Wave 1.	Need a verb family. If the prose is empty, stop and ask one question, not six.
1 Swarm	0:15–1:15	Ledger scout · Tracker · Teardowns (one agent per top comp, cap 5) · Wedge · Style/shelf · Economy tracer. Grok can take teardowns 4–5 + wedge + confusion preview.	Conductor checks every owned path exists and is non-empty. Missing file = that agent retries once, then the wave continues with a hole flagged.
2 Cut	1:15–1:35	Cutter only — but it reads every Wave-1 file. Draws the line. Parks the rest. Pass 1 scope vs Pass 2 scope is named on the page.	Two-minute owner window. Silence = keep the line. Candidate economy becomes G2 default.
3 Build + shadow	1:35–6:00	Builder writes the Pass 1 loop on the engine. At the same time the shadow crew writes: confusion pass, MCP script, Hunter script, thumb prompts, named-tier list, audio cues, Pass 2 theme pack sitting idle.	Builder does not wait for thumbs. Shadow crew does not wait for the last Remote. They meet at Wave 4.
4 Assemble + prove	6:00–8:30	Assembler inserts shelf IDs and Pass 2 names onto the green loop. MCP four-beat. Persistence. Thumb pair rendered from the already-written prompts.	Red beat = patch in-wave. Do not open Wave 5 on a red beat.
5 Packet	8:30–9:30	List-ready packet, Gate A script printed, STATE.md next-move, evidence stubs for the two hypotheses.	G5 listing remains a human click. D1 starts after that click, not before.

What must stay serial — do not "parallelise" these

Intake before the swarm (no verb family, no comps). Cut before build (otherwise Builder invents). Persistence-capable place before honest MCP (otherwise the test lies). Four-beat green before listing. D1 before ads. And one writer to src/ forever. An agent that opens Studio while Builder is mid-write is not helping. It is the DataModel corruption bug with a job title.

Pass 1 vs Pass 2 — split on the cut list so assembly is mechanical

PASS 1 — MUST WORK TONIGHT	PASS 2 — SNAPS ON AFTER THE LOOP IS GREEN
One verb, bag/plot/hive teach, walk-to-sink, first named upgrade.	Theme names for the same upgrades (Duffel / Wheelbarrow, not their pickaxe list).
One return hook, numbers from the sim not from the comp.	Clip / social surface taken from the wedge file.
Generic Store stand-in art so MCP has something to look at.	Blended style, destination building silhouette, colour logic, audio IDs.
Onboarding artifact that teaches the sink.	Thumbnail / icon from the already-written formula.
Instrumentation: earn, sink, upgrade, session length.	Live-ops calendar and parked systems (zones, trading, gifts).

PART 4 · CONDUCTOR CONTRACT

The standing orders a swarm session loads

Append under the v1.3 same-day block in CLAUDE.md. Do not replace safety.

Paste block — PARALLEL SWARM (v1.4)

1. After intake, fan out Wave 1. Do not tear down comps one after another if subagents can take one each.
2. Each agent owns one path. No two writers on one file. Conductor is the only merger.
3. Pass 1 is a traced loop on our engine with legal stand-ins. Pass 2 is uniqueness prepared in the shadow wave, snapped on after the loop is green.
4. Never start from another creator's place, files, meshes, audio or scripts. Never "copy 100% then reskin." Trace publicly, rebuild locally.
5. Builder is the only writer to src/ and Studio. Shadow crew writes scripts, specs and prompts only.
6. A wave does not start because an agent is bored. It starts because the previous fan-in is green or explicitly holed.
7. A hole in Wave 1 (one teardown missing) does not stall the cut. Three teardowns is enough to draw a line. Five is better. Ten is stalling.
8. Assembly is: apply theme.md + shelf.md + wedge.md onto the Pass 1 pack, then MCP four-beat, then persist.
9. If Fat Man Gets Rich is Active, the swarm runs on that title's remaining holes — persistence, shelf, MCP, Gate A — not on a new slug.
10. Safety, children, money, publishing: doctrine still wins.

PART 5 · WORKED SWARM ON AN ACTIVE TITLE

Do not open a second factory. Close the first loop with parallel labour

If Fat Man Gets Rich is still Active, a twelve-agent swarm that starts Pocket Factory is the old failure with more job titles. Point the swarm at the holes that already exist.

AGENT	JOB ON FAT MAN GETS RICH, TODAY
Conductor	STATE.md: Wave 4-or-equivalent. One active slug. No new title.
Tracker	Refresh Mine a Mountain / Bee Swarm / Grow a Garden CCU and wave stage — 20 minutes, not a new board.
Style + shelf	Confirm the already-stocked Store IDs still resolve. List any missing insert.
Economy tracer	Re-run Candidate C through the sim. One page. Justin's G2.
Builder	Wire named tiers + flood timer + shelf IDs into theme.luau / world.luau.
Shadow crew	Write the MCP four-beat script and the Hunter verbatim script now, before Builder finishes.
Assembler + MCP	The moment the unlisted place exists: insert, persist 7-row, four-beat, screenshots.
Wedge	Parked — already decided. Gift / rare variants / trading stay on the parking list.

That is parallel work that produces a stranger-ready slice this week. A new slug produces documents. Documents are how the factory admires itself.

PART 6 · HOW CLAUDE ACTUALLY FANS OUT

Subagents, Grok, and the one-writer rule in practice

"More agents" is not "more Studio plugins." In a Claude Code session the conductor launches Task/subagent jobs with a written contract: input path, output path, stop condition, forbidden paths. Grok is one of those jobs when Justin already has the tab — teardown extras, confusion, art sheets — and returns files, not edits.

- Subagent prompt is a contract, not a vibe. "Tear down Grow a Garden into research/patterns/fmgr-gag.md using TEMPLATE.md. Stop when COPY / DO NOT COPY is filled. Do not write brief.md. Do not open src/."
- Cap live subagents at six. Past that, the conductor spends the hour herding. Five teardowns + shelf is enough.
- Timeouts are short. A teardown that is not a filled template in 12 minutes gets a hole flag. The wave continues.
- Grok Build / Grok Bots stay not-adopted until three live games. They add a second writer risk. Grok chat as shadow crew is the parallel we want.
- Assembly checklist is boring on purpose. Diff the pack against cut-list.md. Every IN item has a file. Every PARKED item is absent from the slice. Then MCP. Then persist.

When more agents make the game worse

An agent that adds a second core verb "while we are here." An agent that dresses the place before the loop is green, so MCP is testing wallpaper. An agent that starts title two because Wave 1 finished early. An agent that writes to Studio to "help" the builder. Kill those jobs. The swarm exists to shorten the path from paragraphs to a green four-beat, not to look busy.

PART 7 · BUILD ORDER FOR v1.4

Only the wiring that makes the swarm real

#	ADD TO THE REPO	WHY
1	skills/conductor.md + WAVE_BOARD template in STATE.md	Without traffic control, "more agents" is a pile-up.

#	ADD TO THE REPO	WHY
2	skills/pass-1-trace.md + skills/pass-2-unique.md	Locks the two-pass so nobody reads it as rip-then-reskin.
3	Per-agent output templates (ccu-board, wedge, economy, mcp-script)	A swarm without forms writes essays.
4	Subagent launch snippets in CLAUDE.md for Wave 1	The conductor should paste, not invent, the contracts.
5	Still: unlisted publish, shelf wire, MCP four-beat on Fat Man Gets Rich	The swarm is a means. The slice is the test.

Hold the line

v1.4 adds agents only where a human or a session was waiting. It does not add agents that produce more factory documents. The next proof is the same as v1.2 and v1.3: a dressed loop in front of a stranger, MCP-green, listed or list-ready. Run the swarm on the active title. Do not open v1.5 until that has happened.

Sources. v1.2 FACTORY_PLAN · v1.3 Same-Day Slice · ROBLOX_SUCCESS_LOGIC.md · owner's question of 12 September 2026: more parallel agents, and whether a 100% copy-then-re-engineer pass would be faster.