

Product Data Sheet of Arduino Robot Controller

Model: Genesis

Ordering Information


Genesis Mainboard can be directly ordered from our e-commerce site (<http://JSumo.com>).

Main Purposes Of Board

Minisumo robots
Line Follower Robots
Hobby projects
Arduino Uno & Nano based projects.

L x W x H	98 x 38 x 18mm
Weight	33 Gr.
Controller	Arduino Nano (Atmega 328P)
Voltage Input	8-28V
Current Output	4A x 2

If you have any questions, suggestions or comments regarding this publication or need technical assistance, please contact us via email at: [info \(@\) jsumo.com](mailto:info@jsumo.com) or call us on +90 212 221 17 19



Electrical Values	
Unit Supply Voltage	8-28V
Current Consumption	5 mA
Output Logic Level	+5V
Input Logic Level	+3.3 to +5.0 V
Outputs	5 Digital I/O – 2 Analog Input (2 Digital I/O)
Environmental Values	
Unit Operation & Storage temperature	-35 up to +80 °C
Mechanical Values	
Weight	33 Grams
Dimensions (w x h x d)	98 x 38 x18 mm

Board Outline



Legal Notice

Any information furnished by JSumo and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of JSumo materials rests with the end user, since JSumo and its agents cannot be aware of all potential uses. JSumo makes no warranties as to the fitness, merchantability or suitability of any JSumo materials or products for any specific or general uses. JSumo shall not be liable for incidental or consequential damages of any kind. All JSumo products are sold pursuant to the JSumo's Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. the JSumo Logo, and other marks are trade marks or registered trade marks of JSumo (M5 Industry Mechatronics) or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any JSumo or any third party intellectual property rights.