1 What will be the output of the following code snippet?

```
def func(a, b):
  return b if a == 0 else func(b % a, a)
print(func(30, 75))
```

a) 15

- a) Tuple
- 3) As what datatype are the *args stored, when passed into
- a) List

print(len(set1 + set2 + set3))
a) Error
5) What keyword is used in Python to raise exceptions?
a) try
6) Which of the following modules need to be imported to handle date time computations in Python?
a) datetime
7) What will be the output of the following code snippet?
print(4**3 + (7 + 5)**(1 + 1))
a) 208
8) Which of the following functions converts date to corresponding time in Python?
a) strptime
b) strftime
c) both a) and b)
d) None
9) The python tuple isin nature.
a) mutable
b)immutabl
e
c)unchangeable
d) none
10) The is a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.
A. range()B. set()C. dictionary{}D. None of the mentioned above

Question 11

٨	Del function
	Show function
	Lambda function
	None of the mentioned above
Questic	on 12
	odule Pickle is used to
	Serializing Python object structure De-serializing Python object structure
	Both A and B
	None of the mentioned above
Questic	on 13
	gst which of the following is / are the method of convert Python objects for writing data in ry file?
A.	set() method
	dump() method
	load() method None of the mentioned above
D.	None of the mentioned above
14	
	gst which of the following is / are the method used to unpickling data from a binary file?
	load()
	set() method
	dump() method None of the mentioned above
D.	Note of the includica above
15.	
A text	file contains only textual information consisting of
	Alphabets
B.	Numbers
В. С.	

```
captains = {
  "Enterprise": "Picard",
  "Voyager": "Janeway",
  "Defiant": "Sisko",
   Enterprise Picard,
    Voyager Janeway
    Defiant Sisko
            a) for ship, captain in captains.items():
              print(ship, captain)
           b) for ship in captains:
              print(ship, captains[ship])
            c) for ship in captains:
              print(ship, captains)
            d) both a and b
17)
Which of the following lines of code will create an empty dictionary named captains?
   a) captains = \{dict\}
   b) type(captains)
   c) captains.dict()
   d) captains = {}
```

18) Now you have your empty dictionary named captains. It's time to add some data!

Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway", and "Defiant": "Sisko".

Which of the following code snippets will successfully add these key-value pairs to the existing captains dictionary?

```
a) captains {"Enterprise" = "Picard"}captains {"Voyager" = "Janeway"}
```

```
captains {"Defiant" = "Sisko"}
    b) captains["Enterprise"] = "Picard"
    captains["Voyager"] = "Janeway"
    captains["Defiant"] = "Sisko"
    c) captains = {
      "Enterprise":
      "Picard", "Voyager":
      "Janeway",
      "Defiant": "Sisko",
    }
    d) None of the above
19) You're really building out the Federation Starfleet now! Here's what you have:
captains = {
"Enterprise": "Picard",
  "Voyager": "Janeway",
  "Defiant": "Sisko",
  "Discovery": "unknown",
Now, say you want to display the ship and captain names contained in the dictionary, but you also
want to provide some additional context. How could you do it?
    a) for item in captains.items():
      print(f"The [ship] is captained by [captain].")
    b) for ship, captain in captains.items():
      print(f"The {ship} is captained by
      {captain}.")
    c) for captain, ship in captains.items():
```

```
print(f"The {ship} is captained by {captain}.")
```

d) All are correct

20)

You've created a dictionary, added data, checked for the existence of keys, and iterated over it with a for loop. Now you're ready to delete a key from this dictionary:

```
captains = {
   "Enterprise": "Picard",
   "Voyager": "Janeway",
   "Defiant": "Sisko",
   "Discovery": "unknown",
}
```

What statement will remove the entry for the key "Discovery"?

- a) del captains
- b) captains.remove()
- c) del captains["Discovery"]
- d) captains["Discovery"].pop()