



Pandas - Analyzing DataFrames

[< Previous](#)[Next >](#)

Viewing the Data

One of the most used method for getting a quick overview of the DataFrame, is the `head()` method.

The `head()` method returns the headers and a specified number of rows, starting from the top.

Example

[Get your own Python Server](#)

Get a quick overview by printing the first 10 rows of the DataFrame:

```
import pandas as pd

df = pd.read_csv('data.csv')

print(df.head(10))
```

[Try it Yourself »](#)

In our examples we will be using a CSV file called 'data.csv'.

Download [data.csv](#), or open [data.csv](#) in your browser.



Example

Print the first 5 rows of the DataFrame:

```
import pandas as pd

df = pd.read_csv('data.csv')

print(df.head())
```

[Try it Yourself »](#)

There is also a `tail()` method for viewing the *last* rows of the DataFrame.

The `tail()` method returns the headers and a specified number of rows, starting from the bottom.

Example

Print the last 5 rows of the DataFrame:

```
print(df.tail())
```

[Try it Yourself »](#)

Info About the Data



Example

Print information about the data:

```
print(df.info())
```

Result

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 169 entries, 0 to 168
Data columns (total 4 columns):
#   Column      Non-Null Count  Dtype
---  -
0   Duration    169 non-null    int64
1   Pulse       169 non-null    int64
2   Maxpulse    169 non-null    int64
3   Calories    164 non-null    float64
dtypes: float64(1), int64(3)
memory usage: 5.4 KB
None
```

[Try it Yourself »](#)

Result Explained

The result tells us there are 169 rows and 4 columns:

```
RangeIndex: 169 entries, 0 to 168
Data columns (total 4 columns):
```

And the name of each column, with the data type:



Tutorials ▼

Exercises ▼

Services ▼



Sign Up

Log in

≡ PYTHON JAVA PHP HOW TO W3.CSS C C++ C# BOOTSTRAP REAC

```
1 Pulse      169 non-null    int64
2 Maxpulse   169 non-null    int64
3 Calories   164 non-null    float64
```

Null Values

The `info()` method also tells us how many Non-Null values there are present in each column, and in our data set it seems like there are 164 of 169 Non-Null values in the "Calories" column.

Which means that there are 5 rows with no value at all, in the "Calories" column, for whatever reason.

Empty values, or Null values, can be bad when analyzing data, and you should consider removing rows with empty values. This is a step towards what is called *cleaning data*, and you will learn more about that in the next chapters.

Exercise [?]


What is a correct syntax for printing the first 10 rows of a DataFrame?

- ☐ `print(df.top(10))`
- ☐ `print(df.display(10))`
- ☐ `print(df.head(10))`

Submit Answer »

< Previous

Next >

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#)

COLOR PICKER





GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- Angular Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate
- SQL Certificate
- Python Certificate
- PHP Certificate
- jQuery Certificate
- Java Certificate
- C++ Certificate

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Sign Up](#)[Log in](#)[≡](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REAC](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).