



Pareto Distribution

[< Previous](#)[Next >](#)

Pareto Distribution

A distribution following Pareto's law i.e. 80-20 distribution (20% factors cause 80% outcome).

It has two parameter:

a - shape parameter.

size - The shape of the returned array.

Example

[Get your own Python Server](#)

Draw out a sample for pareto distribution with shape of 2 with size 2x3:

```
from numpy import random

x = random.pareto(a=2, size=(2, 3))

print(x)
```

[Try it Yourself »](#)




Example

```
from numpy import random
import matplotlib.pyplot as plt
import seaborn as sns

sns.displot(random.pareto(a=2, size=1000))

plt.show()
```

Result



[Try it Yourself »](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[C++](#)[C#](#)[BOOTSTRAP](#)

How many parameters does the `random.pareto()` method have?

☐ 1

☐ 2

☐ 3

[Submit Answer »](#)

[◀ Previous](#)

[Next ▶](#)

Track your progress - it's free!

[Sign Up](#)[Log in](#)

ADVERTISEMENT



Tutorials ▼

Exercises ▼

Services ▼



Sign Up

Log in

SQL PYTHON JAVA PHP HOW TO W3.CSS C C++ C# BOOTSTRA





ADVERTISEMENT

ADVERTISEMENT



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Sign Up](#)[Log in](#)[SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRA](#)[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).