



Normal (Gaussian) Distribution

[< Previous](#)[Next >](#)

Normal Distribution

The Normal Distribution is one of the most important distributions.

It is also called the Gaussian Distribution after the German mathematician Carl Friedrich Gauss.

It fits the probability distribution of many events, eg. IQ Scores, Heartbeat etc.

Use the `random.normal()` method to get a Normal Data Distribution.

It has three parameters:

`loc` - (Mean) where the peak of the bell exists.

`scale` - (Standard Deviation) how flat the graph distribution should be.

`size` - The shape of the returned array.

Example

[Get your own Python Server](#)

Generate a random normal distribution of size 2x3:

```
from numpy import random

x = random.normal(size=(2, 3))
```



Example

Generate a random normal distribution of size 2x3 with mean at 1 and standard deviation of 2:

```
from numpy import random

x = random.normal(loc=1, scale=2, size=(2, 3))

print(x)
```

Try it Yourself »

Visualization of Normal Distribution


Example

```
from numpy import random
import matplotlib.pyplot as plt
import seaborn as sns

sns.displot(random.normal(size=1000), kind="kde")

plt.show()
```

Result

[Try it Yourself »](#)

Note: The curve of a Normal Distribution is also known as the Bell Curve because of the bell-shaped curve.

Exercise [?]


The `random.normal()` method has three parameters, which ones?

☐ dept scale size

☐ mean dev size

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#)[< Previous](#)[Next >](#)

Track your progress - it's free!

[Sign Up](#)[Log in](#)

COLOR PICKER



[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[C++](#)[C#](#)[BOOTSTRA](#)[PLUS](#)[SPACES](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[Get Certified](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRA](#)[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools](#) is Powered by [W3.CSS](#).