



Pandas Read CSV

[< Previous](#)[Next >](#)

Read CSV Files

A simple way to store big data sets is to use CSV files (comma separated files).

CSV files contains plain text and is a well know format that can be read by everyone including Pandas.

In our examples we will be using a CSV file called 'data.csv'.

[Download data.csv.](#) or [Open data.csv](#)

Example

[Get your own Python Server](#)

Load the CSV into a DataFrame:

```
import pandas as pd

df = pd.read_csv('data.csv')

print(df.to_string())
```

[Try it Yourself »](#)



If you have a large Data-frame with many rows, Pandas will only return the first 5 rows, and the last 5 rows:

Example

Print the DataFrame without the `to_string()` method:

```
import pandas as pd

df = pd.read_csv('data.csv')

print(df)
```

[Try it Yourself »](#)

max_rows

The number of rows returned is defined in Pandas option settings.

You can check your system's maximum rows with the `pd.options.display.max_rows` statement.

Example

Check the number of maximum returned rows:

```
import pandas as pd

print(pd.options.display.max_rows)
```

[Try it Yourself »](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#)

You can change the maximum rows number with the same statement.

Example

Increase the maximum number of rows to display the entire DataFrame:

```
import pandas as pd

pd.options.display.max_rows = 9999

df = pd.read_csv('data.csv')

print(df)
```

[Try it Yourself »](#)

Exercise [?]

CSV is short for:

- ☐ Common System Values
- ☐ Character Specific Values
- ☐ Comma Separated Values

[Submit Answer »](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#)

Track your progress - it's free!

[Sign Up](#)[Log in](#)

COLOR PICKER





GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- Angular Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate
- SQL Certificate
- Python Certificate
- PHP Certificate
- jQuery Certificate
- Java Certificate
- C++ Certificate

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Sign Up](#)[Log in](#)[≡](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REAC](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).