



VER: 1.0.0.2

Cross-sectional dimensions and shape: 20 & 50mm.

[illegible]



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection. Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment. We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Cross-sectional dimensions and shape: 50 & 60mm.

Unibody	SC-K359	Unibody	SC-K341	Unibody	SC-K18	Split-body	SC-K272	Split-body	SC-K20
SC-ZT52X19.6		SC-ZT52X26		SC-ZT52X52		SC-FT53.8X25		SC-FT54.2X54.2	
Split-body	SC-K444	Unibody	SC-K19	Unibody	SC-K21	Split-body	SC-K22	Unibody	SC-K340
SC-FT54.5X27		SC-ZT54X23		SC-ZT55X19		SC-FT55X30		SC-ZT56X16	
Unibody	SC-K24	Unibody	SC-K327	Unibody	SC-K342	Unibody	SC-K26	Unibody	SC-K448
SC-ZT56X56		SC-ZT57.8X34.2		SC-ZT57X24		SC-ZT57X28		SC-ZT58.6X20	
Unibody	SC-K493	Unibody	SC-K27	Unibody	SC-K28	Split-body	SC-K188	Split-body	SC-K189
SC-ZT58.6X24.1		SC-ZT58X24		SC-ZT58.3X24.9		SC-FT60X25		SC-FT60X35	
Split-body	SC-K190	Unibody	SC-K181						
SC-FT60X50		SC-ZT60X60							



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection. Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment. We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Cross-sectional dimensions and shape: 60 & 70mm.

Split-body	SC-K23	Unibody	SC-K152	Split-body	SC-K25	Unibody	SC-K378	Split-body	SC-K284
SC-FT61.6X40		SC-ZT61X22.4		SC-FT62.6X45		SC-FT62.9X38		SC-ZT63.8X30	
Split-body	SC-K30	Unibody	SC-K31	Unibody	SC-K153	Split-body	SC-K34	Unibody	SC-K373
SC-FT63X25		SC-ZT63X37		SC-ZT64.2X23.5		SC-FT64.2X64.2		SC-ZT64.5X35	
Split-body	SC-K33	Unibody	SC-K154	Split-body	SC-K41	Split-body	SC-K35	Unibody	SC-K156
SC-FT64X23		SC-ZT64X25.3		SC-FT65.6X35		SC-FT65X45		SC-ZT66.2X27.5	
Unibody with ears	SC-K157	Unibody	SC-K36	Split-body	SC-K155	Unibody	SC-K259	Unibody	SC-K256
SC-ZT66.6X29.5带耳		SC-ZT66X27		SC-FT66X30		SC-ZT66X32		SC-ZT66X43	
Unibody	SC-K338	Unibody	SC-K366	Unibody	SC-K366	Unibody	SC-K40	Unibody	SC-K396
SC-ZT66X55		SC-ZT67.1-24.9		SC-ZT67.1X24.9		SC-ZT67X53		SC-ZT68X42.5	



VER: 1.0.0.2

Unibody	SC-K257	Split-body	SC-K43	Unibody	SC-K310	Split-body	SC-K44	Split-body	SC-K45
SC-ZT69X24		SC-FT69X27		SC-ZT69X34.5		SC-FT69X35		SC-FT69X43	
(最大板厚(4.4)) 0.6		(最大板厚(4.4)) 0.6		(最大板厚(4.4)) 0.6		(最大板厚(4.4)) 0.6		(最大板厚(4.4)) 0.6	

Unibody with ears	SC-K47	Split-body	SC-K48	Split-body	SC-K49	Unibody	SC-K240	Split-body	SC-K42
SC-ZT70.5X24.7帶耳		SC-FT71X25		SC-FT71X27		SC-ZT73.2X65.2		SC-FT73.6X50	

Unibody		SC-K331	Split-body		SC-K286	Split-body		SC-K363	Split-body		SC-K368	Split-body		SC-K369
SC-ZT73X59			SC-FT73.8X30			SC-FT74.6X25			SC-FT74.6X25			SC-FT74.6X25		
Split-body		SC-K52	Unibody		SC-K51	Split-body		SC-K50	Split-body		SC-K53	Split-body		SC-K54
SC-FT74.6X74.6			SC-ZT74X29			SC-FT75.6X40			SC-FT75.6X45			SC-FT75.8X34.8		
Split-body		SC-K55	Split-body		SC-K158	Unibody with ears		SC-K281	Unibody		SC-K182	Split-body		SC-K470
SC-FT75.8X46			SC-FT75X35			SC-ZT75X39.3带耳			SC-ZT75X40			SC-FT76X47.6		



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection. Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment. We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Split-body	SC-K273	Unibody with ears	SC-K57	Split type with ears	SC-K169	Unibody	SC-K311	Unibody	SC-K435
SC-FT77.4X46		SC-ZT78X24带耳		SC-FT78X26带耳		SC-ZT79X23.5		SC-ZT79X30	
Split-body	SC-K361	Unibody	SC-K397	Unibody with ears	SC-K58	Split-body	SC-K191	Split-body	SC-K210
SC-FT80X22.5		SC-ZT80X22		SC-ZT80X23带耳		SC-FT80X30		SC-FT80X30	
Unibody	SC-K159	Unibody	SC-K170	Unibody	SC-K303	Split-body	SC-K61	Split-body	SC-K192
SC-ZT80X35		SC-ZT80X35		SC-ZT80X37.6		SC-FT80X40		SC-FT80X40	
Split-body	SC-K211	Unibody	SC-K63	Split-body	SC-K193	Split-body	SC-K212	Unibody	SC-K183
SC-FT80X40		SC-ZT80X45		SC-FT80X55		SC-FT80X55		SC-ZT80X80	

Cross-sectional dimensions and shape: 80 & 90mm.

Unibody with ears	SC-K297	Split-body	SC-K59	Unibody	SC-K463	Split-body	SC-K60	Split-body	SC-K300
SC-ZT80.5X25.5带耳		81.6X40		SC-ZT82X44		SC-FT83.6X50		SC-FT83.8X30	



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection.

Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment.

We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Split-body		SC-K308		Unibody		SC-K65		Split-body		SC-K371		Split-body		SC-K375		Split-body		SC-K377	
SC-FT83.9X55				SC-ZT83X29				SC-FT84.6X30				SC-FT84.6X30				SC-FT84.6X30			
Split-body		SC-K68		Unibody		SC-K67		Unibody		SC-K504		Unibody with ears		SC-K426		Unibody		SC-K385	
SC-FT84.6X84.6				SC-ZT84X28				SC-ZT84X28				SC-ZT85.8X26.5带耳				SC-ZT85X46			
Split-body		SC-K279		Split-body		SC-K69		Unibody		SC-K172		Split-body		SC-K70		Unibody with ears		SC-K281	
SC-FT86X46				SC-FT88X30				SC-ZT88X38.9				SC-FT88X38				SC-ZT88X39.6带耳			
Unibody		SC-K420		Split-body		SC-K301		Split type with ears		SC-K71		Unibody		SC-K160		Split-body		SC-K73	
SC-ZT88X43				SC-FT89.6X35				SC-FT89X27带耳				SC-ZT90X34.9				SC-FT90X35			
Split-body		SC-K74		Unibody with ears		SC-K75		Split-body		SC-K77		Split-body		SC-K78		Split-body		SC-K79	
SC-FT90X36				SC-ZT90X40带耳				SC-FT90X59				SC-FT90X74.5				SC-FT90X90			



VER: 1.0.0.2

Cross-sectional dimensions and shape: 90 & 100mm.

Split-body	SC-K64	Split-body	SC-K468	Unibody	SC-K477	Split-body	SC-K76	Unibody	SC-K124	
SC-FT91.6X50		SC-FT91X57.6		SC-ZT91X91		SC-FT92.6X30		SC-ZT92.6X31		
Unibody	SC-K374	Split type with ears		SC-K80	Split type with ears		SC-K81	Unibody	SC-K499	
SC-CT92X30		SC-FT92X35带耳		SC-FT92X46带耳		SC-ZT92X46		SC-CT92X73		
Split-body	SC-K379	Split-body	SC-K381	Split-body	SC-K382	Split-body	SC-K315	Unibody	SC-K83	
SC-FT94.6X30		SC-FT94.6X30		SC-FT94.6X30		SC-FT94.6X35		SC-ZT95.4X45.2		
Unibody	SC-K399	Split-body	SC-K84	Split-body	SC-K498	Split-body	SC-K85	Split-body	SC-K66	
SC-ZT95X30		SC-FT95X54.3		SC-FT96.6X36.5		SC-FT96X45.5		SC-FT97.6X30		
Split-body	SC-K133	Split-body	SC-K90	Split-body	SC-K86	Unibody with ears		SC-K161	Split-body	SC-K87
SC-FT97.6X39		SC-FT97.8X48.4		SC-FT97X39.8		SC-CT97X40.6带耳		SC-CT97X50		



VER: 1.0.0.2

Split-body	SC-K88	Unibody	SC-K89	Split-body	SC-K276	Split-body	SC-K317	Split-body	SC-K320
SC-FT97X60		SC-ZT97X84		SC-FT98X25		SC-FT99.6X35		SC-FT99.6X43.8	
Split-body	SC-K387	Split-body	SC-K393	Split-body	SC-K398	Split-body	SC-K91	Unibody	SC-K424
SC-FT99.6X35		SC-FT99.6X35		SC-FT99.6X35		SC-FT100X25.5		SC-ZT100X27	
Unibody	SC-K184	Unibody	SC-K323						
SC-ZT100X50		SC-ZT100X54.5							

Unibody	SC-K329	Split-body	SC-K436	Unibody with ears	SC-K92	Split-body	SC-K319	Split-body	SC-K93
SC-ZT101.2X23.5		SC-FT101.5X24		SC-ZT104.4X28.3帶耳		SC-FT104.6X35		SC-FT104X35.6	
Split-body	SC-K94	Split-body	SC-K328	Split-body	SC-K95	Split-body	SC-K96	Split-body	SC-K336
SC-FT104X45.6		SC-FT104X46.9		SC-FT104X55.6		SC-FT104X63		SC-FT104X63	



VER: 1.0.0.2

Split-body	SC-K97	Split-body	SC-K337	Split-body	SC-K98	Split-body	SC-K335	Unibody	SC-K367
SC-FT104X73		SC-FT104X76.95		SC-FT104X89.6		SC-FT104X107		SC-ZT105.5X52.9	
Unibody	SC-K99	Split-body	SC-K194	Split-body	SC-K213	Split-body	SC-K162	Split-body	SC-K195
SC-ZT105X22		SC-FT105X30		SC-FT105X30		SC-FT105X45		SC-FT105X45	
Split-body	SC-K196	Unibody	SC-K434	Split-body	SC-K100	Split-body	SC-K101	Split-body	SC-K102
SC-FT105X60		SC-ZT106X36.3		SC-FT106X40		SC-FT106X54		SC-FT106X55	
Split-body	SC-K263	Split-body	SC-K148	Unibody	SC-K395	Unibody	SC-K296	Split-body	SC-K103
SC-FT106X55		SC-FT107.6X55		SC-ZT107X27		SC-ZT107X36.6		SC-FT107X47	
Unibody	SC-K171	Split-body	SC-K321	Split-body	SC-K402	Split-body	SC-K404	Split-body	SC-K406
SC-ZT108X108		SC-FT109.6X35		SC-FT109.6X35		SC-FT109.6X35		SC-FT109.6X35	



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications












VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection.

Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment.

We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements.

Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Unibody	SC-K425	Unibody with ears	SC-K427	Split-body	SC-K492	Split-body	SC-K106	Unibody	SC-K175
SC-ZT110X24		SC-ZT110X26.1帶耳		SC-FT110X46.9		SC-FT110X50		SC-ZT110X58	
									
Unibody with ears	SC-K285								
SC-ZT129.6X31.5帶耳									
									
Cross-sectional dimensions and shape: 110 & 120mm.									
Split-body	SC-K229	Split-body	SC-K230	Split-body	SC-K231	Split-body	SC-K232	Split-body	SC-K233
SC-FT111.2X21.4		SC-FT111.2X32.5		SC-FT111.2X43.6		SC-FT111.2X54.7		SC-FT111.2X65.8	
									
Split-body	SC-K234	Unibody	SC-K423	Split type with ears	SC-K108	Split type with ears	SC-K109	Split-body	SC-K110
SC-FT111.2X88		SC-ZT112X25		SC-FT113X40帶耳		SC-FT113X49.8帶耳		SC-FT114X33	
									
Split-body	SC-K409	Split-body	SC-K414	Split-body	SC-K422	Unibody	SC-K185	Unibody with ears	SC-K112
SC-FT114.6X38		SC-FT114.6X38		SC-FT114.6X38		SC-ZT114X65		SC-ZT116X53帶耳	
									



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection. Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment.

We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements.

Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Split type with ears	SC-K115	Split-body	SC-K114	Split-body	SC-K116	Unibody	SC-K350	Split-body	SC-K117
SC-FT119.6X34.2帶耳		SC-FT120X35		SC-FT120X40		SC-ZT120X45		SC-FT120X49	
Split type with ears	SC-K118	Split-body	SC-K119	Split type with ears	SC-K120	Split-body	SC-K121	Split-body	SC-K122
SC-FT120X50.1帶耳		SC-FT120X63		SC-FT120X64.9帶耳		SC-FT120X69		SC-FT120X83	
Split-body	SC-K113	Unibody with ears		SC-K287					
SC-FT120X103		SC-ZT149X38帶耳							

Cross-sectional dimensions and shape: 120 & 140mm.

Split-body	SC-K267	Unibody	SC-K123	Split-body	SC-K235	Unibody	SC-K278	Unibody	SC-K275
SC-FT122.4X28		SC-ZT122X28		SC-FT122X44.8		SC-ZT122X87		SC-ZT123X40	
Split-body	SC-K343	Split-body	SC-K428	Split-body	SC-K430	Split-body	SC-K437	Split-body	SC-K125
SC-FT124.6X35		SC-FT124.6X45		SC-FT124.6X45		SC-FT124.6X45		SC-FT125X51	



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection.

Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment.

We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Split-body	SC-K126	Unibody	SC-K429	Unibody with ears	SC-K127	Unibody with ears	SC-K165	Split-body	SC-K128
SC-FT127X75		SC-ZT128.5X41		SC-ZT129.7X31带耳		SC-ZT130X31.7带耳		SC-FT130X55	
Split-body	SC-K451	Split-body	SC-K443	Split-body	SC-K452	Unibody with ears	SC-K438	Unibody	SC-K462
SC-FT130X55		SC-FT130X55		SC-FT130X55		SC-ZT131X27.5带耳		SC-ZT133.6X97.5	
Unibody with ears	SC-K288	Split-body	SC-K439	Split-body	SC-K440	Split-body	SC-K441	Split type with ears	SC-K129
SC-ZT133X46.8带耳		SC-FT134.6X45		SC-FT134.6X45		SC-FT134.6X45		SC-FT134X35.6带耳	
Split type with ears	SC-K130	Split type with ears	SC-K131	Split-body	SC-K304	Unibody	SC-K132	Unibody with ears	SC-K417
SC-FT134X45.6带耳		SC-FT134X62.6带耳		SC-FT136X64		SC-ZT136X136		SC-ZT137.5X50带耳	
Unibody	SC-K494	Unibody	SC-K309	Split-body	SC-K197	Split-body	SC-K216	Split-body	SC-K163
SC-ZT137.8X34.1		SC-ZT137X72		SC-FT140X35		SC-FT140X35		SC-FT140X50	



VER: 1.0.0.2

[illegible]

Unbody with ears	SC-K294	Split-body	SC-K236	Split-body	SC-K458	Split-body	SC-K455	Split-body	SC-K459
SC-ZT142.8X31带耳		SC-FT142x53.4		SC-FT145.6X65		SC-FT145.6X65		SC-FT145.6X65	

Split-body	SC-K357	Split-body	SC-K134	Split-body	SC-K135	Split-body	SC-K136	Split type with ears	SC-K283
SC-FT145.6X40		SC-FT145X54		SC-FT145X68		SC-FT145X82		SC-FT147X35.7帶耳	
Split type with ears	SC-K137	Split type with ears	SC-K138	Split type with ears	SC-K139	Split type with ears	SC-K265	Unibody	SC-K302
SC-FT147X41帶耳		SC-FT147X55帶耳		SC-FT147X61帶耳		SC-FT149X50.5帶耳		SC-ZT149X106.2	
Split-body	SC-K496	Unibody with ears	SC-K445	Split type with ears	SC-K140	Split-body	SC-K164	Split type with ears	SC-K142
SC-FT150.6X151		SC-ZT150X37.9帶耳		SC-FT150X39帶耳		SC-FT150X55		SC-FT150X72帶耳	



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications

VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection. Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment. We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Unibody	SC-K186	Split-body	SC-K173	Split-body	SC-K487	Split-body	SC-K143	Split type with ears	SC-K380
SC-ZT150X75		SC-FT150X90		SC-FT152X30		SC-FT152X44		SC-FT153.4X42帶耳	
Split-body	SC-K358	Split-body	SC-K460	Split-body	SC-K461	Split-body	SC-K465	Unibody with ears	SC-K144
SC-FT155.6X50		SC-FT155.6X90		SC-FT155.6X90		SC-FT155.6X90		SC-ZT155X32帶耳	
Unibody with ears	SC-K306	Unibody with ears	SC-K292	Split-body	SC-K364	Split-body	SC-K166	Unibody	SC-K476
SC-ZT158X35帶耳		SC-ZT158X39帶耳		SC-FT159X40		SC-FT160X55		SC-ZT160X68.1	
Split-body	SC-K146								
SC-FT160X80									

Cross-sectional dimensions and shape: 160 & 200mm.

Split-body	SC-K475	Split-body	SC-K483	Split-body	SC-K484	Split-body	SC-K258	Split type with ears	SC-K389
SC-FT165.6X90		SC-FT165.6X90		SC-FT165.6X90		SC-FT167.6X47		SC-FT168X40.6帶耳	



VER: 1.0.0.2

Split type with ears		SC-K386	Split-body		SC-K277	Split-body		SC-K147	Split-body		SC-K486	Split-body		SC-K497
SC-FT168X40帶耳			SC-FT168X45			SC-FT168X54			SC-FT175.6X65			SC-FT175.6X65		



HUIZHOU KAMIKAWA PRECISION TECHNOLOGY CO., LTD.

Aluminium Extrusion Enclosure
Available Models & Specifications












VER: 1.0.0.2

Electronic enclosures are widely used across a vast range of applications—almost all electronic devices require robust, lightweight, and eco-friendly housing for effective protection.








Aluminum enclosures have gained strong popularity in the market. They are not only sturdy, lightweight, and environmentally friendly, but also offer excellent heat dissipation. In addition, aluminum enclosures provide outstanding electromagnetic interference (EMI) shielding performance (and can also be designed to be electrically conductive), ensuring safe and stable operation of your electronic equipment.

We offer over 400 different extruded aluminum enclosure profiles in various sizes and shapes (as shown in the table)—all available without any tooling/mold costs. Simply select the appropriate size based on your PCB dimensions, pair it with your choice of end caps, and you can easily create a perfect anodized aluminum electronic enclosure. You can also fully customize your enclosures: end-cap styles, mounting hole positions and shapes, surface color, logo marking, and packaging. Of course, our professional design team can also develop electronic enclosures with different ingress protection (IP) ratings to meet your specific requirements. Custom ingress protection grades including IP65 and IP68 can be configured per equipment demands.

Cross-sectional dimensions and shape: 200 & 300mm.

Split-body	SC-K384	Split-body	SC-K237	Split type with ears	SC-K150	Split-body	SC-K488	Split-body	SC-K489
SC-FT202X32		SC-FT202X52		SC-FT204X48帶耳		SC-FT205.6X65		SC-FT205.6X65	
									
Split-body	SC-K490	Split-body	SC-K503	Unibody	SC-K298	Split-body	SC-K205	Split-body	SC-K206
SC-FT205.6X65		SC-FT210X54		SC-ZT220X48.4		SC-FT230X50		SC-FT230X75	
									
Split-body	SC-K207	Split-body	SC-K501	Split-body	SC-K502	Split-body	SC-K208	Split-body	SC-K209
SC-FT230X100		SC-FT240X85		SC-FT250X54		SC-FT285X75		SC-FT285X125	
									

The following is the special-shaped aluminum shell.

Split-body	SC-K242	Split-body	SC-K243	Unibody	SC-K29	Unibody	SC-K407	Split-body	SC-K252
SC-FT40.6X14.6		SC-FT56.5X17.5		SC-ZT60X21		SC-ZT67.5X24		SC-FT69.1X35	
									
Split-body	SC-K244	Split-body	SC-K248	Unibody	SC-K46	Split-body	SC-K307	Split-body	SC-K245
SC-FT69.5X19.5		SC-FT69.5X34.5		SC-ZT70X24		SC-FT79X26		SC-FT81.5X23.5	
									



VER: 1.0.0.2

[illegible]