Testy

Wysłanie CV



MS1

MS2

```
: Received CandidateRegisteredEvent: candidateId=5, name=Kamil_test Tatrocki_test, email=280506@test.pl, file=CV_Tatrocki_Kamil
: >>> Entering: MediatorImpl.send(..) with arguments: [org.example.screeningservice.application.command.ProcessScreeningCommand@492a7b57]
: >>> Entering: ProcessScreeningCommandHandler.handle(..) with arguments: [org.example.screeningservice.application.command.ProcessScreeningCommand@492a7b57]
: Starting automated screening for candidate ID: 5 (Kamil_test Tatrocki_test)
: Performing automated analysis for CV: CV_Tatrocki_Kamil
: Screening analysis completed: candidateId=5, result=PASSED
: Screening result saved with ID: 2
: >>> Entering: RabbitEventPublisher.publish(..) with arguments: [org.example.screeningservice.application.dto.ScreeningPassedEvent@3e53f1f2]
: Publishing event to exchange='recruitment.exchange', routingKey='ScreeningPassedEvent': org.example.screeningservice.application.dto.ScreeningPassedEvent@3e53f1f
: <<< Exiting: RabbitEventPublisher.publish(..) with result: null
: ScreeningPassedEvent published for candidate ID: 5
: <<< Exiting: ProcessScreeningCommandHandler.handle(..) with result: null
: <<< Exiting: MediatorImpl.send(..) with result: null
: Screening command dispatched for candidate ID: 5
: <<< Exiting: CandidateRegisteredEventListener.handleCandidateRegisteredEvent(..) with result: null
```

```
Terminal
 id | candidate_id |                                                
```



MS4




```
feedbackdb=# SELECT * FROM feedbacks;
 id | candidate_id | decision | interview_id |        submitted_at        | substantive_evaluation | technical_feedback
----+--------------+----------+--------------+----------------------------+------------------------+--------------------
  1 |            3 | HIRE     |            1 | 2026-04-05 21:58:45.728405 | HIRE                   | HIRE
  2 |            2 | HIRE     |            5 | 2026-04-06 17:57:15.797863 | HIRE                   | HIRE
(2 rows)

feedbackdb=#
```

MS5



Terminal

```
PS C:\Users\kamil> docker exec -it postgres-rekrutacja psql -U user -d hrdb
psql (18.3 (Debian 18.3-1.pgdg13+1))
Type "help" for help.

hrdb=# SELECT * FROM hr_decisions;
 id | candidate_id |         decided_at         | feedback_id | final_decision |                                                
```