The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - déchoclés - toutes sources coupées.

Rev.	Date	Description
01	2026-09-29	First issue

Drawn by :		Checked by :		Approved by :	
Name	Visa	Name	Visa	Name	Visa

SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK
KRAUSS AUTOMATYZACJA
SYSTEM PALETYZACJI Z ROBOTEM

Schneider Electric

Project n°		Revision	Sheet
P0001	GENERAL DIAGRAMS	01	0000

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schema sont en position ouvert - désarmés - débrochés - toutes sources coupées.

Page	Designation	Revision index
000	Project Title	00.0
002	SUMMARY	01
010	Power supply - Main Main Power distribution between localisations	01
011	Power supply - 230VAC AC power distribusion with circuit breakers	01
012	Power supply - 24VDC AC / DC converter and DC circuit breakers	00.0
013	Sockets and Fans	00.0
014	Belt Transporters	00.0
015	Elevator Driver	01
016	HMI	00.0
017	Switch	00.0
020	PLC - Overview	00.0
021	PLC - KEB1 A1 - Power supply and network	00.0
022	PLC - KEB1 - DI	00.0
023	PLC - KEB1 - DI	00.0
024	PLC - KEB1 - DO	01
025	PLC - KEB1 - DO	01
030	PLC - KEC1 - DI	00.0
031	PLC - KEC1 - DI	00.0
040	PLC - KEC2 - DI	00.0
041	PLC - KEC2 - DI	00.0
050	PLC - KEC3 - DI	01
051	PLC - KEC3 - DI	00.0
060	PLC - KEC11 - DO	00.0
061	PLC - KEC11 - DO	00.0
070	PLC - KEC12 - DO	00.0
071	PLC - KEC12 - DO	00.0
080	PLC - KEC13 - DO	00.0
100	SAFETY - KFA1	00.0
101	SAFETY - KFA2	01
102	SAFETY - KFA3	00.0
103	SAFETY - KFA4	00.0
104	SAFETY - Door and E-Stop	00.0
106	SAFETY - Main Valve	00.0
107	SAFETY - Loading mouting	00.0
108	SAFETY - Unloading Mouting	00.0
109	SAFETY - Robot	01
110	SAFETY - DCS Inputs	00.0
111	SAFETY - DCS Outputs	00.0
151	EUROMAP67 - 1/3	00.0
152	EUROMAP67 - 2/3	00.0
153	EUROMAP67 - 3/3	00.0
161	EUROMAP73 - 1/2	01
162	EUROMAP73 - 2/2	00.0
171	Robot - DI 1/2	00.0
172	Robot - DI 2/2	00.0
173	Robot - DO	00.0
300	Buttons - HMI Panel	01
301	Buttons - Feeding System	01 01.0
307	Signal Tower	00.0
308	Elevator - DI	00.0
309	Robot Tool - FIPA DI	01
310	FESTO ISLAND - BAT100	00.0
311	FESTO ISLAND - BAT101	00.0
320	FESTO ISLAND - BAT200	00.0
321	FESTO ISLAND - BAT201	00.0
322	FESTO ISLAND - BAT202	00.0
323	FESTO ISLAND - BAT203	00.0
324	FESTO ISLAND - BAT204	00.0
325	FESTO ISLAND - BAT205	00.0
330	FESTO ISLAND - BAT300	00.0
331	FESTO ISLAND - BAT301	00.0
340	FESTO ISLAND - BAT400	00.0
341	FESTO ISLAND - BAT401	00.0

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-29				

SUMMARY

SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK
KRAUSS AUTOMATYZACJA
SYSTEM PALETYZACJI Z ROBOTEM


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	002

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou dvulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis aprés enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-14	First issue			

PAGE DESCRIPTION

Power supply - Main
Main Power distribution between localisations

CUSTOMER NAME

SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 01 | Sheet 010/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-21	First issue			

PAGE DESCRIPTION

Power supply - 230VAC
AC power distribusion with circuit breakers

CUSTOMER NAME

SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	011 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-25	First issue			

PAGE DESCRIPTION

Power supply - 24VDC
AC / DC converter and DC circuit breakers

CUSTOMER NAME

SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	012 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-14	First issue			


PAGE DESCRIPTION	CUSTOMER NAME
Sockets and Fans	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	013 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

						PAGE DESCRIPTION	CUSTOMER NAME
						Belt Transporters	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK
00.0	2026-09-14	First issue					
Rev.	Date	Description	Rev.	Date	Description		

Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	014 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/011.6 F15:2
/011.6 F15:4
/011.6 F15:6
/011.7 F16:2
/011.7 F16:4

R/L1 S/L2 T/L3 R1A R1C R1B R2A R2C STO P24 DI1 DI2 DI3 DI4 DI5 DI6 +24 DQ+ DQ-

A2
SCHNEIDER ELECTRIC
ATV320U07N4C
ATV320

U/T1 V/T2 W/T3 PBe PB PC/- PA/+ COM AQ1 COM COM AI1 10V AI2 AI3

192.168.0.30
255.255.255.0
RJ45
/017.4 SW1:P4

IT
SW1
SOURCE
SINK EXT
INT
SW2
DI6
PTC

24VDC - Other
/012.7 X243:+

KF15 /102.5 13 14
KF16 /102.5 13 14
KF15 /102.5 23 24
KF16 /102.5 23 24

XM1 13 21 22
EL1 S2
XM1 14 21 22
EL1 S1
XM1 15
ByPass 11 12
KF601 /070.2 14

KF35 24V A1 A2
KF35 /.9 1 2 3 4 5 6
0VDC - Other
/012.7 X243:-

XM1 10 11 12
XM1 16 17

W008 BN BK GY GNYE
W009 1 2

M4 U V W M 3~
T1 ~ ~ - +
B1 - +

Elevator
EL1

1 2 /.9
3 4 /.9
5 6 /.9
21 22 - -

R1

						PAGE DESCRIPTION	CUSTOMER NAME	Schneider Electric	GENERAL DIAGRAMS		
						Elevator Driver	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK		Project n° P0001	Revision 01	Sheet 015 / 341
01	2026-09-23	First issue									
Rev.	Date	Description	Rev.	Date	Description						

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis apres enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/012.8
X243:+
24VDC - Other
24VDC - Other
1
24VDC - Other
24VDC - Other
/017.2
SW1:+24V

/012.8
X243:-
0VDC - Other
0VDC - Other
2
0VDC - Other
0VDC - Other
/017.2
SW1:0V

W010

24VDC - Other
0VDC - Other

+ - ⏚
POWER SUPPLY

MAGELIS GTU

KEA1
SCHNEIDER ELECTRIC
HMIDT351
MAGELIS GTU

192.168.0.10
255.255.255.0

USB3 | USB1 USB2 | ETH1 | ETH2 | COM1(RS485) | COM2

192.168.0.10

HMI

/017.3
SW1:P2

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-29	First issue			

PAGE DESCRIPTION: HMI


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 016 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis aprés enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-29	First issue			

PAGE DESCRIPTION: Switch

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS


Project n°: P0001

Revision: 00.0

Sheet: 017 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-24	First issue			

PAGE DESCRIPTION: PLC - Overview

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 020/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-29	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEB1 A1 - Power supply and network	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	021 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-29	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEB1 - DI	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	022 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-24	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEB1 - DI	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	023 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

KEB1
SCHNEIDER ELECTRIC
TM241CE24T

DIGITAL OUTPUTS

V0+ V0- Q0 Q1 Q2 Q3 V1+ V1- Q4 Q5 Q6 Q7

Q0 → 76 → /300.3 X1:6 — ctrl LED Open/close warehouse
Q1 → 85 → /300.6 X1:10 — ctrl LED Provide samples
Q2 → 91 → /300.8 X1:12 — ctrl LED Continue
Q3 → 99 → /300.9 X1:14 — ctrl LED START
Q4 → /301.4 X1:16 — ctrl LED Stack ready
Q5 → /301.5 X1:18 — ctrl LED Empty the station

24VDC-PLC
0VDC-PLC

/012.3 X241:- → 0VDC-PLC

KF30 24V
KF31 24V

1 2 /014.2
3 4 /014.2
5 6 /014.2
21 22 - -
ctrl Cargo transporter in

1 2 /014.4
3 4 /014.4
5 6 /014.4
21 22 - -
ctrl Unloading transporter out

0VDC-PLC → /025.2 KF33

/021.10 KEB1:+ → 24VDC-PLC → /025.2 KEB1:V2+
/023.10 KEB1:COM2 → 0VDC-PLC → /025.2 KEB1:V2-

R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-21	First issue			

PAGE DESCRIPTION: PLC - KEB1 - DO

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 01 | Sheet 024/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-21	First issue			


PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEB1 - DO	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	025 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-17	First issue			

PAGE DESCRIPTION: PLC - KEC1 - DI


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 030 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-17	First issue			

PAGE DESCRIPTION: PLC - KEC1 - DI


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 031 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-17	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEC2 - DI	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	040 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis apres enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/040.10
KEC2:COM

0VDC-PLC

0VDC-PLC

0VDC-PLC

/050.2
KEC3:COM

/040.10
KF408:11

24VDC-PLC

24VDC-PLC

24VDC-PLC

/050.2

0VDC-PLC

0VDC-PLC

Elevator Top position

Elevator middle top position

Elevator middle down position

Elevator down position

/308.4
X3:3

/308.5
X3:4

/308.5
X3:5

/308.6
X3:6

KEC2
SCHNEIDER ELECTRIC
TM3DI16

8	9	10	11	12	13	14	15	COM	COM
I8	I9	I10	I11	I12	I13	I14	I15		

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-17	First issue			

PAGE DESCRIPTION: PLC - KEC2 - DI

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS


Project n°: P0001

Revision: 00.0

Sheet: 041 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-17	First issue			

PAGE DESCRIPTION: PLC - KEC3 - DI


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 01 | Sheet: 050 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-17	First issue			

PAGE DESCRIPTION: PLC - KEC3 - DI

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 051/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engageant pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

KEC11
SCHNEIDER ELECTRIC
TM3DQ16T
TM3

DIGITAL OUTPUTS

Q0 Q1 Q2 Q3 Q4 Q5 Q6 Q7 V+ V-
0 1 2 3 4 5 6 7

- -
- -
0-0 - -
1-1 - -
2-2 - -
3-3 - -
4-4 - -
5-5 - -
6-6 - -
7-7 - -
8-8 - -
9-9 - -
10-10 - -
11-11 - -
12-12 - -
13-13 - -
14-14 - -
15-15 - -
V+-V+ - -
V--V- - -
V+-V+ - -
V--V- - -
8-9 /061.2

KF201 24V — IMM Mould area free
KF202 24V — IMM Enable mould closure
KF203 24V — IMM Enable full mould opening
KF204 24V — IMM Robot operation mode
KF205 24V — IMM Enable ejector back
KF206 24V — IMM Enable ejector forward
KF207 24V — IMM Enable core 1 pos 1
KF208 24V — IMM Enable core 1 pos 2

14 12 11 /152.7 … 14 12 11 /153.4

24VDC-PLC
0VDC-PLC

/025.10 KF34 ▷ 0VDC-PLC → 0VDC-PLC → /061.2 KF209

/025.10 KEB1:V2+ ▷ 24VDC-PLC → 24VDC-PLC → 24VDC-PLC → 24VDC-PLC → /061.2 KEC11:V+

/051.10 KEC3:COM ▷ 0VDC-PLC → 0VDC-PLC → 0VDC-PLC → 0VDC-PLC → /061.2 KEC11:V-

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEC11 - DO	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	060 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engageant pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEC11 - DO	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	061 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

KEC12
SCHNEIDER ELECTRIC
TM3DQ16T
TM3

DIGITAL OUTPUTS

Q0	Q1	Q2	Q3	Q4	Q5	Q6	Q7	V+	V-
0	1	2	3	4	5	6	7		

- -
- -
0-0 - -
1-1 - -
2-2 - -
3-3 - -
4-4 - -
5-5 - -
6-6 - -
7-7 - -
8-8 - -
9-9 - -
10-10 - -
11-11 - -
12-12 - -
13-13 - -
14-14 - -
15-15 - -
V+-V+ - -
V--V- - -
V+-V+ - -
V--V- - -
8-9 /071.2

/101.2
KF9:13
ctrl latch of the inner cover

/101.5
KF11:13
ctrl latch of the outer cover

XST2:3
/104.3
cell door control

XST2:8
/104.4
cell door ctrl RST

24VDC-PLC

0VDC-PLC

KF601
24V

/061.10
KF308
0VDC-PLC

14 12 11 /015.6

Elevator STO bypass

0VDC-PLC

0VDC-PLC /071.2

/061.10
KEC11:V+
24VDC-PLC

24VDC-PLC

24VDC-PLC 24VDC-PLC /071.2
KEC12:V+

/061.10
KEC11:V-
0VDC-PLC

0VDC-PLC

0VDC-PLC 0VDC-PLC /071.2
KEC12:V-

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-23	First issue			

PAGE DESCRIPTION: PLC - KEC12 - DO

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	070 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-29	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEC12 - DO	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	071 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
PLC - KEC13 - DO	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	080 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/012.4 X242:+ — 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY → /101.2 KFA2:1

/012.5 X242:- — 0VDC-SAFETY — 0VDC-SAFETY — 0VDC-SAFETY → /101.2 KFA2:4

0VDC-SAFETY

/104.10 XST2:32 — /104.10 XST2:33 — /152.1 XE67:17 — /152.2 XE67:18 — /109.5 XST5:10 — /109.6 XST5:12 — /152.2 XE67:19 — /152.3 XE67:20

KFA1
SCHNEIDER ELECTRIC
XPSMCMC10804B

1	2	3	4	17	18	19	20	21	22	23	24
24VDC	N.C.	N.C.	0VDC	INPUT1	INPUT2	INPUT3	INPUT4	INPUT5	INPUT6	INPUT7	INPUT8

OSSD1	OSSD1	RST_FBK_ST1	RST_FBK_ST2	OSSD3	OSSD4	RST_FBK_ST3	RST_FBK_ST4	OUT_TEST1	OUT_TEST2	OUT_TEST3	OUT_TEST4	USB
5	6	7	8	9	10	11	12	13	14	15	16	

XST2:9 /104.5 — XE67:1 /151.2 — XST2:10 /104.5 — XE67:2 /151.2 — XST5:9 /109.5 — XE67:3 /151.3 — XST5:11 /109.6 — XE67:4 /151.3

KF1 /.2 — KF3 /.3 — KF5 /.4 — KF17 /.5 — KF2 /.2 — KF4 /.3 — KF6 /.4 — KF18 /.5 — KF19 /.6

(41 / 42)

KF1 24V A1+ A2- — KF2 24V A1+ A2- — KF3 24V A1+ A2- — KF4 24V A1+ A2- — KF5 24V A1+ A2- — KF6 24V A1+ A2- — KF17 24V A1+ A2- — KF18 24V A1+ A2- — KF19 24V A1+ A2-

/012.5 X242:+ — 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY → /102.2 KF21:42

/012.5 X242:- — 0VDC-SAFETY — 0VDC-SAFETY → /101.2 XST1:2

E-STOP to robot	Fence to robot	E-STOP to IMM	Fence to IMM (e73)	Belt Transporters	DCS to robot
13 - 14 /109.2	13 - 14 /109.2	13 - 14 /109.4	13 - 14 /152.6	13 - 14 /152.6	11 - 12 /161.5
23 - 24 /109.3	23 - 24 /109.3	23 - 24 /109.4	23 - 24 /152.6	23 - 24 /161.3	23 - 24 /161.4
33 - 34 - -	33 - 34 - -	33 - 34 - -	33 - 34 - -	33 - 34 - -	33 - 34 - -
41 - 42 /.4	41 - 42 /.4	41 - 42 /.4	41 - 42 /.5	41 - 42 /.5	41 - 42 /.5

11 - 12 /161.6
23 - 24 /161.7
33 - 34 - -
41 - 42 /.5

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - KFA1

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 00.0 | Sheet: 100 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/100.10 KFA1:1 — 24VDC-SAFETY
/100.10 KFA1:4 — 0VDC-SAFETY
24VDC-SAFETY → /102.2 KFA3:1
0VDC-SAFETY → /102.2 KFA3:4

KFA2
SCHNEIDER ELECTRIC
XPSMCMDI1600

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
24VDC	NODE ADDR0	NODE ADDR1	0VDC	IN1	IN2	IN3	IN4	IN5	IN6	IN7	IN8	IN9	IN10	IN11	IN12	IN13	IN14	IN15	IN16	OUT_TEST1	OUT_TEST2	OUT_TEST3	OUT_TEST4
				INPUTS																9	10	11	12

/104.3 XST2:15 — IN1
/104.3 XST2:16 — IN2
/104.6 XST2:25 — IN3
/107.6 XST4:9 — IN8
/107.8 XST4:12 — IN9
/107.4 XST4:4 — IN10
/107.5 XST4:6 — IN11
/108.6 XST4:23 — IN12
/108.8 XST4:26 — IN13
/108.4 XST4:18 — IN14
/108.5 XST4:20 — IN15
/300.4 X1:7 — IN16

/070.5 KEC12:4 → KF9 13 → 14 → 66 → KF10 14 → XST1 1

KF1: E1 11 21 33 41 / E2 12 22 34 42
BS1: 1 3 / 2 4
Spacer Magazine DEP1

XST1 2 4 6 8 10

/070.6 KEC12:5 → KF11 13 → 14 → 69 → KF12 14 → 11

KF2: E1 11 21 33 41 / E2 12 22 34 42
BS2: 1 3 / 2 4

12 14 16 18 20

/100.10 KF19:A2- — 0VDC-SAFETY
0VDC-SAFETY
0VDC-SAFETY
0VDC-SAFETY → /102.2 KF7:A2-

R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - KFA2

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	101 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/101.10 KFA2:1 — 24VDC-SAFETY
/101.10 KFA2:4 — 0VDC-SAFETY

24VDC-SAFETY → /103.2 KFA4:1
0VDC-SAFETY → /103.2 KFA4:4

KFA3
SCHNEIDER ELECTRIC
XPSMCMMX0804
PREVENTA

1	2	3	4	17	18	19	20	21	22	23	24
24VDC	NODE ADDR0	NODE ADDR1	0VDC	INPUT1	INPUT2	INPUT3	INPUT4	INPUT5	INPUT6	INPUT7	INPUT8
OSSD1	OSSD2	RESTART FBK1	RESTART FBK2	OSSD3	OSSD4	RESTART FBK3	RESTART FBK4	OUT_TEST1	OUT_TEST2	OUT_TEST3	OUT_TEST4
5	6	7	8	9	10	11	12	13	14	15	16

/106.3 XST3:4

KF9 /.3 (41/42) — KF10 /.3 (41/42) — KF20 /.9 (41/42) — KF21 /.10 (41/42)

KF11 /.4 (41/42) — KF16 /.5 (41/42)

KF22 /111.2 (13/14) — KF22 /111.2 (23/24)

KF12 /.4 (41/42) — KF15 /.5 (41/42)

KF23 /111.3 (13/14) — KF23 /111.3 (23/24)

KF7 /.2 (33/34) — KF8 /.2 (33/34)

KF9 /.3 (23/24) — KF10 /.3 (23/24)

24VDC-SAFETY

	A1+	A2-
KF7	24V	
KF8	24V	
KF9	24V	
KF10	24V	
KF11	24V	
KF12	24V	
KF15	24V	
KF16	24V	
KF13	24V	
KF14	24V	
KF20	24V	
KF21	24V	

/100.10 KF6:42 — 24VDC-SAFETY
/101.10 XST1:12 — 0VDC-SAFETY

24VDC-SAFETY → /106.2 KF7:24
0VDC-SAFETY → /103.2 KF7:14

13 14 /106.3 — 23 24 /106.3 — 33 34 /.8 — 41 42 /106.3
13 14 /101.2 — 23 24 /.9 — 33 34 /023.4 — 41 42 /.4
13 14 /101.5 — 23 24 /023.5 — 33 34 - - — 41 42 /.6
13 14 /101.5 — 23 24 /023.5 — 33 34 - - — 41 42 /.6
13 14 /015.4 — 23 24 /015.5 — 33 34 - - — 41 42 /.6
13 14 /015.4 — 23 24 /015.5 — 33 34 - - — 41 42 /.6
13 14 /011.5 — 23 24 /011.5 — 33 34 /011.533 — 41 42 /106.341
13 14 /011.5 — 23 24 /011.5 — 33 34 /011.5 — 41 42 /106.3
13 14 /110.3 — 23 24 /110.3 — 33 34 - - — 41 42 /.4
13 14 /110.3 — 23 24 /110.3 — 33 34 - - — 41 42 /.4

Valves and actuators

Permission to open the inner warehouse shield

Permission to open the external warehouse cover

Elevator drive (inverter)

DCS
From Robot

R1

Rev.	Date	Description	Rev.	Date	Description
		13 14 /106.3 23 24 /106.3 33 34 /.8 41 42 /106.3			
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - KFA3


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 102 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



EUROMAP73
Acknowledgment

R1

14 12 7 11 /162.3

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
SAFETY - KFA4	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	103 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - Door and E-Stop

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 00.0 | Sheet: 104 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

Safety Valve

FESTO

MS6-SV-1/2-E-10V24-AG

SV1

1 2 3 4 5 6 7 8 9

W012 Żyła 1 Żyła 2 Żyła 3 Żyła 4 Żyła 5 Żyła 6 Żyła 7 Żyła 8 Żyła 9

XST3 1 2 3 4 5 6 7 8 9

KF14 /102.8 — 41 — 42 — KFA3:7 /102.3

KF13 /102.8 — 41 — 42

KF8 /102.2 — 13 — 14

KF8 /102.2 — 23 — 24

KF8 /102.2 — 41 — 42

KF7 /102.2 — 13 — 14

KF7 /102.2 — 23 — 24

KF7 /102.2 — 41 — 42

24VDC-SAFETY

0VDC-SAFETY

/102.10 KF9:23 ▷ 24VDC-SAFETY

/103.10 KF501 ▷ 0VDC-SAFETY

/104.10 XST2:7 ▷ 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY — 24VDC-SAFETY ▷ /107.2 XST4:1

/104.10 XST2:14 ▷ 0VDC-SAFETY — 0VDC-SAFETY — 0VDC-SAFETY — 0VDC-SAFETY ▷ /107.2 XST4:2

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - Main Valve

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA, UL. BUGNO 1, 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 106 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - Loading mouting


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 00.0 | Sheet: 107 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-16	First issue			

PAGE DESCRIPTION: SAFETY - Unloading Mouting

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 108/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

Safety for robot

R-30iB TBOP20

TBOP20

EMGIN: ESS1, ESS11, ESS2, ESS21

FENCE: EAS1, EAS11, EAS2, EAS21

E-STOP: ESPB1, ESPB11, ESPB2, ESPB21

Robot Fanuc

ROB1

R-30iB TBOP19

TBOP19

POWER: EXT24V, INT24V, INT0V, EXT0V

W013

Żyła 1 … Żyła 12 — Żyła 13 (24VDC-SAFETY) — Żyła 14 (0VDC-SAFETY)

XST5: 1 … 12, 13, 14

	1	2	3	4	5	6	7	8	9	10	11	12	
	13		23		23		13		/100.6 KFA1:15	KFA1:21 /100.6	/100.7 KFA1:16	KFA1:22 /100.6	
KF1 /100.2	14	KF1 /100.2	24	KF3 /100.3	24	KF3 /100.3	14						
	13		23		23		13						
KF2 /100.2	14	KF2 /100.2	24	KF4 /100.3	24	KF4 /100.3	14						

24VDC-SAFETY: 13 → /108.10 XST4:24 → 24VDC-SAFETY → 24VDC-SAFETY

0VDC-SAFETY: 14 → /108.10 XST4:27 → 0VDC-SAFETY → 0VDC-SAFETY

R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-18	First issue			

PAGE DESCRIPTION: SAFETY - Robot

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA, UL. BUGNO 1, 78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 01 | Sheet: 109 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

R-30iB CRMA90 Inputs

CRMA90

24VE	0V	SFDI11	SFDI21	SFDI12	SFDI22	SFDI13	SFDI23	SFDI14	SFDI24	SFDI15	SFDI25	SFDI16	SFDI26	SFDI17	SFDI27	SFDI18	SFDI28
A1	B1	A2	B2	A3	B3	A4	B4	A5	B5	A6	B6	A7	B7	A8	B8	A9	B9

Robot Fanuc

ROB1

W013

Żyła 15	Żyła 16	Żyła 17	Żyła 18	Żyła 19	Żyła 20	Żyła 21	Żyła 22	Żyła 23	Żyła 24	Żyła 25	Żyła 26	Żyła 27	Żyła 28	Żyła 29	Żyła 30	Żyła 31	Żyła 32

XST5

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32

24VDC - Robot DCS Inputs

0VDC - Robot DCS Inputs

KF20 /102.9: 13 → 14

KF20 /102.9: 23 → 24

KF21 /102.10: 13 → 14

KF21 /102.10: 23 → 24

24VDC - Robot DCS Inputs

0VDC - Robot DCS Inputs

R1

Rev.	Date	Description
00.0	2026-09-18	First issue

PAGE DESCRIPTION: SAFETY - DCS Inputs

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA, UL. BUGNO 1, 78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 110/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

R-30iB CRMA90 Outputs

CRMA90(1)

SFDO11	SFDO21	SFDO12	SFDO22	SFDO13	SFDO23	SFDO14	SFDO24	SFDO15	SFDO25	SFDO16	SFDO26	SFDO17	SFDO27	SFDO18	SFDO28	0V	0V	0V	0V
A11	B11	A12	B12	A13	B13	A14	B14	A15	B15	A16	B16	A17	B17	A18	B18	A19	B19		

Robot Fanuc

ROB1

W013

Żyła 33	Żyła 34	Żyła 35	Żyła 36	Żyła 37	Żyła 38	Żyła 39	Żyła 40	Żyła 41	Żyła 42	Żyła 43	Żyła 44	Żyła 45	Żyła 46	Żyła 47	Żyła 48	Żyła 49	Żyła 50	Żyła 51	Żyła 52
XST5 33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52

0VDC - Robot DCS Outputs

0VDC - Robot DCS Outputs

0VDC - Robot DCS Outputs

0VDC - Robot DCS Outputs

KF22 24V A1+ A2-

KF23 24V A1+ A2-

0VDC - Robot DCS Outputs

DCS from robot

13 14 /102.7 13 14 /102.7
23 24 /102.7 23 24 /102.7
33 34 - - 33 34 - -
41 42 - - 41 42 - -

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: SAFETY - DCS Outputs

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 111/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

00.0	2026-09-21	First issue			
Rev.	Date	Description	Rev.	Date	Description

PAGE DESCRIPTION: EUROMAP67 - 1/3

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 151 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

E67-2

ZC1	ZC2	ZC3	ZC4	ZC5	ZC6	ZC7	ZC8	ZC9	A1	A2	A3	A4	A5	A6	A7	A8	A9
Emergency stop of IMM 1	Emergency stop of IMM 2	Safety devices of IMM 1	Safety devices of IMM 2	Reserved	Reserved	Reserved	Manufacturer dependent	Supply from robot 0V DC	Emergency stop of robot 1	Emergency stop of robot 2	Mould area free	Reserved	Manufacturer dependent	Enable mould closure	Enable full mould opening	Reserved	Supply from IMM 24V DC / 2A

IMM

W1

W014

	Żyła 17	Żyła 18	Żyła 19	Żyła 20	Żyła 21	Żyła 22	Żyła 23	Żyła 24	Żyła 25	Żyła 26	Żyła 27	Żyła 28	Żyła 29
XE67	17	18	19	20	21	22	23	24	25	26	27	28	29

/100.5 KFA1:19

/100.5 KFA1:20

/100.6 KFA1:23

/100.7 KFA1:24

KF5 /100.4 13 14

KF5 /100.4 23 24

KF6 /100.4 13 14

KF6 /100.4 23 24

KF201 /060.2 11 12 14

KF202 /060.3 11 12 14

KF203 /060.4 11 12 14

/153.6 XE67:37

/153.6 XE67:38

/153.7 XE67:39

24VDC - Other

24VDC - Other

/151.10 XE67:9 — 24VDC - Other — 24VDC - Other — 24VDC - Other — /153.2 KF204:14

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-21	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
EUROMAP67 - 2/3	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	152 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties quels qu'ils soient sans son accord écrit. Seuls nous engagent diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

E67-3

	B2	B3	B4	B5	B6	B7	B8	C1	C2	C3	C4	C5	C6	C7	C8	C9
	Robot operation mode	Enable ejector back	Enable ejector forward	Enable core 1 in pos 1	Enable core 1 in pos 2	Enable core 2 in pos 1	Enable core 2 in pos 2	Emergency stop of robot 1	Emergency stop of robot 2	Mould area free	Reserved	Manufacturer dependent	Reserved	Reserved	Manufacturer dependent	Supply from IMM 0V DC

IMM

W1

51

W014

	B2	B3	B4	B5	B6	B7	B8	C1	C2	C3	C5	C8	C9
	Żyła 30	Żyła 31	Żyła 32	Żyła 33	Żyła 34	Żyła 35	Żyła 36	Żyła 37	Żyła 38	Żyła 39	Żyła 40	Żyła 41	Żyła 42
XE67	30	31	32	33	34	35	36	37	38	39	40	41	42

	KF204	KF205	KF206	KF207	KF208	KF209	KF210
	/060.4	/060.5	/060.6	/060.6	/060.7	/061.2	/061.3
	11	11	11	11	11	11	11
	14	14	14	14	14	14	14
	12	12	12	12	12	12	12

/152.6 KF6:14

/152.6 KF6:24

/152.7 KF24:14

24VDC - Other

/152.10 KF203:14 24VDC Other

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-21	First issue			

PAGE DESCRIPTION: EUROMAP67 - 3/3

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 153 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

						PAGE DESCRIPTION	CUSTOMER NAME
						EUROMAP73 - 1/2	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK
01	2026-09-21	First issue					
Rev.	Date	Description	Rev.	Date	Description		


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	161 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

						PAGE DESCRIPTION	CUSTOMER NAME		GENERAL DIAGRAMS		
						EUROMAP73 - 2/2	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK	Schneider Electric	Project n° P0001	Revision 01	Sheet 162 / 341
01	2026-09-21	First issue									
Rev.	Date	Description	Rev.	Date	Description						

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

CRMA15-1

R-30iB CRMA15

+24V from Robot				Source		0V Common		Digital Inputs							
+24E	+24E	+24E	+24E	SDICOM1	SDICOM2	0V	0V	DI101	DI102	DI103	DI104	DI105	DI106	DI107	DI108

Robot Fanuc
ROB1

A1	B1	A2	B2	A3	B3	A4	B4	A5	B5	A6	B6	A7	B7	A8	B8
Żyła 1	Żyła 2	Żyła 3	Żyła 4	Żyła 5	Żyła 6	Żyła 7	Żyła 8	Żyła 9	Żyła 10	Żyła 11	Żyła 12	Żyła 13	Żyła 14	Żyła 15	Żyła 16

W016

XCRMA15: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

KF301	KF302	KF303	KF304	KF305	KF306	KF307	KF308
/151.4	/151.5	/151.7	/061.4	/061.5	/061.6	/061.6	/061.7
11 / 12 14	11 / 12 14	11 / 12 14	11 / 12 14	11 / 12 14	11 / 12 14	11 / 12 14	11 / 12 14

ROBOT-24VDC ×4
0VDC - Other ×4

ROBOT-24VDC → /172.2
0VDC - Other → /173.2 KF401
/012.9 X243:-

Mould closed	Mould open	Enable operation with robot	Reservation	Reservation	Reservation	Reservation	Reservation

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-25	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
Robot - DI 1/2	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	171 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

CRMA15-2

R-30iB CRMA15

Digital Inputs

DI109 DI110 DI111 DI112 DI113 DI114 DI115 DI116 DI117 DI118 DI119 DI120

Robot Fanuc

ROB1

W016

Żyła 17 Żyła 18 Żyła 19 Żyła 20 Żyła 21 Żyła 22 Żyła 23 Żyła 24 Żyła 25 Żyła 26 Żyła 27 Żyła 28

XCRMA15 17 18 19 20 21 22 23 24 25 26 27 28

/171.10
KF308:14

ROBOT-24VDC ROBOT-24VDC

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-25	First issue			

PAGE DESCRIPTION: Robot - DI 2/2

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 172 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

CRMA15-3

R-30iB CRMA15

Digital Outputs: DO101 DO102 DO103 DO104 DO105 DO106 DO107 DO108

0V common: 0V 0V

24VDC to Robot: DOSRC1 DOSRC1

Robot Fanuc

ROB1

A15 B15 A16 B16 A17 B17 A18 B18 A19 B19 A20 B20

W016: Żyła 29 Żyła 30 Żyła 31 Żyła 32 Żyła 33 Żyła 34 Żyła 35 Żyła 36 Żyła 37 Żyła 38 Żyła 39 Żyła 40

XCRMA15: 29 30 31 32 33 34 35 36 37 38 39 40

0VDC - Other

0VDC - Other

24VDC - Other

24VDC - Other

KF401 24V KF402 24V KF403 24V KF404 24V KF405 24V KF406 24V KF407 24V KF408 24V

/012.9 X243:+ 24VDC - Other

/171.10 XCRMA15:8 0VDC - Other

24VDC - Other

14 12 11 /040.3 14 12 11 /040.4 14 12 11 /040.6 14 12 11 /040.7

14 12 11 /040.4 14 12 11 /040.5 14 12 11 /040.6 14 12 11 /040.8

R1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-25	First issue			

PAGE DESCRIPTION: Robot - DO

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n° P0001 | Revision 00.0 | Sheet 173 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-17	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
Buttons - HMI Panel	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric


GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	01	300 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis aprés enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.





R1

Rev.	Date	Description	Rev.	Date	Description
01.0	2026-09-17	Kablowanie			
01	2026-09-22	First issue			

PAGE DESCRIPTION: Buttons - Feeding System

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°: P0001
Revision: 01.0
Sheet: 301 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



Signal tower

R1

Rev.	Date	Description	Rev.	Date	Description
02	2026-09-29	kod katalogowy			
01	2026-09-29	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
Signal Tower	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	02	307 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.




R1

						PAGE DESCRIPTION	CUSTOMER NAME	Schneider Electric	GENERAL DIAGRAMS		
									Project n°	Revision	Sheet
00.0	2026-09-29	First issue				Elevator - DI	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK		P0001	00.0	308 / 341
Rev.	Date	Description	Rev.	Date	Description						

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord ecrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



R1

Rev.	Date	Description	Rev.	Date	Description
01	2026-09-21	First issue			

PAGE DESCRIPTION: Robot Tool - FIPA DI

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA, UL. BUGNO 1, 78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n° P0001 | Revision 01 | Sheet 309/341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis aprés enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.

/017.4
SW1:P3

192.168.0.20

XF20 Port
(ETHERNET CONNECTION)
192.168.0.20
255.255.255.0

BAT100

TP1 Port
(AP-FESTO CONNECTION)

/320.6
BAT200

XD1 Port

24VDC - Other
0VDC - Other
24VDC - Other
0VDC - Other

Main Electrical Cabinet
R1

/012.7
X243:+
24VDC - Other
24VDC - Other
24VDC - Other
/320.2
BAT1

/012.7
X243:-
0VDC - Other
0VDC - Other
0VDC - Other
/320.2
BAT1

DEP1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT100


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 310 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



DEP1

						PAGE DESCRIPTION	CUSTOMER NAME
						FESTO ISLAND - BAT101	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK
00.0	2026-09-18	First issue					
Rev.	Date	Description	Rev.	Date	Description		


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	311 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT200


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 00.0 | Sheet: 320 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
FESTO ISLAND - BAT201	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	321 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
FESTO ISLAND - BAT202	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	322 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT203


CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001
Revision: 00.0
Sheet: 323 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
FESTO ISLAND - BAT204	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	324 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



FS1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT205

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS


Project n°: P0001

Revision: 00.0

Sheet: 325 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



EL1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT300

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

Schneider Electric

GENERAL DIAGRAMS


Project n°: P0001

Revision: 00.0

Sheet: 330 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



EL1

						PAGE DESCRIPTION	CUSTOMER NAME
						FESTO ISLAND - BAT301	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK
00.0	2026-09-18	First issue					
Rev.	Date	Description	Rev.	Date	Description		


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	331 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



ROB1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION	CUSTOMER NAME
FESTO ISLAND - BAT400	SCHNEIDER ELECTRIC ELDA SA UL. BUGNO 1 78-400 SZCZECINEK


Schneider Electric

GENERAL DIAGRAMS

Project n°	Revision	Sheet
P0001	00.0	340 / 341

The technical information contained in this document is the exclusive property of Schneider Electric Industries S.A.S and cannot be used or disclosed to third parties of any kind without its written consent. Only those drawings and diagrams remitted after order booking are binding for execution. All devices shown in this diagrams are in open position, drawn out with operating mechanism discharged and all power sources off.

Les informations techniques contenues dans ce document sont la propriete exclusive de Schneider Electric Industries S.A.S et ne peuvent etre utilisees ou divulguees a des tiers quels qu'ils soient sans son accord écrit. Seuls nous engagent pour execution les plans et schémas remis après enregistrement de la commande. Les appareils représentés sur ce schéma sont en position ouvert - désarmés - débrochés - toutes sources coupées.



ROB1

Rev.	Date	Description	Rev.	Date	Description
00.0	2026-09-18	First issue			

PAGE DESCRIPTION: FESTO ISLAND - BAT401

CUSTOMER NAME: SCHNEIDER ELECTRIC ELDA SA
UL. BUGNO 1
78-400 SZCZECINEK

GENERAL DIAGRAMS

Project n°: P0001 | Revision: 00.0 | Sheet: 341 / 341