HTML5

STANDARDS
VS.
SEMANTICS

Screen Readers:

Software application that attempts to identify and interpret what is being displayed on the screen. This interpretation is then re-presented to the user with text-to-speech, sound icons, or a Braille output device.

Wireframe:

Visual guide of the skeltal framework of a website.

Navigation
Logo sitting above the main navigation.

Image Scroller
Selection of product images with a title and brief info, swipe to scroll through.

Product Gallery
Main products images with a title and brief

Header

Logo

Utility

Navigation

Hero

Content

Sidebar

Footer

VALIDATE

OBSOLETE
VS.
DEPRECATED

Tag:

A command that specifies how the document should be formatted.

<p>

Tags

CHARACTER

FOREWARD SLASH

CHARACTER

<p>

</p>

LEFT-ANGLE BRACKET
(LESS-THAN SIGN)

RIGHT-ANGLE BRACKET
(MORE-THAN SIGN)

LEFT-ANGLE BRACKET
(LESS-THAN SIGN)

RIGHT-ANGLE BRACKET
(MORE-THAN SIGN)

OPENING TAG

CLOSING TAG

The characters in the brackets
indicate the tag's purpose.

The closing tag has a forward
slash after the < symbol.

Tag vs. Element

The terms "tag" and "element" are often used interchangeably. An element comprises the opening tag *and* the closing tag *and* any content that lies between them.

`<header>`

`</header>`

<nav>

</nav>

`<section>`

`</section>`

`<article>`

`</article>`

`<aside>`

`</aside>`

`<footer>`

`</footer>`

<div>
</div>