

Website handbook

Kampuntin Maikiuants

kampuntin-maikiuants.github.io

How to update tours, galleries and news, step by step. For people without technical knowledge.

Version: October 2026 · Website: kampuntin-maikiuants.github.io

Contents

1. Before you start . . . 3
- 1.1 The two tools . . . 3
- 1.2 Getting access (once) . . . 3
- 1.3 How to edit a file on GitHub . . . 3
- 1.4 Is it online yet? . . . 3
- 1.5 Three languages . . . 4
- 1.6 Golden rules for .yml files . . . 4

2. Tours: dates, places and the homepage notice . . . 5
- 2.1 How it works . . . 5
- 2.2 Adding a new date (with Pages CMS) . . . 6
- 2.3 Updating free places . . . 7
- 2.4 The homepage notice (pop-up) . . . 7
- 2.5 Changing the price, duration or description of a journey . . . 9

3. Gallery: albums and photos . . . 10
- 3.1 How it works . . . 10
- 3.2 Preparing photos . . . 10
- 3.3 Creating a new album . . . 10
- 3.4 Uploading photos . . . 11
- 3.5 A nice title and cover . . . 11
- 3.6 Deleting a photo or an album . . . 11

4. Updates: Facebook and Instagram . . . 12
- 4.1 What the Updates page shows . . . 12
- 4.2 Changing or adding an account . . . 12
- 4.3 Showing posts automatically . . . 12
- 4.4 Is the import working? . . . 13
- 4.5 Showing an Instagram post manually . . . 13

5. Team, texts and other useful things . . . 14
- 5.1 Adding or changing a team member . . . 14
- 5.2 Where is each text? . . . 15
- 5.3 Contact persons and WhatsApp . . . 15
- 5.4 Videos . . . 16
- 5.5 Volunteer stories (testimonials) . . . 16

6. Your own address (domain) . . . 18
- 6.1 Choosing and buying the domain . . . 18
- 6.2 Connecting the domain to the website (DNS) . . . 18
- 6.3 Activating the domain on GitHub . . . 19
- 6.4 After the change . . . 19

7. Getting found on Google . . . 20
- 7.1 Registering the website in Google Search Console . . . 20
- 7.2 Submitting the sitemap and requesting indexing . . . 20
- 7.3 Links from other websites . . . 20
- 7.4 Bing and other search engines . . . 21

8. If something goes wrong . . . 22
- Quick reference . . . 23

1. Before you start

The Kampuntin website does not need its own server. All texts, photos and dates are stored on **GitHub**, a free service. Whenever someone saves a change there, the website updates itself within one to three minutes.

1.1 The two tools

Tool	What for	Address
GitHub	All website files: texts, photos, albums and settings.	github.com/Kampuntin-Maikiuants/Kampuntin-Maikiuants.github.io
Pages CMS	A simple form for tour dates and available places. Also works on a phone.	app.pagescms.org

1.2 Getting access (once)

1. Create a free account on **github.com** («Sign up»). Use an email address you check regularly.
2. Send your GitHub username to the person who manages the website (currently Jesko Dorner).
3. That person invites you on GitHub: in the repository «Settings» › «Collaborators» › «Add people».
4. You will receive an email from GitHub. Click «Accept invitation». From then on you can edit.

> **Tip:** Button names appear in quotation marks exactly as you see them on screen, for example «Add file» or «Commit changes».

1.3 How to edit a file on GitHub

1. Open **github.com/Kampuntin-Maikiuants/Kampuntin-Maikiuants.github.io** and sign in («Sign in»).
2. Click through the folders to the file, for example `_data` › `en` › `home.yml`.
3. At the top right of the file, click the pencil («Edit this file»).
4. Change the text.
5. Click the green «Commit changes…» button. In the window, describe your change in one line (for example «New price for the Arutam journey») and confirm with «Commit changes».
6. Wait one to three minutes and reload the website. Done.

1.4 Is it online yet?

On GitHub, the «Actions» tab shows every website update:

- **Yellow circle:** the website is being updated.
- **Green tick:** done, the change is online.

- **Red cross:** something went wrong. The website still shows the previous version. See chapter 8.

> **Tip:** If you don't see the change, force a reload: on a computer press Ctrl + F5 (on a Mac: Cmd + Shift + R).

1.5 Three languages

The website exists in Spanish, English and French. Almost all texts are in three files with the same name in the folders `_data/es`, `_data/en` and `_data/fr`. **Always change all three.** If you can't translate, change the Spanish text and ask for help with the other languages, or use a translator such as DeepL.

1.6 Golden rules for .yml files


The texts are in files ending in `.yml`. They are easy to read, but a few rules apply:

- Don't delete the spaces at the start of lines. The indentation shows what belongs to what.
- Use spaces, never the Tab key.
- If a text contains a colon followed by a space, put it in quotation marks: `"Arutam journey: 22 days"`.
- To add something new, copy an existing block, paste it right below and change the texts.
- Lines starting with `#` are notes for editors. They don't appear on the website.

2. Tours: dates, places and the homepage notice

2.1 How it works

There are two journeys: the **spiritual journey** (11 days) and the **Arutam journey** (22 days). The journeys are run by Raíces, which organises the journey and the bookings; in Maikiuants, Kampuntin takes care of the organisation and support. The name, duration, price and description of each journey are stored once. The dates are stored separately, and each date says which journey it belongs to.




The «Two journeys» section on the tours page. The programmes can be opened below.

- **Dates and places:** file `_data/tour_dates.yml`. The easiest way is Pages CMS (2.2).
- **Name, duration, price and text of each journey:** `_data/en/tours.yml` (and `es`, `fr`), under `trips` (2.5).
- **The homepage notice** picks the next date automatically (2.4).

2.2 Adding a new date (with Pages CMS)

1. Open **app.pagescms.org** and sign in with «Sign in with GitHub».
2. Choose the repository **Kampuntin-Maikiuants.github.io**.
3. In the menu on the left, click **Fechas de tours** (tour dates).
4. Below the last date, click the button to add a new entry (plus sign).
5. Fill in the fields (see table). The form labels are in Spanish.
6. Click «Save». Within one to three minutes the date appears on the tours page and, if it is the next one, in the homepage notice.

Field (Spanish label)	What to enter
Inicio (start)	First day of the journey (exact or approximate).
Fin (end)	Last day of the journey.
Viaje (journey)	Viaje espiritual (11 días) or Viaje Arutam (22 días).
Texto en vez de la fecha (text instead of the date)	Only if the date is not fixed yet, for example «April / May 2027». In Spanish, English and French.
Nota pequeña (small note)	Optional, a line below the date, for example «Exact date to be confirmed».
Plazas libres (free places)	How many places are left. **0** = full. Empty = the status below is used.
Estado (status)	Plazas a consultar (on request) · Plazas libres (available) · Últimas plazas (last places) · Completo (full). Only if «Plazas libres» is empty.



This is how prices and upcoming dates look on the tours page.


> **Tip:** Past dates disappear by themselves: once the start date has passed, the date is no longer shown (the website updates every 6 hours). You don't need to delete them, but you can, to keep the list tidy.

2.3 Updating free places

1. Open Pages CMS › **Fechas de tours**.
2. For the date of the journey, enter in **Plazas libres** how many places are left (for example 12, and one less after each booking).
3. Click «Save». With 3 places or fewer the number turns orange; with **0** it shows «Full».

A full date no longer appears in the homepage notice. The notice then shows the next date with places.

2.4 The homepage notice (pop-up)



The notice appears at the bottom right a few seconds after opening the homepage.

The notice always shows the next date that has not passed and is not full, with the name of the journey, the duration and the price. **You don't need to change anything to keep it up to date.**

Switching the notice on or off:

1. On GitHub, open the file `_config.yml` (in the main folder) and click the pencil.
2. Find the line `tour_popup: true`.
3. Write `false` to switch it off or `true` to switch it on, and save with «Commit changes».

Changing the text or photo of the notice: in `_data/en/home.yml` (and `es`, `fr`), at the end, in the `tour_popup` block. The photo (`image`) is a path to a file on the website.

_data/en/home.yml

```
tour_popup:
  eyebrow: Next tour
  text: >-
    A journey by Raíces: live with the Shuar community of Maikiuants, all-inclusive from
        Cuenca.
  per: per person
  button: See the tour
  close: Close
  image: /assets/img/fotos/cascada.jpg
```

2.5 Changing the price, duration or description of a journey

1. On GitHub, open `_data/en/tours.yml` and click the pencil.
2. Find `trips:`. Below it are `espiritual` and `arutam`.
3. Change `amount` (price), `days` (duration), `when` (season) or `text` (short description).
4. Do the same in `_data/es/tours.yml` and `_data/fr/tours.yml`.
5. Save with «Commit changes».

_data/en/tours.yml (excerpt)

```
  espiritual:
    name: Spiritual journey
    days: 11 days
    when: April – May 2027
    amount: "€2,490"
    text: >-
      An immersion in Shuar spirituality: the chonta ceremony (the Shuar New Year),
          medicinal
      plants, traditional rituals and the walk to the sacred Arutam waterfall.
    link: See the programme
```


The detailed programme (arrival, activities and return) is in the same file: in `spiritual` for the spiritual journey and in `experience` for the Arutam journey.

> **Important:** A completely new journey (a third kind of journey) needs a small technical change to the website. For that, contact the person who manages the website.

3. Gallery: albums and photos

3.1 How it works

Each album is a **folder** inside `assets/galeria`. All photos in the folder appear in the album. The first photo (or the one you choose) is the cover. Albums are sorted by folder name, from highest to lowest: that is why each folder starts with a number. The first three albums also appear at the bottom of the tours page.



The gallery: each card is an album. One click opens all photos.

The current folders go from `01` to `11`. A new album gets the next number (`12`, `13`, …) so it appears first.

3.2 Preparing photos

- Format **JPG**.
- About **1600 pixels wide** and under **500 KB** per photo. Large photos make the website slow.
- To shrink photos for free: **squoosh.app** in the browser, or a photo resizing app on your phone.
- Simple names without spaces or accents: `001.jpg`, `002.jpg`, … The order of the numbers is the order in the album.
- Ask the people in the photos for permission.

3.3 Creating a new album

1. On GitHub, open the folder `assets` › `galeria`.
2. Click «Add file» › «Create new file».
3. In the name field, type the folder name, a slash `/` and `_LEEME.txt`, for example: `12-chonta-festival-2027/_LEEME.txt`. When you type the slash, GitHub creates the folder.
4. In the content, write one line, for example «Album Chonta festival 2027». Click «Commit changes…» and then «Commit changes».

3.4 Uploading photos

1. Open the new folder (or an existing album).
2. Click «Add file» › «Upload files».
3. Drag the photos into the window or click «choose your files». You can upload several at once.
4. At the bottom, click «Commit changes» and wait until the upload has finished.
5. Within one to three minutes the album appears in the gallery.

> **Tip:** The file `_LEEME.txt` does not appear on the website. You can keep it or delete it.

3.5 A nice title and cover

Without further information, the album uses the folder name as its title. For a title in three languages and a chosen cover, open `_data/albums.yml`, copy a block at the top of the list and change it:

_data/albums.yml (example)

```
- folder: 12-chonta-festival-2027
  title: { es: "Fiesta de la Chonta 2027", en: "Chonta festival 2027", fr: "Fête de la
      Chonta 2027" }
  cover: "004.jpg"
```


- `folder`: the exact folder name.
- `title`: the title in the three languages.
- `cover`: the file name of the cover photo. Empty (`""`) = the first photo.

3.6 Deleting a photo or an album

1. Open the photo on GitHub.
2. At the top right, click the three dots «…» › «Delete file».
3. Confirm with «Commit changes». An album disappears when it has no photos left.

4. Updates: Facebook and Instagram

4.1 What the Updates page shows



At the top, the Facebook and Instagram accounts appear as cards.

The page shows the Facebook and Instagram accounts as cards. If the automatic import is set up (4.3), the latest posts with text and photos appear below. The three newest also appear on the homepage.

The Facebook timeline cannot be shown directly: Facebook only shows it to people who are logged in to Facebook, everyone else would see an empty box. That is why the website **imports** the posts.

4.2 Changing or adding an account

1. On GitHub, open `_config.yml` and click the pencil.
2. Find `social:`.
3. Change the name (`name`) or the link (`url`). For another Facebook account, copy a block `- name: …` `url: …` and paste it below.
4. Save with «Commit changes». The card appears on the Updates page and in the footer.

_config.yml (excerpt)

```
social:
  instagram:
    handle: territorioshuar
    url: "https://www.instagram.com/territorioshuar/"
  facebook:
    - name: Kampuntin
      url: "https://www.facebook.com/profile.php?id=61576137841827"
    - name: Maikiuants
      url: "https://www.facebook.com/profile.php?id=61566774571229"
```

4.3 Showing posts automatically

This is set up once and takes about 20 minutes. After that, the website checks for new posts every 6 hours by itself.

Important: Requirements: they must be **Facebook Pages** (not personal profiles), and the person setting it up must be an admin of those pages. For Instagram, the account must be a professional account (business or creator) linked to one of the Facebook Pages.

1. Go to **developers.facebook.com** with the Facebook account that manages the pages. «My Apps» › «Create App», type «Business», name for example «Kampuntin Website».
2. Open «Tools» › «Graph API Explorer» and select the new app at the top. Under «Permissions» add `pages_show_list` and `pages_read_engagement`, and for Instagram also `instagram_basic` and `business_management`. Then «Generate Access Token» and confirm.
3. Open «Tools» › «Access Token Debugger», paste the token, click «Debug» and at the bottom «Extend Access Token». Copy the long token.
4. Go back to the Graph API Explorer, paste the long token and run the query `me/accounts`. The answer contains an `access_token` for each page. These page tokens don't expire.
5. On GitHub, in the repository: «Settings» › «Secrets and variables» › «Actions» › «New repository secret». Name: `FB_PAGE_TOKENS`. Value: the page tokens, one per line. Save with «Add secret».
6. «Actions» tab › «Website bauen & Social Media importieren» › «Run workflow». Within one to three minutes the posts appear.

4.4 Is the import working?

In «Actions», open the latest run. At the top, under «Annotations», there is a short message (in German):

- Yellow «Kein Secret FB_PAGE_TOKENS gesetzt»: step 5 is missing.
- Red «Token Nr. 1: …»: the token is wrong or has expired. Facebook's message is shown next to it.
- Blue «… Beiträge geladen»: everything is fine.


Tip: If someone changes the Facebook password or removes the app's permissions, the tokens stop working: repeat steps 2 to 5. If nothing happens in the repository for 60 days, GitHub pauses the automatic update: in «Actions», click «Enable workflow».

4.5 Showing an Instagram post manually

1. Open the post on Instagram and copy the link, for example `https://www.instagram.com/p/ABC123/`.
2. On GitHub, open `_data/instagram_embeds.yml` and add a line: `- https://www.instagram.com/p/ABC123/`
3. Save with «Commit changes». The post appears on the Updates page. It only loads after a click, to protect visitors' privacy.

5. Team, texts and other useful things

5.1 Adding or changing a team member



The team cards on the «People» page.

1. Prepare a **square** photo (about 600 × 600 pixels, JPG) with the face in the centre.
2. Upload it to `assets` › `img` › `equipo` with «Add file» › «Upload files», with a simple name, for example `eddy.jpg`.
3. Open `_data/team.yml`, copy a person's block, paste it and change it (see example).
4. Save with «Commit changes».

_data/team.yml (example)

```
- name: "Eddy Ankuash"
  group: kampuntin
  photo: "/assets/img/equipo/eddy.jpg"
  role: { es: "Secretario de Kampuntin", en: "Secretary of Kampuntin", fr: "Secrétaire de
      Kampuntin" }
  bio:
    es: "Texto corto en español."
    en: "Short text in English."
    fr: "Texte court en français."
```

- Optional: `contact: true` shows the «Contact us» link (only for contact persons).
- Optional: `social:` adds links to Instagram or Facebook.
- Optional: `shuar_name:` shows the Shuar name below the name.

> **Tip:** To change a photo, upload the new one under a different name (for example `eddy-2.jpg`) and change the `photo` line. That way browsers show the new photo right away. Only publish photos and texts about people with their permission.

5.2 Where is each text?

Page	File (in `_data/es`, `_data/en` and `_data/fr`)
Home	`home.yml`
Tours	`tours.yml`
Volunteering	`volunteering.yml`
Science	`science.yml`
Updates	`updates.yml`
Gallery (texts)	`gallery.yml`
People (general texts)	`people.yml`
Contact	`contact.yml`
Legal notice	`legal.yml`
Menu, buttons and footer	`ui.yml`

Content shared by all three languages	File
Team members	`_data/team.yml`
Tour dates	`_data/tour_dates.yml`
Albums (titles and covers)	`_data/albums.yml`
Videos	`_data/videos.yml`
Threatened species	`_data/species.yml`
Email, WhatsApp, contact persons, social media, notice on or off	`_config.yml`

5.3 Contact persons and WhatsApp

The people on the contact page and in the footer are in `_config.yml`, under `contact:` › `people:`. Each person has a name, a role in three languages, a WhatsApp number (digits only, with country code, without + or spaces) and the phone number as displayed.


_config.yml (excerpt)

```
    - name: Julien Defourny
      role: { es: "Raíces · tours y visitantes internacionales", en: "Raíces · tours and
          international visitors", fr: "Raíces · tours et visiteurs internationaux" }
      whatsapp: "32494860865"
      phone: "+32 494 86 08 65"
      email: "jdefourny.explore@gmail.com"
```

5.4 Videos

Short videos (MP4, under 50 MB): upload them to `assets/video` and add them in `_data/videos.yml` (copy a block with `file`, `poster`, `title` and `text`). **Long videos:** upload them to YouTube and enter only the video code under `youtube:`, for example `AbCdEf12345` from `https://youtu.be/AbCdEf12345`.

5.5 Volunteer stories (testimonials)



The stories on the volunteering page. A click on «Read the full story» opens the whole text.

The volunteering page has cards with stories from people who have already been to Maikiuants. Each card has a short quote that is always visible, the name, a small line (for example «Volunteer · Germany · 2026») and, if you like, the full story to open and a small photo.

1. Ask the person for a short quote (one to three sentences), how they want to appear (name, country, year), whether they want to add a longer story and a photo. **Ask for their permission to publish it.**
2. Optional, the photo: square, face in the centre, about 300 × 300 pixels. Upload it to `assets` › `img` › `fotos` with «Add file» › «Upload files», for example as `testimonio-ana.jpg`.
3. On GitHub, open `_data/en/volunteering.yml` and click the pencil. Find `testimonials:` and below it `items:`.
4. Copy a complete block, from `- quote:` to just before the next `- quote:`, and paste it at the top of the list (the first card is the newest). Change the texts (see example).
5. Do the same in `_data/es/volunteering.yml` and `_data/fr/volunteering.yml`, with the translated text.
6. Save with «Commit changes».

_data/es/volunteering.yml (example of one block)

```
    - quote: >-
        Llegué para ayudar en el vivero y me fui habiendo aprendido muchísimo más.
      name: "Ana"
      meta: "Voluntariado · Alemania · 2026"
      photo: "/assets/img/fotos/testimonio-ana.jpg"
      text: |-
        Primer párrafo del relato.

        Segundo párrafo del relato.
```

- `quote`: the short quote. Leave `>-` as it is and write the text on the line below, with the same indentation.
- `name` and `meta`: the name and the small line below it.
- `photo`: the path to the photo, or empty (`""`) if there is no photo.
- `text`: the full story (optional). Leave `|-` as it is; an empty line separates paragraphs. If there is no story, delete the `text` lines; then the «Read the full story» button does not appear.

> **Tip:** To remove a story, delete its whole block. For now the stories only appear on the volunteering page; to have them on the tours page as well, ask the person who manages the website for help.

6. Your own address (domain)

Today the website is at **kampuntin-maikiuants.github.io**. With your own domain, for example **www.kampuntin.org**, the address is shorter and easier to remember. The website stays free on GitHub; only the domain costs money.

6.1 Choosing and buying the domain

1. Choose a name and an ending, for example `kampuntin.org`, `kampuntin.com` or `kampuntin.ec`. The provider's website shows whether it is still available.
2. Buy it from a domain provider (registrar), for example Namecheap, Porkbun or Cloudflare. For the .ec ending there are also providers in Ecuador. Approximate price: 10 to 20 USD per year for .org or .com; other endings can cost more.
3. Register the domain in Kampuntin's name, with an email address of the organisation, and switch on automatic renewal. If the domain expires, the website can no longer be reached at that address.

> **Important:** Keep the provider login safe and share it with a second trusted person. Without access to the provider the domain cannot be renewed or changed.

6.2 Connecting the domain to the website (DNS)

In your provider account, open the domain's DNS settings (called «DNS», «DNS records» or «DNS zone») and create these entries:

Type	Name (host)	Value
A	@	185.199.108.153
A	@	185.199.109.153
A	@	185.199.110.153
A	@	185.199.111.153
CNAME	www	kampuntin-maikiuants.github.io

Delete any other A or CNAME entries for `@` and `www` that the provider created (for example for a parking page).

> **Tip:** Optional, for IPv6 connections: four AAAA entries for `@` with the values `2606:50c0:8000::153`, `2606:50c0:8001::153`, `2606:50c0:8002::153` and `2606:50c0:8003::153`.

6.3 Activating the domain on GitHub

1. On GitHub, in the repository: «Settings» › «Pages».
2. Under «Custom domain», enter your domain with www, for example `www.kampuntin.org`, and click «Save».
3. GitHub checks the DNS. This can take from a few minutes up to 48 hours. When «DNS check successful» appears, tick «Enforce HTTPS». If the box is still greyed out, wait a few hours and try again.
4. Done: the website opens at the new address. The old address kampuntin-maikiuants.github.io redirects to the new one automatically.

> **Tip:** Recommended: verify the domain on GitHub so nobody else can use it with GitHub Pages. In the settings of the organisation Kampuntin-Maikiuants: «Settings» › «Pages» › «Add a domain», and follow the instructions (it is another DNS entry, of type TXT).

6.4 After the change

- Update the address on the Facebook and Instagram profiles, on WWOOF, on flyers and in QR codes.
- If link previews on WhatsApp or Facebook still show the old address, enter the new address in `_config.yml` on the `url:` line (remove the `#` at the start), for example `url: "https://www.kampuntin.org"`.
- If the website is already in Google Search Console (chapter 7): add the new address as a new property, verify it as in 7.1 and submit `sitemap.xml` again.
- An email address with the domain (for example info@kampuntin.org) can be added later with an email service. Many domain providers offer free email forwarding.

7. Getting found on Google

Google only shows the website if it knows that it exists. With the **Google Search Console** you tell Google about it, and you can also see which searches bring people to the website and whether there are problems. It is free. You set it up once; after that, an occasional look is enough.

7.1 Registering the website in Google Search Console

1. Open **search.google.com/search-console** and sign in with Kampuntin's Google account (ocstkampuntin@gmail.com), so that access stays with the organisation.
2. Click «Add property». Choose the option on the right, «URL prefix», and enter `https://kampuntin-maikiuants.github.io/`. The «Domain» option on the left does not work with github.io.
3. As the verification method, choose «HTML tag». Google shows a line like `<meta name="google-site-verification" content="AbC123...">`. Copy only the code between the quotes after `content=`.
4. On GitHub, open `_config.yml`, find the line `google_site_verification: ""` and paste the code between the quotes, for example `google_site_verification: "AbC123..."`. Save (see 1.3).
5. Wait until «Actions» is green (see 1.4) and click «Verify» in Search Console.

> **Important:** Do not delete the `google_site_verification` line later. Google checks it from time to time; without it, access to Search Console is lost.

7.2 Submitting the sitemap and requesting indexing

1. In the menu on the left, «Sitemaps»: enter `sitemap.xml` and click «Submit». The sitemap is created automatically and contains all pages in all three languages.
2. In the bar at the top («Inspect any URL»), enter the address of the homepage and click «Request indexing». Do the same for the most important pages, for example `/en/`, `/fr/` and `/tours/`.
3. Now you have to wait: the website usually appears on Google after a few days to two weeks. To check, search Google for `site:kampuntin-maikiuants.github.io`.

> **Tip:** To give another person access: «Settings» › «Users and permissions» › «Add user».

7.3 Links from other websites

Google trusts a website more when other websites link to it. So it is worth putting the address everywhere:

- On the Facebook pages («Website» field) and in the Instagram bio.
- On the WWOOF profile and on the Raíces website.
- On flyers and in email signatures.

- Optional: a Google Maps profile («Google Business Profile») for Kampuntin in Maikiuants, with the address of the website. Then a map also appears when someone searches for «Kampuntin».

7.4 Bing and other search engines

At **bing.com/webmasters** you can import the website from Google Search Console with one click (the option to import from Google Search Console). This way the website also reaches Bing, DuckDuckGo, Ecosia and Yahoo.

8. If something goes wrong

Problem	What to do
The website doesn't change	Wait three minutes and reload with Ctrl + F5. Check the «Actions» tab: yellow (working), green (done) or red (error)?
Red cross in «Actions»	Almost always an error in a `.yml` file: one space too many or too few, or missing quotation marks. Open the red run: the message names the file and the line. Fix it and save again. Meanwhile the website keeps showing the last good version.
I deleted something by mistake	Nothing is lost. On GitHub open the file › «History», open the previous version, copy the text and paste it back with the pencil.
A photo doesn't appear	Check that the name in the file is exactly the same as the photo's, including capital letters and the extension (`.jpg` is not the same as `.JPG`).
Facebook posts are no longer updated	See 4.4.

Help: Jesko Dorner · jesko.dorner@gmail.com

Quick reference

Task	Where	Tool
New tour date, free places	Fechas de tours	Pages CMS
Price or text of a journey	`_data/es|en|fr/tours.yml` › `trips`	GitHub
Notice on or off	`_config.yml` › `tour_popup`	GitHub
Text or photo of the notice	`_data/es|en|fr/home.yml` › `tour_popup`	GitHub
New album, uploading photos	`assets/galeria/NN-name/`	GitHub
Album title or cover	`_data/albums.yml`	GitHub
Facebook and Instagram accounts	`_config.yml` › `social`	GitHub
Automatic posts	Secret `FB_PAGE_TOKENS`	GitHub and Facebook
Instagram post manually	`_data/instagram_embeds.yml`	GitHub
Team member	`_data/team.yml` and `assets/img/equipo`	GitHub
Contact persons	`_config.yml` › `contact`	GitHub
Videos	`_data/videos.yml` and `assets/video`	GitHub
Volunteer story	`_data/es|en|fr/volunteering.yml` › `testimonials`	GitHub
Own domain	Domain provider (DNS) and «Settings» › «Pages»	Provider and GitHub
Getting found on Google	Search Console and `_config.yml` › `google_site_verification`	Google and GitHub