

1. Write a Python program to find those numbers which are divisible by 7 and multiples of 5, between 1500 and 2700 (both included).

2. Write a Python program to convert temperatures to and from Celsius and Fahrenheit.

[ Formula :  $c/5 = f-32/9$  [ where c = temperature in celsius and f = temperature in fahrenheit ]

*Expected Output :*

60°C is 140 in Fahrenheit

45°F is 7 in Celsius

3. Write a Python program to guess a number between 1 and 9.

Note : User is prompted to enter a guess. If the user guesses wrong then the prompt appears again until the guess is correct, on successful guess, user will get a "Well guessed!" message, and the program will exit.

4. Write a Python program to construct the following pattern, using a nested for loop.

```
*
* *
* * *
* * * *
* * * * *
* * * *
* * *
* *
*
*
```

5. Write a Python program that accepts a word from the user and reverses it.

6. Write a Python program to count the number of even and odd numbers in a series of numbers

*Sample numbers :* numbers = (1, 2, 3, 4, 5, 6, 7, 8, 9)

*Expected Output :*

Number of even numbers : 5

Number of odd numbers : 4

**7.** Write a Python program that prints each item and its corresponding type from the following list.

*Sample List* : datalist = [1452, 11.23, 1+2j, True, 'w3resource', (0, -1), [5, 12], {"class":'V', "section":'A'}]

**8.** Write a Python program that prints all the numbers from 0 to 6 except 3 and 6.

Note : Use 'continue' statement.

Expected Output : 0 1 2 4 5

**9.** Write a Python program to get the Fibonacci series between 0 and 50.

Note : The Fibonacci Sequence is the series of numbers :

0, 1, 1, 2, 3, 5, 8, 13, 21, ....

Every next number is found by adding up the two numbers before it.

Expected Output : 1 1 2 3 5 8 13 21 34

**10.** Write a Python program that iterates the integers from 1 to 50. For multiples of three print "Fizz" instead of the number and for multiples of five print "Buzz".

For numbers that are multiples of three and five, print "FizzBuzz".

*Sample Output* :

fizzbuzz

1

2

fizz

4

buzz

**11.** Write a Python program that takes two digits m (row) and n (column) as input and generates a two-dimensional array. The element value in the i-th row and j-th column of the array should be i\*j.

Note :

$i = 0, 1, \dots, m-1$

$j = 0, 1, \dots, n-1$ .

Test Data : Rows = 3, Columns = 4

Expected Result : `[[0, 0, 0, 0], [0, 1, 2, 3], [0, 2, 4, 6]]`

**12.** Write a Python program that accepts a sequence of lines (blank line to terminate) as input and prints the lines as output (all characters in lower case).

**13.** Write a Python program that accepts a sequence of comma separated 4 digit binary numbers as its input. The program will print the numbers that are divisible by 5 in a comma separated sequence.

Sample Data : 0100,0011,1010,1001,1100,1001

Expected Output : 1010

**14.** Write a Python program that accepts a string and calculates the number of digits and letters.

Sample Data : Python 3.2

Expected Output :

Letters 6

Digits 2

**15.** Write a Python program to check the validity of passwords input by users.

Validation :

- At least 1 letter between [a-z] and 1 letter between [A-Z].
- At least 1 number between [0-9].
- At least 1 character from [\$#@].
- Minimum length 6 characters.
- Maximum length 16 characters.

**16.** Write a Python program to find numbers between 100 and 400 (both included) where each digit of a number is an even number. The numbers obtained should be printed in a comma-separated sequence.

**17.** Write a Python program to print the alphabet pattern 'A'.

*Expected Output:*

```
  * * *
*       *
*       *
* * * * *
*       *
*       *
*       *
```

**18.** Write a Python program to print the alphabet pattern 'D'.

*Expected Output:*

```
  * * * *
*       *
*       *
*       *
*       *
*       *
* * * * *
```

**19.** Write a Python program to print the alphabet pattern 'E'.

*Expected Output:*

```
* * * * *
*
*
* * * *
*
*
* * * * *
```

**20.** Write a Python program to print the alphabet pattern 'G'.

*Expected Output:*

```
  * * *
*       *
*
*   * * *
*       *
*       *
  * * *
```

**21.** Write a Python program to print the alphabet pattern 'L'.

*Expected Output:*

```
*
*
*
*
*
*
*
*****
```

**22.** Write a Python program to print the alphabet pattern 'M'.

*Expected Output:*

```
*           *
*           *
*   *       *   *
*       *   *
*           *
*           *
*           *
*           *
```

**23.** Write a Python program to print the alphabet pattern 'O'.

*Expected Output:*

```
  * * *
*       *
*       *
*       *
*       *
```

\*                      \*  
                               \*   \*   \*

**24.** Write a Python program to print the alphabet pattern 'P'.

*Expected Output:*

```

* * * *
*           *
*           *
* * * *
*
*
*

```

**25.** Write a Python program to print the alphabet pattern 'R'.

**Expected Output:**

```

* * * *
*       *
*       *
* * * *
*   *
*       *
*       *
```

**26.** Write a Python program to print the following patterns.

*Expected Output:*

\* \* \* \*  
 \*  
 \*  
 \* \* \*  
 \*  
 \*  
 \* \* \* \*

```

oooooooooooooooooooo
oooooooooooooooooooo
oooooooooooooooooooo
                   oooo
                   oooo
                   oooo
oooooooooooooooooooo
oooooooooooooooooooo
oooooooooooooooooooo

```

27. Write a Python program to print the alphabet pattern 'T'.

*Expected Output:*

```

*****
 *
 *
 *
 *
 *
 *

```

28. Write a Python program to print the alphabet pattern 'U'.

*Expected Output:*

```

*      *
*      *
*      *
*      *
*      *
*      *
***

```

29. Write a Python program to print the alphabet pattern 'X'.

*Expected Output:*

```

*      *
*      *
 *    *
  *
 *    *
*      *
*      *

```

**Expected Output:**

**34.** Write a Python program to sum two integers. However, if the sum is between 15 and 20 it will return 20.



**35.** Write a Python program that checks whether a string represents an integer or not.

*Expected Output:*

```
Input a string: Python
The string is not an integer.
```

**36.** Write a Python program to check if a triangle is equilateral, isosceles or scalene.

Note :

An equilateral triangle is a triangle in which all three sides are equal.

A scalene triangle is a triangle that has three unequal sides.

An isosceles triangle is a triangle with (at least) two equal sides.

*Expected Output:*

```
Input lengths of the triangle sides:
x: 6
y: 8
z: 12
Scalene triangle
```

**37.** Write a Python program that reads two integers representing a month and day and prints the season for that month and day.

*Expected Output:*

```
Input the month (e.g. January, February etc.): july
Input the day: 31
Season is autumn
```

**38.** Write a Python program to display the astrological sign for a given date of birth.

*Expected Output:*

```
Input birthday: 15
Input month of birth (e.g. march, july etc): may
Your Astrological sign is : Taurus
```

**39.** Write a Python program to display the sign of the Chinese Zodiac for the given year in which you were born.

*Expected Output:*

```
Input your birth year: 1973
Your Zodiac sign : Ox
```

**40.** Write a Python program to find the median of three values.

*Expected Output:*

```
Input first number: 15
Input second number: 26
Input third number: 29
The median is 26.0
```

**41.** Write a Python program to get the next day of a given date.

*Expected Output:*

```
Input a year: 2016
Input a month [1-12]: 08
Input a day [1-31]: 23
The next date is [yyyy-mm-dd] 2016-8-24
```

**42.** Write a Python program to calculate the sum and average of n integer numbers (input from the user). Input 0 to finish.

**43.** Write a Python program to create the multiplication table (from 1 to 10) of a number.

*Expected Output:*

```
Input a number: 6
6 x 1 = 6
6 x 2 = 12
6 x 3 = 18
6 x 4 = 24
6 x 5 = 30
```

6 x 6 = 36  
6 x 7 = 42  
6 x 8 = 48  
6 x 9 = 54  
6 x 10 = 60

**44.** Write a Python program to construct the following pattern, using a nested loop number.

*Expected Output:*

1  
22  
333  
4444  
55555  
666666  
7777777  
88888888  
999999999