

Source code:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h2>Add Product Details</h2>
<table>

<form action="App">

<tr><td>
Enter Product_id<input type="text" name="pid" ><br>
</td></tr>

<tr><td>
Enter Product_name<input type="text" name="pname"><br>
</td></tr>

<tr><td>
Enter Product_price<input type="text" name="pprice"><br>
</td></tr>
</table>
<input type="submit" value="submit">
</form>
</body>
</html>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h2>Details of Products Details</h2>
<hr>
<%= "Product Id : " + session.getAttribute("pid") %> <br> <br>

<%= "Product Name : " + session.getAttribute("pname") %> <br> <br>

<%= "Product Price : " + session.getAttribute("pprice") %>

</hr>
</body>
</html>
```

```

package com.productdisp;

import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

/**
 * Servlet implementation class App
 */
@WebServlet("/App")
public class App extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public App() {
        super();
        // TODO Auto-generated constructor stub
    }

    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {

        String pId=request.getParameter("pid");
        String pName=request.getParameter("pname");
        String pPrice=request.getParameter("pprice");

        HttpSession ss=request.getSession();
        ss.setAttribute("pid", pId);
        ss.setAttribute("pname", pName);
        ss.setAttribute("pprice", pPrice);

        response.sendRedirect("display.jsp");
    }

    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}

```

