# Setting up Java Development Environment

蔣其叡 111356024@nccu.edu.tw 陳卉縈 112356043@nccu.edu.tw

# Steps

Install JRE(JAVA RUNTIME ENVIRONMENT):

https://www.java.com/en/download/

2. Install JDK (JAVA SDK):

https://www.oracle.com/java/technologies/javase/javase-jdk8-downloads.html

3. Set Environment Variables:

JAVA\_HOME: jdk root

CLASSPATH: jdk root/lib

Path: jdk root/bin

4. Install Eclipse IDE:


http://www.eclipse.org/downloads/

5. Install Git

https://git-scm.com/

## Install JRE (JAVA RUNTIME ENVIRONMENT)

- https://www.java.com/en/download/
- After download, keep clicking "Next" to install.



## Install JDK (JAVA DEVELOPMENT KIT)

- https://www.oracle.com/java/technologies/javase/javase-jdk8-downloads.html
- Need to login oracle to download. After download, keep clicking "Next" to install.

Linux macOS Solaris Windows		
Product/file description	File size	Download
x86 Installer	159.66 MB	☐ jdk-8u341-windows-i586.exe
x64 Installer	173.16 MB	☐ jdk-8u341-windows-x64.exe

You must accept the Oracle Technology Network License Agreement for Oracle Java SE to download this software.

I reviewed and accept the Oracle Technology Network License Agreement for Oracle Java SE

Required

You will be redirected to the login screen in order to download the file.

Download jdk-8u341-windows-x64.exe

#### Set Environment Variables

- Notice: You don't need to set environment variables on MAC OS.
- Environment Variables are the common variables in OS. Therefore, to let the OS know where we install JDK and JRE, we will set the following three environment variables:
  - JAVA\_HOME:

Location of the installation directory of JAVA

2. CLASSPATH:

Location of the library of JAVA developer tool

3. PATH:

Add JAVA-related commands to the system default search location


#### Set Environment Variables

1. Settings -> System -> About




System Properties Computer Name Hardware Advanced System Protection Remote You must be logged on as an Administrator to make most of these changes. Performance Visual effects, processor scheduling, memory usage, and virtual memory Settings... User Profiles Desktop settings related to your sign-in Settings... Startup and Recovery System startup, system failure, and debugging information Settings... 3. Click Environment Environment Variables **Variables** Cancel

#### Set Environment Variables



- If we set environment variables in the upper section (User variables for XXX), it means our setting only works when XXX login Windows.
- If we set environment variables on bottom section (System variables), it works when any user login.
- Recommend that you use the bottom (System variables) to set environment variables.

## Set Environment Variables JAVA\_HOME



- 1 Click "New"
  - Variable name: JAVA HOME
  - Variable value: installation directory of JDK

X64 windows usually is:


C:\ProgramFiles\Java\jdkXXXXXX

X86 windows usually is:

C:\Program Files(x86)\Java\jdkXXXXXXX

- The red part depends on the version; please check whether the directory exists and set the environment variables.
- Click "OK" to save.


#### Set Environment Variables CLASSPATH



- 1. Click "New"
  - Variable name: CLASSPATH
  - Variable value: %JAVA\_HOME%\lib installation directory of JDK
  - %JAVA\_HOME% is the path of JAVA\_HOME
  - If you alter the Java JDK version in the future, only need to change the environment variables of JAVA\_HOME, and don't need to change others.
- Click "OK" to save.

#### Set Environment Variables PATH


- PATH variable usually has other values, so instead of adding this, we need to find the "PATH" variable in the list and click "Edit".
- PATH contains lots of paths; click "New" and then input %JAVA HOME%\bin
- %JAVA\_HOME% is the path of JAVA\_HOME



## Install Eclipse IDE


https://www.eclipse.org/downloads/





#### Install Eclipse IDE

- You can download the basic Java SE (first one) for usual, and use Java EE(Enterprise) for the final.
- Eclipse is the tool for coding in the future, so please put the unzipped folder in a suitable place (ex C:\), don't put it in the folder like "Download" to avoid losing it in the future.




## Install Eclipse IDE

 Recommend adding a new folder (ex: Eclipse) in driver C, and select the folder you just created here.




Recommend everyone put a shortcut of Eclipse on the desktop, it will be easier to find in the future!

# Open Eclipse IDE



#### Finish!



•	Students who have used commercial development environments, such as Visual Studio, will feel difficult to adapt when they are new to Eclipse. However, Eclipse is a high-end free development environment; the function of Visual Studio can also be used on Eclipse with a little setting.
•	Following will teach everyone set the code auto completion function via "Preference"

#### How to open Preferences...

Windows

The top menu of Eclipse "Window" → "Preferences..."


MAC

The top menu of Eclipse "Eclipse" → "Preferences..."






## Code auto completion



- 1. Open "Preferences..."
- Preferences select "Java" → "Editor" → "Content Assist" on the left side.
- 3. Choose "Completion overwrites" on the right side.
- 4. Change "Auto activation triggers for java" value to .abcdefghijklmnopqrstuvwxyz(,

## Install git

https://git-scm.com/



#### Download for Windows

Click here to download the latest (2.37.3) 64-bit version of Git for Windows. This is the most recent maintained build. It was released 5 days ago, on 2022-08-30.

Other Git for Windows downloads

Standalone Installer

32-bit Git for Windows Setup.

64-bit Git for Windows Setup.

Portable ("thumbdrive edition") 32-bit Git for Windows Portable.

64-bit Git for Windows Portable.


#### Using winget tool

Install winget tool if you don't already have it, then type this command in command prompt or Powershell.

winget install --id Git.Git -e --source winget

The current source code release is version 2.37.3. If you want the newer version, you can build it from the source code.

## Install git



#### Download for macOS

There are several options for installing Git on macOS. Note that any non-source distributions are provided by third parties, and may not be up to date with the latest source release.

#### Homebrew

Install homebrew if you don't already have it, then:

\$ brew install git

#### **MacPorts**

Install MacPorts if you don't already have it, then:

\$ sudo port install git

#### **Xcode**

Apple ships a binary package of Git with Xcode.

#### Binary installer

Tim Harper provides an installer for Git. The latest version is 2.33.0, which was released about 1 year ago, on 2021-08-30.

#### **Building from Source**

If you prefer to build from source, you can find tarballs on kernel.org. The latest version is 2.37.3.


#### **Installing git-gui**

If you would like to install git-gui and gitk, git's commit GUI and interactive history browser, you can do so using homebrew

\$ brew install git-gui

## Check git installation

- Check whether the git installation is successful.
- Type git --version in Terminal and enter.



It will show the version you installed, that means your installation is successful.

## Done!