

Phase 4 : Data Migration, Testing & Security

Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection.

During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency.

User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels.

Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event_Sharing_For_Vendors.

Testing activities validated data accuracy, automation performance, and user permissions.

This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

Milestone 14- Profile:

What is a profile?


A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1:

Create a custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.



The screenshot shows the Salesforce Setup interface. The top navigation bar includes the Setup icon, a search bar labeled "Search Setup", and tabs for Setup, Home, and Object Manager. The left sidebar shows a search for "profil" and a list of items including Users and Profiles. The main content area is titled "Profiles" and shows a "Clone Profile" dialog box. The dialog box has a header "You must select an existing profile to clone from." and contains the following fields:

Existing Profile	System Administrator
User License	Salesforce
Profile Name	Event Admin

At the bottom of the dialog box are "Save" and "Cancel" buttons.

3. Select Existing Profile as 'System Administration'.
4. Enter Profile Name as 'Event Admin'.
5. Click On save.

Why use System Administrator as Base?

It already has Modify All Data, Customize Application, and full CRUD access on all objects.


By cloning it, your Event Admin profile automatically inherits full access.

You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

Activity 2:

Create a Custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Event Coordinator**'.
5. Click On save.
6. Click On Edit



The screenshot shows the Salesforce Setup interface for the 'Event Coordinator' profile. The page title is 'Event Coordinator' under the 'Profiles' section. Below the title, there is a description: 'Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.' and a note: 'If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.'

A list of permissions is displayed, including: Login IP Ranges, Enabled Apex Class Access, Enabled Visualforce Page Access, Enabled External Data Source Access, Enabled Named Credential Access, Enabled External Credential Principal Access, Enabled Custom Metadata Type Access, Enabled Custom Setting Definitions Access, Enabled Flow Access, Enabled Service Presence Status Access, and Enabled Custom Permissions.

Below the permissions list, there are buttons: 'Edit' (highlighted with a red box), 'Clone', 'Delete', and 'View Users'.

The 'Profile Detail' section shows the following information:

Name	Event Coordinator
User License	Salesforce Platform
Description	
Created By	Sushanth Sush 9/14/2025, 11:49 PM
Modified By	Sushanth Sush 9/14/2025, 11:49 PM

The 'Custom Profile' checkbox is checked.

7. Select the Custom App settings as default for the Event Planner.

Custom App Settings		
	Visible	Default
Analytics Studio (standard__Insights)	☐	☐
App Launcher (standard__AppLauncher)	☐	☐
Event Planner (Event_Planner)	☒	☒
Platform (standard__Platform)	☒	☐
WDC (standard__Work)	☐	☐

8. Scroll down to Custom Object Permissions Give Access:

Event: CRED (Create, Read, Edit, Delete)

Client: Read / Edit

Vendor: Read

Venue: Read

Feedback: Create / Read

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☒	☐	☒	☐	☐	☐	☐	
Events	☒	☒	☒	☒	☐	☐	☐	
Event Vendors	☐	☐	☐	☐	☐	☐	☐	

	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields	
Feedbacks	☒	☒	☐	☐	☐	☐	☐	
Vendors	☒	☐	☐	☐	☐	☐	☐	
Venues	☒	☐	☐	☐	☐	☐	☐	

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

Session Settings

Session Times Out After

2 hours of inactivity

Session Security Level Required at Login

--None--

Password Policies

User passwords expire in

Never expires

Enforce password history

3 passwords remembered

Minimum password length

8

Password complexity requirement

Must include alpha and numeric characters

Password question requirement

Cannot contain password

Maximum invalid login attempts

10

Lockout effective period

15 minutes

Obscure secret answer for password resets

☐

Require a minimum 1 day password lifetime

☐

Don't immediately expire links in forgot password emails

☐

Save

Save & New

Cancel

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Vendor Manager**'.
5. Click On save.
6. Click On Edit
7. Select the Custom App settings as default for the Event Planner.

Feedback: Read Only

[illegible]

9.Changing the session times out after should be “ 2 hours of inactivity”.

10.Change the password policies as mentioned :

11.User passwords expire in should be “ never expires ”.

12.Minimum password length should be “ 8 ”, and click save.

Activity 4:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Client Profile**’.
5. Click On save.
6. Click On Edit
- 7.Select the Custom App settings as default for the Event Planner.
- 8.Scroll down to Custom Object Permissions Give Access:
Event: Read Only (for their own events)

Feedback: Create / Read (give feedback)

Vendor/Venue: No Access

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☐	☐	☐	☐	☐	☐	☐	
Events	☒	☐	☐	☐	☐	☐	☐	
Event Vendors	☐	☐	☐	☐	☐	☐	☐	
Feedbacks	☒	☒	☐	☐	☐	☐	☐	
Vendors	☐	☐	☐	☐	☐	☐	☐	
Venues	☐	☐	☐	☐	☐	☐	☐	

9.Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.


Milestone 15 - Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role

Creation of role :

1. From the Quick find box search for the role and click on the roles option
2. Select the set up roles option



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Roles' option is highlighted with a red box. The main content area is titled 'Roles' and 'Understanding Roles'. It explains that roles are used to control data access and reporting. A 'Sample Role Hierarchy' is displayed, showing a 'Territory-based Sample' structure. The hierarchy starts with 'Executive Staff' (CEO, President, CFO, VP, Sales) at the top. Below them are three 'Sales Director' roles: 'Western Sales Director', 'Eastern Sales Director', and 'International Sales Director'. Each director role has associated 'Sales Rep' roles: 'CA Sales Rep' and 'OR Sales Rep' for Western; 'NY Sales Rep' and 'MA Sales Rep' for Eastern; and 'Asian Sales Rep' and 'European Sales Rep' for International. To the right of the diagram, there are three text boxes explaining permissions: the top box for Executive Staff (can view/edit data, roll up forecasts, generate reports for all users below, but can't access data of other Executive Staff), the middle box for Sales Directors (can view/edit data, roll up forecasts, generate reports for all users directly below, but can't access data of users above or at same level), and the bottom box for Sales Reps (can view/edit data, roll up forecasts, generate reports only for own data, but can't access data of users above or at same level). At the bottom right, there is a 'Set Up Roles' button with a red border and a checkbox labeled 'Don't show this page again'.

3. Click on
Expand
All and


click on add role under CEO.

SETUP Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy



4. Give Label as “Event Admin” and the Role name gets auto populated. Then click on Save.

SETUP Roles

Role Edit

New Role

Role Edit

Label

Event Admin

Role Name

Event_Admin



This role reports to

CEO



Role Name as displayed on reports

Save

Save & New

Cancel

Activity 2: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Event Coordinator**”.
3. Below the Event Admin click on add role and enter the label name as a ”**Event Coordinator**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Activity 3: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Vendor Manager**”.
- 3.Below the Event Admin click on add role and enter the label name as a ”**Vendor Manager**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Activity 4: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Client**”.
- 3.Below the Event Admin click on add role and enter the label name as a ”**Client**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Milestone 16 -User:


What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.

NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User :

1. From Setup, enter Users in the Quick Find box, then select Users.
2. Click New User.



The screenshot shows the Salesforce Setup interface. In the left sidebar, 'Users' is selected under 'User Management Settings'. The main content area is titled 'All Users' and contains a table of existing users. A red box highlights the 'New User' button at the top of the table.

Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chatter.00d9k000006nwfua0.ueve0uvvessa@chatter.salesforce.com		✓	Chatter Free User
Edit	EPIC_OrgFarm	OEPIC	epic.5988c21a1157@orgfarm.salesforce.com		✓	System Administrator
Edit	Sush_Sushanth	sus	sushanth2805652@agentforce.com		✓	System Administrator
Edit	User_Integration	integ	integration@00d9k000006nwfua0.com		✓	Analytics Cloud Integration User
Edit	User_Security	sec	insightssecurity@00d9k000006nwfua0.com		✓	Analytics Cloud Security User

3.Fill in the fields :

First Name : Sizzler

Last Name : Jaligam

Alias : Give an Alias Name

Email id : Give your Personal Email id

Username : Username should be in this form: text@text.text and it must be Unique.

Nick Name : Give a Nickname

Role : Event Admin

User licence : Salesforce

Profiles : Event Admin

4.Click On Save.


Users

New User

Help for this Page

User Edit
Save
Save & New
Cancel

General Information
Required Information

First Name

Last Name

Alias

Email

Username

Nickname

Title

Company

Department

Division

Role

<None Specified>

User License

Salesforce

Profile

Event Admin

Active

☒

Marketing User

☐

Offline User

☐

Knowledge User

☐

Flow User

☐

Service Cloud User

☐

Site.com Contributor User

☐

Site.com Publisher User

☐

WDC User

☐

Data.com User Type

--None--

Data.com Monthly Addition Limit

Default Limit (300)

Accessibility Mode (Classic Only)

☐

High-Contrast Palette on Charts

☐

Activity 2: Creating Other Users


1. Repeat the steps and create other users using
 - a. Role : Event Coordinator, Vendor Manager, Client
 - b. User licence : Salesforce Platform
 - c. Profile : Event Coordinator, Vendor Manager, Client

Milestone 17 : Permission Set

A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

Activity 1: Creating New Permission Set

1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New.
2. Give the Label as "Feedback Manager".
3. Click Save.



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Permission Sets' link is highlighted with a red box. The main content area is titled 'Permission Sets' and 'Create'. It contains a form for creating a new permission set. The 'Label' field is filled with 'Feedback Manager' and the 'API Name' field is filled with 'Feedback_Manager'. The 'Description' field is empty. The 'Session Activation Required' checkbox is unchecked. Below the form, there is a section titled 'Select the type of users who will use this permission set' with a dropdown menu set to '--None--'. The 'Save' button is highlighted with a red box.

4. Select Extra Permission For Feedback Manager Permission Set.


5. Go To the Object Settings.

6. Search Feedback Object,

7. Click On Edit, Go to the Object Permission.

8. Enable The R/E/C/D Permissions.

9. Click Save.



The screenshot shows the Salesforce Setup interface for the 'Feedback Manager' permission set. The 'Object Settings' tab is selected, and the 'Feedbacks' object is chosen. The 'Tab Settings' section shows the 'Available' checkbox unchecked and the 'Visible' checkbox checked. The 'Object Permissions' table is shown below, with the 'Enabled' column highlighted by a red box. The 'Read', 'Create', 'Edit', and 'Delete' permissions are all checked in the 'Enabled' column.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

10. Click On the Manage Assign

SETUP

Permission Sets

Permission Set

Feedback Manager

Find Settings... | Clone | Delete | Edit Properties | **Manage Assignments** | View Summary

11. Click On the Add Assignment.

... > SETUP > PERMISSION SET 'FEEDBACK MANAGER'

Feedback Manager

Current Assignments

Add Assignment

12. Select Event Coordinator Role User.

13. Click Next & Assign.

... > PERMISSION SET 'FEEDBACK MANAGER' > MANAGE ASSIGNMENT EXPIRATION

Feedback Manager

Select Users to Assign

All Users ▾

1 item selected

Search this list...

	Full Name ↑	Alias	Username	Role	Active	Profile
☐	Ananya Pandey	apand	ananya.client@eventplanner.com	Client	☒	Client Profile
☐	Chatter Expert	Chatter	chatty.00dkg000006nwjfuau.uwve0uvghessa@chatter.salesforce.com		☒	Chatter Free User
☐	Integration User	integ	integration@00dkg000006nwjfuau.com		☒	Analytics Cloud Integration User
☒	Michael Jackson	mjack	michael.coordinator@eventplanner.com	Event Coordinator	☒	Event Coordinator
☐	OrgFarm EPIC	OEPIC	epic.5988c21a1157@orgfarm.salesforce.com		☒	System Administrator

Cancel **Next**

Milestone 18 : Sharing Settings

Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as:

Organization-Wide Default (OWD) Settings:

In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.).

The OWD settings define the default access level to records, which can then be overridden by other sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing.

Here are the OWD options available for each object in Salesforce:

1. Private:

- Only the record owner and users above them in the role hierarchy can see or edit the record.
- Users cannot see each other's records by default.

2. Public Read Only:

- All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record.
- Other users can only read, not modify, the records.

3. Public Read/Write:

- All users can view and edit records, regardless of ownership.
- This is useful when you want users to freely collaborate and modify each other's records.


4. Controlled by Parent:

- This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings.

By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

Activity 1: Configure OWD

1. Go to Setup → Sharing Settings → Click On Edit.




The screenshot shows the Salesforce Setup interface. In the left sidebar, under the 'Security' section, 'Sharing Settings' is highlighted with a red box. The main content area is titled 'Sharing Settings' and includes a description: 'This page displays your organization's sharing settings. These settings specify the level of access your users have to each others' data. Go to [Background Jobs](#) to monitor the progress of a change to an organization-wide default or a parallel sharing recalculation.'

Below the description, there is a dropdown menu for 'Manage sharing settings for:' set to 'All Objects'. A link 'Disable External Sharing Model' is also present. The 'Default Sharing Settings' section is expanded, showing 'Organization-Wide Defaults'. An 'Edit' button is highlighted with a red box. The table below lists various objects and their default internal and external access levels.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	✓
Account and Contract	Public Read/Write	Private	✓
Contact	Controlled by Parent	Controlled by Parent	✓
Order	Controlled by Parent	Controlled by Parent	✓
Asset	Controlled by Parent	Controlled by Parent	✓
Opportunity	Public Read/Write	Private	✓
Case	Public Read/Write/Transfer	Private	✓
Campaign	Public Full Access	Private	✓
Campaign Member	Controlled by Campaign	Controlled by Campaign	✓
User	Public Read Only	Private	✓
Activity	Private	Private	✓

2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object.
3. Click On Edit Button, Change the Default Internal Access as **Private**, and Default External Access also as **Private** in Event Object.
4. Click Save.



This screenshot shows the 'Sharing Settings' page with the 'Event' object selected in the list. The 'Default Internal Access' and 'Default External Access' for the 'Event' object are both set to 'Private', which is highlighted with a red box. The 'Grant Access Using Hierarchies' checkbox is checked. Below the table, the 'Other Settings' section includes checkboxes for 'Standard Report Visibility' (checked), 'Manual User Record Sharing' (unchecked), 'Manager Groups' (unchecked), 'Secure guest user record access' (checked), and 'Require permission to view record names in lookup fields' (unchecked). A 'Save' button is highlighted with a red box at the bottom.

Sharing Rules:

What are Sharing Rules?

Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it.


Types of sharing rules:

- Owner-based Sharing Rules
- Criteria-based Sharing Rules

Activity 1:

Create a sharing rule:

1. Go to Sharing Settings, which can be found under the Quick Find section.
2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule.



The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with categories like Data Classification, Privacy Center, Data Mask, Identity, and Security. The main content area is titled 'Sharing Settings' and lists several sharing rule categories: Work Type Group Sharing Rules, ACME LOCATION Sharing Rules, Client Sharing Rules, Event Sharing Rules, Feedback Sharing Rules, Vendor Sharing Rules, and Venue Sharing Rules. Each category has a 'New' button and a 'Recalculate' button. The 'Event Sharing Rules' section is highlighted with a red border. The 'No sharing rules specified.' message is visible under each category.

3. Give the Label name as “ Event_Sharing_For_Vendors”

4. Rule name is auto populated.

5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator”

6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ”

7. In step 5 : Change the access level to “ Read Only ”.

8. Click on Save.