

KSR: Laboratorium MassTransit 1

Stanisław Nieradko 193044

```
C:\Users\Nieradk\Life\AppData\Local\Programs\Video\Plugins\Open\files\jetbrains.spa.runner.exe --handle=7372 --backend-pid=9196 --etw-collect-flags=07108622 --detach-event-name=spa.detach.9196.5 --refresh-interval=1 -- 0:/KSR/Lab08/Publisher/bin/Debug/net8.0/Publisher.exe
[Publisher] Sending [Message1 { Text1 = Message 1 #0 }] with headers [id: 0, hash: 806431914, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #0 }] with headers [id: 0, hash: 105814889, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #0, Text2 = Message 3 #0 }] with headers [id: 0, hash: 1469375207, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #1 }] with headers [id: 1, hash: -870939864, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #1 }] with headers [id: 1, hash: -1674993854, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #1, Text2 = Message 3 #1 }] with headers [id: 1, hash: -2097126003, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #2 }] with headers [id: 2, hash: 2604902697, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #2 }] with headers [id: 2, hash: -312510203, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #2, Text2 = Message 3 #2 }] with headers [id: 2, hash: 890403459, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #3 }] with headers [id: 3, hash: -2017992322, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #3 }] with headers [id: 3, hash: 1196113037, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #3, Text2 = Message 3 #3 }] with headers [id: 3, hash: -1907184103, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #4 }] with headers [id: 4, hash: 557164327, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #4 }] with headers [id: 4, hash: -954227985, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #4, Text2 = Message 3 #4 }] with headers [id: 4, hash: 1204937089, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #5 }] with headers [id: 5, hash: 279615117, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #5 }] with headers [id: 5, hash: -218480633, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #5, Text2 = Message 3 #5 }] with headers [id: 5, hash: -2062594973, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #6 }] with headers [id: 6, hash: 559843798, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #6 }] with headers [id: 6, hash: 134397304, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #6, Text2 = Message 3 #6 }] with headers [id: 6, hash: -945129959, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #7 }] with headers [id: 7, hash: -1147174537, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #7 }] with headers [id: 7, hash: -252792220, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #7, Text2 = Message 3 #7 }] with headers [id: 7, hash: -140296179, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #8 }] with headers [id: 8, hash: 1469959648, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #8 }] with headers [id: 8, hash: 71373863, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #8, Text2 = Message 3 #8 }] with headers [id: 8, hash: -1723570193, receiver: Subscriber A, Subscriber B, Subscriber C]
[Publisher] Sending [Message1 { Text1 = Message 1 #9 }] with headers [id: 9, hash: -2039385756, receiver: Subscriber A, Subscriber B]
[Publisher] Sending [Message2 { Text1 = Message 2 #9 }] with headers [id: 9, hash: 1468562049, receiver: Subscriber B, Subscriber C]
[Publisher] Sending [Message3 { Text1 = Message 3 #9, Text2 = Message 3 #9 }] with headers [id: 9, hash: 41490733, receiver: Subscriber A, Subscriber B, Subscriber C]
```

Run SubscriberA x SubscriberB x SubscriberC x Publisher x

Run

SubscriberA x SubscriberB x SubscriberC x Publisher x

[A] Received IMessage1 [Text1=Message 1 #3] with headers: id: 3, hash: -2017992322, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #3] with headers: id: 3, hash: -1907184103, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #4] with headers: id: 4, hash: 557164327, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #4] with headers: id: 4, hash: 1204937089, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #5] with headers: id: 5, hash: 279615117, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #5] with headers: id: 5, hash: -2062594973, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #6] with headers: id: 6, hash: 559843798, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #6] with headers: id: 6, hash: -945129959, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #7] with headers: id: 7, hash: -1147174537, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #7] with headers: id: 7, hash: -140296179, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #8] with headers: id: 8, hash: 1469959648, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #8] with headers: id: 8, hash: -1723570193, receiver: Subscriber A, Subscriber B, Subscriber C

[A] Received IMessage1 [Text1=Message 1 #9] with headers: id: 9, hash: -2039385756, receiver: Subscriber A, Subscriber B

[A] Received IMessage1 [Text1=Message 3 #9] with headers: id: 9, hash: 41490733, receiver: Subscriber A, Subscriber B, Subscriber C

Run SubscriberA x SubscriberB x SubscriberC x Publisher x

Run

SubscriberA x SubscriberB x SubscriberC x Publisher x

[B] Press Enter to quit

[B] Received IMessage3 [Text1=Message 3 #0, Text2=Message 3 #0] with headers: id: 0, hash: 1469375207, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 1

[B] Received IMessage3 [Text1=Message 3 #1, Text2=Message 3 #1] with headers: id: 1, hash: -2097126003, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 2

[B] Received IMessage3 [Text1=Message 3 #2, Text2=Message 3 #2] with headers: id: 2, hash: 890403459, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 3

[B] Received IMessage3 [Text1=Message 3 #3, Text2=Message 3 #3] with headers: id: 3, hash: -1907184103, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 4

[B] Received IMessage3 [Text1=Message 3 #4, Text2=Message 3 #4] with headers: id: 4, hash: 1204937089, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 5

[B] Received IMessage3 [Text1=Message 3 #5, Text2=Message 3 #5] with headers: id: 5, hash: -2062594973, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 6

[B] Received IMessage3 [Text1=Message 3 #6, Text2=Message 3 #6] with headers: id: 6, hash: -945129959, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 7

[B] Received IMessage3 [Text1=Message 3 #7, Text2=Message 3 #7] with headers: id: 7, hash: -140296179, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 8

[B] Received IMessage3 [Text1=Message 3 #8, Text2=Message 3 #8] with headers: id: 8, hash: -1723570193, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 9

[B] Received IMessage3 [Text1=Message 3 #9, Text2=Message 3 #9] with headers: id: 9, hash: 41490733, receiver: Subscriber A, Subscriber B, Subscriber C, counter: 10

RunSubscriberASubscriberBSubscriberCPublisher

[c] Received IMessage2 [Text2=Message 2 #3] with headers: id: 3, hash: 1196113937, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #3] with headers: id: 3, hash: -1907184103, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #4] with headers: id: 4, hash: -956227985, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #4] with headers: id: 4, hash: 1204937089, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #5] with headers: id: 5, hash: -2105805613, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #5] with headers: id: 5, hash: -2062594973, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #6] with headers: id: 6, hash: 134197304, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #6] with headers: id: 6, hash: -945129959, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #7] with headers: id: 7, hash: -252792220, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #7] with headers: id: 7, hash: -140296179, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #8] with headers: id: 8, hash: 71575863, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #8] with headers: id: 8, hash: -1723570193, receiver: Subscriber A, Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 2 #9] with headers: id: 9, hash: 1498562049, receiver: Subscriber B, Subscriber C

[c] Received IMessage2 [Text2=Message 3 #9] with headers: id: 9, hash: 41490733, receiver: Subscriber A, Subscriber B, Subscriber C

Overview

3Connections

6Channels

3Consumers

28Exchanges

3Queues

19d, 21h, 3mUptime

Queued messages

ReadyUnacked

Data rates

SendReceive

Message rates

AckDeliverGetDeliver getPublishConfirmRedeliverReject

Upload definitions

Virtual hostAll

FileBrowse...No file selected.

Upload