


Start : Jun 24 2026, 02:34 PM

End : Jun 24 2026, 02:37 PM

Duration : 2 m 22 s


Features




Scenarios




Steps




FEATURES



SCENARIOS



STEPS



Failed Test Cases

Feature: To Validate search Functionality

Scenario: To verify User enters an invalid keyword for search bar


Then User should see a message for the invalid keyword containing "Showing 0 results"

Error Details:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//span[@class='text-description' and text()='Showing 0 results']"}
(Session info: chrome=149.0.7827.115)
For documentation on this error, please visit:
https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.41.0', revision: '9fc754f'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [1effca701268366e2b4242f1bff98d8a, findElement {using=xpath, value=//span[@class='text-description' and
text()='Showing 0 results']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.115, chrome:
{chromedriverVersion: 149.0.7827.115 (07b52360cc1..., userDataDir: C:\Users\KANCHHA~1.TAM\AppData..., fedcm:accounts:
true, goog:chromeOptions: {debuggerAddress: localhost:61833}, goog:processID: 39340, networkConnectionEnabled: false,
pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61833/devtoo..., se:cdpVersion:
149.0.7827.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 1effca701268366e2b4242f1bff98d8a
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:166)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:427)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:421)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at com.sun.proxy.$Proxy33.getWrappedElement(Unknown Source)
at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:195)
at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:948)
at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)
at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:913)
at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578)
```

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:533)
at commonutilities.JSExecutor.scrollUntilElementVisible(JSExecutor.java:48)
at stepdefinition.Search_Step.user_should_see_a_message_for_the_invalid_keyword_containing(Search_Step.java:87)
at .User should see a message for the invalid keyword containing "Showing 0 results"(file:///C:/Backup/Birla/Birlaopus_selenium/com.BirlaOpus/Birlaopus/src/test/resources/features/Search.feature:24)

Screenshot Evidence:



Feature: To Validate search Functionality

Scenario: To verify User enters an invalid keyword for search bar

Then User should see a message for the invalid keyword containing "Showing 0 results"

Error Details:

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{\"method\":\"xpath\",\"selector\":\"//span[@class='text-description' and text()='Showing 0 results']\"}
(Session info: chrome=149.0.7827.115)
For documentation on this error, please visit:
<https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception>
Build info: version: '4.41.0', revision: '9fc754f'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [572a2ca1f04eedf8353c2fbb1adf8940, findElement {using=xpath, value=//span[@class='text-description' and text()='Showing 0 results']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.115, chrome: {chromedriverVersion: 149.0.7827.155 (07b52360cc1..., userDataDir: C:\\Users\\KANCHA~1.TAM\\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55249}, goog:processID: 35992, networkConnectionEnabled: false,

pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55249/devtoo..., se:cdpVersion: 149.0.7827.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}

Session ID: 572a2ca1f04eedf8353c2fbb1adf8940

at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)

at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)

at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223)

at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)

at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166)

at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:427)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:421)

at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

at com.sun.proxy.\$Proxy33.getWrappedElement(Unknown Source)

at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)

at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948)

at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)

at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)

at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913)

at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)

at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578)


at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:533)

at commonutilities.JSExecutor.scrollUntilElementVisible(JSExecutor.java:48)

at stepdefinition.Search_Step.user_should_see_a_message_for_the_invalid_keyword_containing(Search_Step.java:87)

at .User should see a message for the invalid keyword containing "Showing 0 results"(file:///C:/Backup/Birla/Birlaopus_selenium/com.BirlaOpus/Birlaopus/src/test/resources/features/Search.feature:24)

Screenshot Evidence:



Feature: To Validate search Functionality

Scenario: To verify User enters an invalid keyword for search bar

Then User should see a message for the invalid keyword containing "Showing 0 results"

Error Details:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//span[@class='text-description' and text()='Showing 0 results']"}
(Session info: chrome=149.0.7827.115)
For documentation on this error, please visit:
https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.41.0', revision: '9fc754f'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [a7fff74912fd25deae7f1252eea7c454, findElement {using=xpath, value="//span[@class='text-description' and text()='Showing 0 results']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.115, chrome:
{chromedriverVersion: 149.0.7827.155 (07b52360cc1..., userDataDir: C:\Users\KANCHA~1.TAM\AppData..., fedcm:accounts:
true, goog:chromeOptions: {debuggerAddress: localhost:64881}, goog:processID: 38384, networkConnectionEnabled: false,
pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64881/devtoo..., se:cdpVersion:
149.0.7827.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: a7fff74912fd25deae7f1252eea7c454
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:166)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:427)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:421)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at com.sun.proxy.$Proxy33.getWrappedElement(Unknown Source)
at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:195)
at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:948)
at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)
at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:913)
at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578)
at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:533)
at commonutilities.JSExecutor.scrollUntilElementVisible(JSExecutor.java:48)
at stepdefinition.Search_Step.user_should_see_a_message_for_the_invalid_keyword_containing(Search_Step.java:87)
at .User should see a message for the invalid keyword containing "Showing 0
results"(file:///C:/Backup/Birla/Birlaopus_selenium/com.BirlaOpus/Birlaopus/src/test/resources/features/Search.feature:24)
```

Screenshot Evidence:

