Cucumber Report

| Start : Nov 18, 12:07:28.569 PM	End : Nov 18, 12:07:30.518 PM	Duration : 1.949 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 3

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Get All Patients	1.949 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	Get All Patients	Check if user able to retrieve all patients created by particular dietician

#	Feature Name	T	P	F	S	Duration
1	Get All Patients	1	0	1	0	1.949 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Get All Patients	Check if user able to retrieve all patients created by particular dietician	3	2	1	0	1.944 s

Get All Patients

FAILED	DURATION - 1.949 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0
/ 12:07:28.569 PM // 12:07:30.518 PM /			

Check if user able to retrieve all patients created by particular dietician

FAILED	DURATION - 1.944 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0
/ 12:07:28.574 PM // 12:07:30.518 PM /			
Get All Patients			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the Dietician API endpoint	PASSED	0.508 s
2	When User sends HTTPS Request to get all patients	PASSED	1.313 s
3	Then User receives 200 OK Status with response body of all patients under particular dietician	FAILED	0.060 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <401>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at com.dietician.backend.stepdefs.patient.GetAllPatients.user_receives_ok_status_with_response_body_of_all_patients_under_particular_dietician(GetAllPatients.java:54)		
	at ?.User receives 200 OK Status with response body of all patients under particular dietician(file:///C:/Users/Sumod/git/T7_RestlessCoders_DieticianAPI_Hackathon_nov_2023/src/test/resources/features/patientController/getAllPatients.feature:6)		
	* Not displayable characters are replaced by '?'.		