

House Price Prediction

July 22, 2023

```
[2]: import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[5]: HouseDF = pd.read_csv('Housing_Price.csv')
HouseDF.head()
```

```
[5]:
```

	Avg. Area Income	Avg. Area House Age	Avg. Area Number of Rooms	\
0	79545.45857	5.682861	7.009188	
1	79248.64245	6.002900	6.730821	
2	61287.06718	5.865890	8.512727	
3	63345.24005	7.188236	5.586729	
4	59982.19723	5.040555	7.839388	

	Avg. Area Number of Bedrooms	Area Population	Price	\
0	4.09	23086.80050	1.059034e+06	
1	3.09	40173.07217	1.505891e+06	
2	5.13	36882.15940	1.058988e+06	
3	3.26	34310.24283	1.260617e+06	
4	4.23	26354.10947	6.309435e+05	

	Address
0	208 Michael Ferry Apt. 674\nLaurabury, NE 3701...
1	188 Johnson Views Suite 079\nLake Kathleen, CA...
2	9127 Elizabeth Stravenue\nDanielstown, WI 06482...
3	USS Barnett\nFPO AP 44820
4	USNS Raymond\nFPO AE 09386

```
[6]: HouseDF.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5000 entries, 0 to 4999
Data columns (total 7 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   Avg. Area Income                      5000 non-null   float64
1   Avg. Area House Age                  5000 non-null   float64
```

```

2   Avg. Area Number of Rooms      5000 non-null   float64
3   Avg. Area Number of Bedrooms    5000 non-null   float64
4   Area Population                 5000 non-null   float64
5   Price                          5000 non-null   float64
6   Address                        5000 non-null   object
dtypes: float64(6), object(1)
memory usage: 273.6+ KB

```

```
[7]: HouseDF.describe()
```

```

[7]:      Avg. Area Income  Avg. Area House Age  Avg. Area Number of Rooms  \
count      5000.000000      5000.000000      5000.000000
mean      68583.108984        5.977222        6.987792
std       10657.991214        0.991456        1.005833
min       17796.631190        2.644304        3.236194
25%       61480.562390        5.322283        6.299250
50%       68804.286405        5.970429        7.002902
75%       75783.338665        6.650808        7.665871
max       107701.748400        9.519088       10.759588

```

```

      Avg. Area Number of Bedrooms  Area Population      Price
count      5000.000000      5000.000000  5.000000e+03
mean         3.981330      36163.516039  1.232073e+06
std         1.234137       9925.650114  3.531176e+05
min         2.000000       172.610686  1.593866e+04
25%         3.140000      29403.928700  9.975771e+05
50%         4.050000      36199.406690  1.232669e+06
75%         4.490000      42861.290770  1.471210e+06
max         6.500000      69621.713380  2.469066e+06

```

```
[8]: HouseDF.columns
```


```

[8]: Index(['Avg. Area Income', 'Avg. Area House Age', 'Avg. Area Number of Rooms',
        'Avg. Area Number of Bedrooms', 'Area Population', 'Price', 'Address'],
        dtype='object')

```


```
[9]: sns.pairplot(HouseDF)
```

```
[9]: <seaborn.axisgrid.PairGrid at 0x26c7239dff0>
```



```
[36]: sns.histplot(HouseDF['Price'])
```

```
[36]: <Axes: xlabel='Price', ylabel='Count'>
```



```
[38]: X = HouseDF[['Avg. Area Income', 'Avg. Area House Age', 'Avg. Area Number of
↳Rooms',
                'Avg. Area Number of Bedrooms', 'Area Population']]

y = HouseDF['Price']
```

```
[39]: from sklearn.model_selection import train_test_split
```

```
[40]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.4,
↳random_state=101)
```

```
[41]: from sklearn.linear_model import LinearRegression

lm = LinearRegression()

lm.fit(X_train, y_train)
```

```
[41]: LinearRegression()
```

```
[42]: print(lm.intercept_)
```

```
-2640159.7968132403
```

```
[52]: coeff_DF = pd.DataFrame(lm.coef_,X.columns,columns=['Coefficient'])  
coeff_DF
```


```
[52]:
```

	Coefficient
Avg. Area Income	21.528276
Avg. Area House Age	164883.282027
Avg. Area Number of Rooms	122368.678023
Avg. Area Number of Bedrooms	2233.801864
Area Population	15.150420


```
[53]: predictions = lm.predict(X_test)
```

```
[54]: plt.scatter(y_test,predictions)
```

```
[54]: <matplotlib.collections.PathCollection at 0x26c7a2fbc10>
```



```
[59]: sns.histplot((y_test,predictions),bins=50);
```



```
[60]: from sklearn import metrics
```

```
[62]: print('MAE:', metrics.mean_absolute_error(y_test, predictions))
      print('MSE:', metrics.mean_squared_error(y_test, predictions))
      print('RMSE:', np.sqrt(metrics.mean_squared_error(y_test, predictions)))
```

```
MAE: 82288.22250721784
MSE: 10460958905.775047
RMSE: 102278.82921589907
```

```
[ ]:
```