

1. I want to change admin email id to get notification when user delete molecule

- go to 'config.php', change email id for notification



```
29 $rootGenPM = 'gen/pm/';
30 $rootGenLS = 'gen/lis/';
31
32 //norman page example molecule
33 $normanEg = 135;
34
35 if ($serverName == 'thermovm.mv.uni-kl.de') {
36     //db-config
37     $dbName = 'moleculadb';
38     $dbHost = 'localhost';
39     $dbUsername = 'moleculadb';
40     $dbUserPassword = 'moleculadb';
41     //email
42     $emailAdmin = 'simon.stephan@mv.uni-kl.de';
43 }
44
45
```

2. I want to link new database / I want to change database user and password


- originally admin can change database user id and password using sql
- after that admin needs to link that database to project
- go to 'config.php' change and change database configuration accordingly for production environment



```
29 $rootGenPM = 'gen/pm/';
30 $rootGenLS = 'gen/lis/';
31
32 //norman page example molecule
33 $normanEg = 135;
34
35 if ($serverName == 'thermovm.mv.uni-kl.de') {
36     //db-config
37     $dbName = 'moleculadb';
38     $dbHost = 'localhost';
39     $dbUsername = 'moleculadb';
40     $dbUserPassword = 'moleculadb';
41     //email
42     $emailAdmin = 'simon.stephan@mv.uni-kl.de';
43 }
44
45
```

3. I want to change text


- as admin I am going through website and found this needs to be change.




n	name _n	n-1	distance _n	n-2	angle _n	n-3	dihedral _n
1							
2							
3							
4							

Each line defines the position of one site with respect to the positions defined before. The site-ID in the first column is used to uniquely identify each site. The site-name in the second column describes, what atoms or quality (charge distribution) of the molecule the site models. Each line consists of three geometrical specifications (one distance, one angle, and one dihedral angle) and for each of these one corresponding reference ID. That reference ID indicates to which of the before defined sites the distance, angle and/or dihedral angle stands in relation. Table 3 shows the structure of Cyclopentane in the Z-matrix format as an example. The forth line indicates, that the site #4 has a distance of 1.881 Å to site #3, an angle of 87.902° between site (#2 - #3 - #4) and a dihedral angle of -21.6121° between the sites (#1 - #2 - #3 - #4).


- read URL of browser
- check which page is opened in browser



- go to that page (ex. Normen.php) from backend, find content that want to change




- content not found.
- check for the 'include' tag. (ex. `<?php include('include/norm2.php') ?>`).
- open that included files (ex. norm1.php, norm2.php, etc.) and find content




- found in norm3.php
- change content

4. I want to change image


- as admin I am going through website and found this image needs to be change.



- check which image is used here by going '`moleculeDB/img/`' directory.
- place new image in this folder as well.



- read URL of browser.



- check which page is opened in browser
- go to that page (**ex. welcome.php**) from backend, find image that want to change

- change image reference to new image.



```

7
8 <div id="wrapper">
9     <?php include('include/nav.php') ?>
10     <div id="page">
11         <div id="header-pic"></div>
12         <div id="content">
13             <?php include('include/home.php') ?>
14         </div>
15         <!-- end #content -->
16         <div id="sidebar">
17             <div id="sidebar-content">
18                 
19             </div>
20         </div>
21     </div>


```

5. I want to change admin login password

- go to database
- open table 'usr_access'
- select record of user and update record

6. I want to add new user.

- go to database
- open table 'usr_access'
- add new user with user_id and password and role



Server: localhost » Database: moleculadb » Table: usr_access

Showing rows 0 - 1 (2 total, Query took 0.0005 seconds.)

SELECT * FROM `usr_access`

Number of rows: 25 Filter rows: Search this table

Sort by key: None

	id_mst	usr_id	usr_pass	usr_role
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	admin		SYS
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	user		USR