

# Day-6

## 1)Perform file from local Disk to Disk

URL- [https://app.workato.com/recipes/47901230-device\\_2\\_device#recipe](https://app.workato.com/recipes/47901230-device_2_device#recipe)

The screenshot shows the Workato interface for a recipe named 'device\_2\_device'. The recipe is currently 'Inactive'. The workflow consists of four steps: 1. Trigger every 5 minutes (Trigger), 2. Download an on-prem file (File), 3. Upload a new file to an on-prem folder (File), and 4. STOP job (STOP). The right-hand panel displays the status 'Inactive', 2 successful jobs, 0 failed jobs, and the location 'ealesb / FTP'. It also shows the recipe is stopped a few seconds ago and uses 1 asset.


## 2)Perform file from FTP to FTP

URL- [https://app.workato.com/recipes/47858279-ftp\\_to\\_ftp#recipe](https://app.workato.com/recipes/47858279-ftp_to_ftp#recipe)

The screenshot shows the Workato interface for a recipe named 'ftp\_to\_ftp'. The recipe is currently 'Active'. The workflow consists of four steps: 1. Trigger every 250 minutes (Trigger), 2. Download file contents from FTP/FTPS server (File), 3. Upload a file to FTP/FTPS server (File), and 4. STOP job (STOP). The right-hand panel displays the status 'Active', 3 successful jobs, 0 failed jobs, and the location 'ealesb / FTP'. It also shows the recipe is started a few seconds ago and uses 1 asset.


### 3)Perform file from local Disk to FTP

URL- <https://app.workato.com/recipes/47860568-decice to ftp#jobs>




### 4)Perform file from FTP to Disk

URL- <https://app.workato.com/recipes/47859781-ftp tp device#recipe>



# INPUT




A screenshot of a code editor window with a dark theme. The title bar shows a tab named 'Depai'. The menu bar includes 'File', 'Edit', and 'View'. The editor contains the following XML code:

```
<Departments>
  <Department>
    <DepID>CSE</DepID>
    <Name>Computer Science</Name>
    <HOD>HOD-A</HOD>
  </Department>
  <Department>
    <DepID>EE</DepID>
    <Name>Electrical Engineering</Name>
    <HOD>HOD-B</HOD>
  </Department>
  <Department>
    <DepID>IT</DepID>
    <Name>Information Technology </Name>
    <HOD>HOD-B</HOD>
  </Department>
</Departments>
```

The status bar at the bottom indicates 'Ln 1, Col 1', '416 characters', '100%', 'Windows (CRLF)', and 'UTF-8'.

# OUTPUT



A screenshot of a Windows File Explorer window showing the path 'This PC > Data (D:) > gen\_ai\_workato > output'. The table below lists the files in the 'output' directory.

Name	Date modified	Type	Size
dep	5/28/2024 11:03 PM	XML File	1 KB
dep_1	5/28/2024 11:04 PM	XML File	1 KB
dep_output	5/27/2024 8:07 PM	XML File	1 KB
f2d_output	5/27/2024 10:03 PM	XML File	1 KB