

디자인

# 디자인구성요소제작

스마트기기UIUX앱&웹디자인B

평가 일시      2022년   2월   3일(목)

평가 방법      포트폴리오

훈 련 생      강경림      **강경림**

■ 수행 및 평가항목 : 개인포트폴리오제작 프로세스에 대한 구성요소를 제작할 수 있다.

- 문항 : 개인포트폴리오제작 프로세스에 대한 구성요소를 제작할 수 있는가?

■ 채점 기준 :

1. 디자인시안 결과물을 토대로 html/css코딩을 작성할 수 있는가? 배점: 25점

매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점

2. 박스모델링 구조와 시멘틱태그, 선택자명을 적절히 사용하였는가? 배점: 25점

매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점

3. 편리성을 고려하여 제작 하였는가? 배점: 25점


매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점

4. 웹접근성을 고려하여 제작 하였는가? 배점: 25점

매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점

## Main – header & visual

### 결과물



### <header> html


```
<div class="wrap">
  <header>
    <div class="innerHeader">
      <h1 class="logo"><a href="index.html">
        
        
      </a></h1>
      <div class="menuOpen">
        <button class="open">
          
          
        </button>
        <div class="menuWrap">
          <a href="#" class="close"></a>
          <div class="box">
            <ul class="en">
              <li><a href="index.html">HOME</a></li>
              <li><a href="about.html">ABOUT</a>
                <a href="ncs.html" class="sub">- NCS Process</a></li>
              <li><a href="gallery.html">GALLERY</a>
                <a href="gallerysub_01.html" class="sub" target="_blank">- Clone Coding</a></li>
              <li><a href="portfolio.html">MY PORTFLIO</a></li>
            </ul>
            <p class="img"></p>
          </div>
        </div>
      </div>
    </div>
  </header>
```

### <section class="visual"> html

```
<section class="visual">
  <div class="inner">
    <p class="video animate" data-animate="motion"><video autoplay loop muted src="img/index_visual.mp4"></video></p>
    <div class="titBox en animate" data-animate="motion">
      <a href="index.html">
        <p class="hi" data-splitting>Hi! I'm<br>Gyung-Rim</p>
        <h2 data-splitting>Welcome!</h2>
        <p class="space" data-splitting>to my space.</p>
      </div>
    </div>
    <p class="txt animate" data-animate="motion">Portfolio</p>
    <div class="imgBox animate" data-animate="motion">
      <svg class="svgAni" versions="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 425 268" style="enable-background:new 0 0 425 268;" xml:space="preserve">
        <!-- ... (SVG path data) ... -->
      </div>
    </div>
    <p class="img2 animate" data-animate="motion"></p>
```

## Main – header & visual

## 결과물



## <header> css

사용자의 편리성을 위해  
고정 헤더를 이용하여 메뉴바와  
로고가  
따라다닐 수 있도록 해주었습니다.


```
21 header{ width: 100%; position: fixed; z-index: 100;}
22 .innerHeader{max-width: 1720px; margin:auto; height: 150px; line-height: 150px;}
23 .innerHeader .Logo{float: left; }
24 .innerHeader .Logo a{width: 100%; height: 100%;}
25 .innerHeader .Logo a img{width: 120px;}
26 .innerHeader .Logo a img:nth-child(2){opacity: 0;}
27 .menuOpen{float: right;}
28 button.open{background: none; border: none; cursor: pointer;}
29 button.open img:nth-child(2){display: none;}
30
31 /* fixheader */
32 header.on .innerHeader .Logo a img:nth-child(1){display: none;}
33 header.on .innerHeader .Logo a img:nth-child(2){opacity: 1; width: 120px;}
34 header.on button.open img:nth-child(1){display: none;}
35 header.on button.open img:nth-child(2){display: inline-block;}
36 header.on2{display: none;}
37
38 /* menuOpen */
39 .menuOpen .menuWrap{width: 100%; height: 100%; position: fixed; top: 0; right: 0; z-index: 200; background: #000;}
40 .menuOpen .menuWrap .box{ width: 899px; overflow: hidden; position: absolute; left: 50%; top: 50%; transform: translate(-50%,-46%);}
41 .menuOpen .menuWrap .box ul{color: #fff; float: left; width: 45%;text-align: right; line-height: 4;}
42 .menuOpen .menuWrap .box ul li a{width: 100%; height: 100%; font-size: 50px; position: relative;}
43 .menuOpen .menuWrap .box ul li a:before{position: absolute; width: 0%; height: 1px; content: ''; background: #fff; left: 0; bottom: 0;transition: all 0.3s}
44 }
45 .menuOpen .menuWrap .box ul li a:hover:before{width: 100%; transition: all 0.3s;}
46 .menuOpen .menuWrap .box ul li:nth-child(1) a{margin-right: 60px; line-height: 0;}
47 .menuOpen .menuWrap .box ul li:nth-child(2) a{margin-right: 130px;}
48 .menuOpen .menuWrap .box ul li:nth-child(3) a{margin-right: 160px;}
49 .menuOpen .menuWrap .box ul li:nth-child(4) a{margin-right: 0;}
50 .menuOpen .menuWrap .box ul .sub{font-size: 25px; display: block; line-height: 0; margin-top: -45px; text-decoration: none; margin-left: -80px; width: 100%; height: 100%;}
51 .menuOpen .menuWrap .box ul .sub:before{display: none;}
52 .menuOpen .menuWrap .box p.img{width: 45%; float: right; margin-top: 180px; width: 350px;}
53 .menuOpen .menuWrap .box p.img img{ width: 100%;}
54 .menuOpen .menuWrap .close img{position: absolute; right: 5%; top: 5%;}
55
56 /* .menuWrap 열기 */
57 /*--- js파일: 열버튼 매개 ---*/
58 .menuOpen .menuWrap {width: 0; transition: 0.5s; overflow: hidden; transform: skewY(40deg); opacity: 0;}
59 .menuOpen .menuWrap.on {width: 100%; right: 0; transform: skewY(0deg); transition: 0.5s; opacity: 1;}
60 .menuOpen .menuWrap ul {display: none} /* 메뉴 열었을때 애니 진행위해서 없애줌 */
61 .menuOpen .menuWrap.on ul {display: block;}
```

## <section class="visual"> css

```
/* section.visual */
section.visual{background: #000; padding: 150px 0;width: 100%;}
section.visual .inner{ margin: auto; position: relative;}
section.visual .inner .video{width: 502px; height: 892px; margin: 0 auto; position: relative;}
section.visual .inner .video:after{position: absolute; content: ''; width: 502px; height: 892px; background: none; border: 1px solid #fff; top: -2%; left: -4%; }
section.visual .inner .video video{width: 100%;}
section.visual .inner .titBox{color: #fff; position: absolute; content: ''; left: 50%; top: 50%; transform: translate(-50%,-50%);}
section.visual .inner .titBox a{width: 100%; height: 100%; display: block;}
section.visual .inner .titBox h2{font-size: 200px; font-weight: normal; font-style: italic; width: 930px;}
section.visual .inner .titBox .hi{font-size: 30px; position: absolute; top: -20%; left: -5%; line-height: 1.2;}
section.visual .inner .titBox .space{font-size: 40px; position: absolute; right: -10%;}
section.visual .txt{color: #fff; font-size: 18px; transform: rotate(270deg) translateY(-50%); position: absolute; top: 50%; left: 2%;}
section.visual .img2{position: absolute; right: 1%; bottom: 20%; width: 100px;}
section.visual .img3{position: absolute; width: 12%;}
section.visual img{width: 100%;}
```

## Main – about

### 결과물




## <section class="about"> html

```
<p class="img3 animate" data-animate="motion"></p>
</section>
<section class="about">
  <div class="inner">
    <div class="left animate" data-animate="motion">
      <h2 data-splitting>즐거는 방법을 아는<br>디자이너 ,</h2>
      <p class="txt">안녕하세요. UX / UI 웹퍼블리셔를 꿈꾸는<br>강경림이라고 합니다.</p>
      <a href="about.html" class="getinBtn">GET IN<i class="fas fa-chevron-right"></i></a>
      <p class="img"></p>
      <div class="bfBox animate" data-animate="motion">
        <svg class="svgAni" version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink"
          x="0px" y="0px" viewBox="0 0 1099 893" style="enable-background:new 0 0 1099 893;" xml:space="preserve">
          <path d="M1044.2,166.8c-3.4-8.5-13.3-14.4-28-16.6c-49.1-7.2-178.3,33.3-256,80.3l-0.1,0.1
            c-4.6,2.6-46.3,26.9-87.6,64.7c-0.2,0.2-20.8,18-43.4,46.8c-20.9,26.5-47.8,67.8-57.8,114.6c-1.3-0.8-5.5-5.6-4.5-17.6
            c1.4-0.8,5-3.3,7-8.6c2.6-7.1,1.4-16.2-3.7-27c0.5-3.9,4.2-32.9,15.1-63.2c0.9-2.6,1.9-5.3,2.8-8c9.3-26.7,19.8-57.1,56.6-63.9
            c5.2-1.7,9.2-4.6,7.9-5c0-3.4-9.5-7.8-4.6-2c-2.3-0.4-10.4-1.1-20.9,4.7c-18.4,10.2-44.3,42.8-63.2,140c-1.3-1.1-3.1-2.1-5.2-1.9
            c0.1-7.4-0.1-38.5-7.6-70c-5-21.2-12.3-38.3-21.7-51.1c-14.6-19.9-29.3-28.7-44.9-26.9l-0.2,0c-1,0.1-6.2,0.9-7.1,4.1
            c-0.6,1.9,0.5,4.1,3.3,6.5l0.1,0.1c0.1,0.1,18.13,4,36.9,31.8c22.8,22.2,34.2,63.9,30.4,111.5c-1.6,1.6-8.8,4-8,16.3h0
            c0,0,0.1,0,0.1l0,0h0c0,1.2,0.5,4.6,1.6,6.5c1.4,2.8,3.9,5.4,7.2,7.7l0,0.1c1.6,10.1,0.6,16.8-2.9,18.9
            c-12.8-46.1-41.6-85.4-63.5-110.3c-23.9-27.1-45-43.4-45.2-43.6c-43.4-35.3-86.5-57-91.3-59.4l-0.1-0.1c-38-20-89.7-39-141.9-52
            c-52.2-13.1-95.4-17.8-118.5-13c-14.6,3-24.2,9.5-27,18.2c-4.7,14.2,11.6,29.7,11.8,29.8c28.8,30.9,45.8,73.5,54.9,103.7
            c9.8,32.4,13,58.5,13.1,58.8c5.1,25.6,13.3,48.4,24.4,67.9c8.8,15.6,19.5,29.1,31.7,40.1c17.3,15.6,32.7,21.7,37.9,23.4
            c-17.1,28.2-27.1,51.1-31.6,72.1c-10.1,46.8-2.6,90.7,21.6,127.1c21.9,32.9,56.8,56.9,95.8,65.8c11.7,2.7,23.4,4,35.1,4
            c33,0,65.3-10.5,93.7-30.9c44.5-32,77.3-87,94.8-159.1c6.2-25.4,8.5-36.1,9.3-41c1.9,11.4,6.8,32.9,16.9,37.4l0.5,0.2l0.5-0.2
            c1.8-0.7,8.3-9.5,8.5-39.5c1.5,5.9,5.1,17.7,12.6,42.3c21.7,70.9,57.7,123.9,104.1,153.3c39.9,25.3,86.1,32.1,130.1,19.3
            c38.4-11.2,71.8-37.2,91.8-71.4c22-37.8,26.9-82.1,14.1-128.2c-5.7-20.7-17.1-42.9-35.8-70.1c5.1-2,20.1-9,36.4-25.6
            c11.5-11.7,21.4-25.8,29.3-41.9c9.9-20.1,16.7-43.4,20.3-69.3c0.1-1.1,1.8-26.8,9.6-59.4c7.3-30.7,21.7-74.1,48.7-106.7
            C1034.3,197.2,1049.7,180.8,1044.2,166.8z M1033.4,196.7c-27.1,32.7-41.5,76.3-48.9,107.1c-7.8,32.7-9.5,58.5-9.6,59.6
            c-3.6,25.7-10.4,48.9-20.2,68.9c-7.9,16-17.7,30-29.1,41.6c-16.9,17.1-32.3,23.9-36.7,25.6l-0.6,0.2l0.4,0.5
            c18.8,27.3,30.3,49.7,36,70.3c28,100.7-33.3,177.4-105.1,198.3c-82.3,24.1-186.3-19.8-232.9-171.9c-10.7-34.9-13.4-44.1-13.6-47
            l-1,0c0.6,37.3-7.7,43.5-7.8,43.5l-0.1,0.1c0.9-4.1-14.7-24-17-41.4l-1,0.1c0,0,0,0,0,0c0,0,0,0,0,0c0.3,2,0.5,4.2-9.5,45.5
            c-37.6,154.6-138.7,204.5-222.4,185.3c-73-16.7-138.7-89.6-116.7-191.8c4.5-21,14.6-44,31.8-72.3l0.3-0.5l-0.6-0.2
            c-4.4-1.4-20.2-7.3-38.1-23.4c-12.1-10.9-22.8-24.3-31.5-39.8c-11-19.4-19.2-42.1-24.3-67.6c0-0.3-3.3-26.5-13.1-58.9
            c-9.2-30.3-26.2-73-55.2-104.1c-0.2-0.2-16-15.2-11.5-28.8c2.7-8.3,12.1-14.6,26.3-17.5c5.8-1.2,13.1-1.8,21.3-1.8
            c24.2,0,58,5.1,96.8,14.8c52.1,13,103.7,31.9,141.6,51.9l0.2,0.1c4.8,2.4,47.7,24.1,91.1,59.3c0.8,0.6,84.3,65.5,108.5,154l0.2,0.6
            l0.5-0.2c4.4-2.5,7.8-9.4-20.2l-0.1-0.5l-0.2-0.1c-3.3-2.2-5.7-4.7-7.1-7.4c-1.2-2.2-1.5-5.8-1.5-6.1l-0.1,0l0.2,0
            c0-7.7,6.5-14.5,7.8-15.7l0.1-0.1l0-0.2c2.1-25.8-0.1-49.4-6.5-70.1c-5.5-17.7-13.8-32.4-24.1-42.4c-18.3-17.7-36.7-31.8-37.1-31.9
            l0,0c-2.4-2.1-3.4-3.9-3.5-4c0.7-2.2,4.3-3.2,6.3-3.4l0.2,0c15.3-1.7,29.7,6.9,44.1,26.5c9.3,12.7,16.5,29.7,21.5,50.7
            c7.7,32.3,7.7,64.3,7.6,70.4l0.6l0.6-0.1c2.3-0.5,4.3,0.9,5.6,2.1l0.7,0.6l0.2-0.9c18.8-97.5,44.6-130.1,62.8-140.2
            c10.2-5.6,18.1-4.9,20.2-4.6c3.4,0.5,7.5,3.7,5.5,3c0.1,7-2.5,3.1-7.4c-37.3,6.9-47.9,37.5-57.3,64.5c-0.9,2.7-1.9,5.4-2.8,8
            c-11.1,30.8-14.8,60.3-15.2,63.5l0,0.1l0.1,0.1c5,10.7,6.3,19.6,3.7,26.4c-2.5,3-5.7,7.6-6.8,8.2l-0.2,0.1l0,0.3
            c-1.2,14.3,4.5,18.8,5.6,19.1c0.4,0.1,0.7-0.1,0.8-0.4c19-89.7,100.2-160.7,101-161.4c41.2-37.7,82.8-61.9,87.4-64.6l0.2-0.1
            c36.7-22.2,87.1-44.1,138.3-60.2c51.2-16.1,93.9-23.3,117-19.9c14.3,2.1,24.7,7.8,27.2,15.9c1048.5,180.5,1033.6,196.5,1033.4,196.7z"
          />
        </div>
      </div>
    </div>
    <div class="right animate" data-animate="motion">
      <p class="img"><a href="about.html"></a></p>
    </div>
    <div class="box en">
      <div>
        <span>We are all growing.</span>
        <span>We are all growing.</span>
      </div>
    </div>
  </section>
```

# Main – about

## 결과물



```
/* section.about */
section.about{background: #000; padding: 200px 0 500px; overflow: hidden; }
section.about .inner{margin: auto;}
section.about .inner .left{float: left; color: #fff; width: 50%; padding: 150px; box-sizing: border-box; position: relative; z-index: 1;}
section.about .inner .left h2{font-size: 48px; font-weight: normal; margin-bottom: 90px;}
section.about .inner .left .txt{font-size: 18px; margin-left: 140px; margin-bottom: 221px;}
section.about .inner .left .getinBtn{display: block; width: 100%; height: 100%; font-size: 22px; margin-left: 140px; font-weight: bold; display: inline;}
section.about .inner .left .getinBtn i{font-size: 25px; margin-left: 30px; background: #fff; color: #1d1d1d; width: 40px; height: 40px; border-radius: 50%; line-height: 40px; text-align: center; transition: all 0.3s;}
section.about .inner .left .getinBtn:hover i{transform: translateX(20px); transition: all 0.5s;}
section.about .inner .left p.img{position: absolute; content: ''; left: -44%; top: 13%; z-index: -1;}
section.about .inner .left p.img img{width: 100%; opacity: 35%; }
section.about .inner .right{float:right; width: 50%;}
section.about .inner .right p.img{text-align: center; padding-top: 50px; position: relative; }
section.about .inner .right p.img a{width: 100%; height: 100%; display: block;}
section.about .inner .right p.img a img{transition: all 0.5s;}
section.about .inner .right p.img a:after{ position: absolute; content: ''; width: 530px; height: 664px; background: none; border: 1px solid #fff; left: 19.5%; top: 9.5%; transition: all 0.3s;}
section.about .inner .right p.img:hover a img{z-index: 1; transform: translate(-20px,-20px); transition: all 0.5s;}
section.about .inner .right p.img:hover a:after{z-index: -1;}
section.about .box{width: 1900px; position: relative; margin-top: 60%;}
section.about .box div{position: absolute; width: 200%; display: block; }
section.about .box div span{font-size: 200px; color: #fff; float: left; width: 50%;}
```


<section class="about"> css



# Main – gallery

<section class="gallery"> html


## 결과물



```
<section class="gallery">
  <div class="inner">
    <div class="titBox animate" data-animate="motion">
      <p class="txt">GALLERY</p>
      <h2 class="en" data-splitting>Do you want to see<br>the results I left?</h2>
      <a href="gallery.html" class="getinBtn">GET IN<i class="fas fa-chevron-right"></i></a>
    </div>
    <div class="slideBox animate" data-animate="motion">
      <div class="arrowSlide">
        <span class="slick-next"><i class="fas fa-chevron-left"></i></span>
      </div>
      <ul class="slide">
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Musign</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Hanhwa</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Concierge</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Daldarin</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">한국 소비 자원</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Y studio</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Clone Coding</span>
          <p class="txt">WEB</p>
          <p class="tit">Plus X Object</p>
        </a></li>
        <li><a href="#">
          <p class="img"></p>
          <span>Calendar Design</span>
          <p class="txt">CALENDAR</p>
          <p class="tit">2022 Design</p>
        </a></li>
      </ul>
    </div>
  </div>
</section>
```

# Main – gallery

## 결과물




<section class="gallery"> css

```
11 /* section.gallery */
12 section.gallery{padding: 250px 0; width: 100%; box-sizing: border-box; margin-bottom: 600px;}
13 section.gallery .inner{margin: auto;}
14 section.gallery .inner .titBox{display: inline-block;}
15 section.gallery .inner .titBox .txt{font-size: 20px; margin-bottom: 10px;}
16 section.gallery .inner .titBox h2{font-size: 88px; font-weight: normal; line-height: 1.2; margin-bottom: 200px;}
17 section.gallery .inner .titBox .getinBtn{width: 100%; height: 100%; font-size: 22px; font-weight: bold; display: inline;}
18 section.gallery .inner .titBox .getinBtn i{font-size: 25px; margin-left: 30px; background: #1d1d1d; color: #fff; width: 40px; height: 40px; border-radius: 50%; line-height: 40px; text-align: center; transition: all 0.3s;}
19 section.gallery .inner .titBox .getinBtn:hover i{transform: translateX(20px); transition: all 0.5s;}
20 section.gallery .slideBox{width: 1400px; position: relative;}
21 section.gallery .slideBox .slide{position: absolute; left: 45%; width: 100%; margin-top: -50px; overflow: hidden;}
22 section.gallery .slideBox .slide li{ margin-right: 120px; position: relative; }
23 section.gallery .slideBox .slide li a{width: 100%; height: 100%; display: block; }
24 section.gallery .slideBox .slide li a .img{ margin-bottom: 20px; width: 100%; overflow: hidden; }
25 section.gallery .slideBox .slide li a .img img{display: block; width: 100%; transition: all 0.5s;}
26 section.gallery .slideBox .slide li a span{font-size: 12px; position: absolute; right: -14%; top: 7%; position: absolute; transform: rotate(270deg); }
27 section.gallery .slideBox .slide li:nth-child(12) a span{right: -17%; top: 8%;}
28 section.gallery .slideBox .slide li a .txt{font-size: 16px; color: #333; margin-bottom: 5px;}
29 section.gallery .slideBox .slide li a .tit{font-size: 25px; letter-spacing: -1.2px;}
```



## Main – process

### 결과물




### <section class="process"> html

```
<section class="process animate" data-animate="motion">
  <div class="inner">
    <div class="bgBox01 animate" data-animate="motion">
      <svg class="svgAni" version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px"
        y="0px" viewBox="0 0 1116.7 1334.5" style="enable-background:new 0 0 1116.7 1334.5;" xml:space="preserve">
        <path class="st0" d="M0,19.9c0,0,39.6,206.2,317.3,293.2c352.4,110.4,104.9,364.3,31.2,444c-225.9,223,25,323.9,259.3,255.9
c-125.4-36.4,222.9-14.4,271-0.4c123.2,35.7,253.6,120.6,138,322.3"/>
      </div>
    <div class="bgBox02 animate" data-animate="motion">
      <svg class="svgAni" version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px"
        y="0px" viewBox="0 0 1116.7 1334.5" style="enable-background:new 0 0 1116.7 1334.5;" xml:space="preserve">
        <path class="st0" d="M7.8,1.6c0,0,73.2,242.6,292.7,308.4c343.3,115.9,180.7,313.4,102.3,383.8c127.4,941,299.9,1114,630.2,1013.2
c-80.2-24.5,165.4-29.3,247.5-12.4c128.5,26.4,257.8,105.6,133,334.1"/>
      </div>
    <div class="bgBox03 animate" data-animate="motion">
      <svg class="svgAni" version="1.1" id="Layer_2" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px"
        y="0px" viewBox="0 0 1115.6 1397.4" style="enable-background:new 0 0 1115.6 1397.4;" xml:space="preserve">
        <path class="st0" d="M1115.6,33.8c0,0-895,394.7-257.6,537.2c5.6,1.3,11.2,2.4,16.9,3.5c28.5,5.9,130,32.9,66.8,168.6
c-3.6,7.8-6.7,15.8-8.9,24.1c-8.4,31.2-13.8,88,81.2,37.6c0,0,16-9.2,23.4-14.6c15.3-11.2,53.1-34.6,78.2-13"/>
      </div>
    <div class="bgBox04 animate" data-animate="motion">
      <svg class="svgAni" version="1.1" id="Layer_2" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px"
        y="0px" viewBox="0 0 1115.6 1397.4" style="enable-background:new 0 0 1115.6 1397.4;" xml:space="preserve">
        <path class="st0" d="M1117.1,37c0,0-904.3,350.6-255,534.1c10.7,3,24.5,6.7,37.1,12.5c25,11.5,111.7,45.1,47.9,165.8
c0,0-43.9,78.8,29.6,72c18.8-1.8,35.5-9.7,52.3-19.4c30.4-17.5,85.5-57.1,88.1-40"/>
      </div>
    <div class="mainBox">
      <a href="#">
        <h2 class="en" data-splitting><a href="#">My portfolio</a></h2>
        <p class="img1"></p>
        <p class="img2"></p>
        <p class="img3"></p>
        <p class="img4"></p>
        <p class="txt"><a href="#">Process<i class="fas fa-mouse"></i></a></p>
      </a>
    </div>
  </div>
</div>
<p class="bfImg1"></p>
<p class="bfImg2"></p>
<p class="bfImg3"></p>
<p class="bfImg4"></p>
<p class="bfImg5"></p>
</section>
```

## Main – process

결과물




<section class="process"> css

```
/* section.process */
section.process{width: 100%; padding: 330px 0; position: relative;}
section.process .inner{margin: auto;}
section.process .inner .mainBox{ width: 1015px; height: 734px; margin: 0 auto;position: relative;}
section.process .inner .mainBox a {display: block; width: 100%; height: 100%;}
section.process .inner .mainBox h2{font-size: 172px; color: #1d1d1d; position: absolute; left: 4%; top: 50%; transform: translateY(-50%); font-weight: normal; transition: all 0.3s;}
section.process .inner .mainBox .img1{ position: absolute; top: 50%; transform: translateY(-50%); left: 28%; transition: all 0.3s;}
section.process .inner .mainBox .img2{position: absolute; top: 50%; transform: translateY(-50%); left: 32%; transition: all 0.3s;}
section.process .inner .mainBox .img3{position: absolute; top: 15%; left: 26%; transition: all 0.3s;}
section.process .inner .mainBox .img4{position: absolute; top: 50%; transform: translateY(-50%); left: 30%; }
section.process .inner .mainBox .img4 img{ transition: all 0.3s;}
section.process .inner .mainBox .txt{font-size: 16px; letter-spacing: -0.7px; position: absolute; bottom: -2%; left: 50%; transform: translateX(-50%); transition: all 0.3s;}
section.process .inner .mainBox .txt a{width: 100%; height: 100%; display: block;}
section.process .inner .mainBox .txt a i{font-size: 17px; margin-left: 8px; color: #1d1d1d;}
section.process .bfImg1{position: absolute; right: 14%;}
section.process .bfImg1 img{width: 50%;}
section.process .bfImg2{position: absolute;}
section.process .bfImg2 img{width: 50%;}
section.process .bfImg3{position: absolute; right: 4%;}
section.process .bfImg3 img{width: 50%;}
section.process .bfImg4{position: absolute;left: 14%;}
section.process .bfImg4 img{width: 50%;}
section.process .bfImg5{position: absolute; left: 21%;}
section.process .bfImg5 img{width: 45%;}
```

## Main – footer

### 결과물




### <footer> html

```
<div class="inner">
  <div class="top">
    <h1 class="logo"><a href="index.html"></a></h1>
    <div class="info">
      <p class="tit">PHONE</p>
      <p class="txt">010-4933-7365</p>
    </div>
    <div class="info">
      <p class="tit">E-MAIL</p>
      <p class="txt">kkltr416@gmail.com</p>
    </div>
    <div class="menu en">
      <a href="index.html">HOME</a>
      <a href="about.html">ABOUT</a>
      <a href="gallery.html">GALLERY</a>
      <a href="portfolio.html">MY PORTFOLIO</a>
    </div>
  </div>
  <p class="copyRight">
    <i class="far fa-copyright"></i> 2022. GyungRim. All rights reserved.
  </p>
</div>
</footer>
</div>
</body>
</html>
```

## Main – footer

### 결과물



### <footer> css

사용자의 편의성을 위해 푸터에도  
메뉴바와 연락처를 만들어 놓았습니다.

```
/* footer */
footer{width: 100%; background: #000; color: #fff; padding: 50px 0;}
footer .inner{margin: 0 auto; overflow: hidden;}
footer .inner .top{ width: 100%; margin-bottom: 600px;}
footer .inner .top .logo{display: inline-block; float: left; margin-right: 30%;}
footer .inner .top .logo a{width: 120px; height: 100%; display: block;}
footer .inner .top .logo a img{width: 100%; margin-top: 15px;}
footer .inner .top .info{float: left; margin: 20px 150px 0 0;}
footer .inner .top .info .tit{font-size: 18px; font-weight: bold; margin-bottom: 10px;}
footer .inner .top .info .txt{font-size: 18px;}
footer .inner .top .menu{float: right; text-align: right; color: #fff;}
footer .inner .top .menu a{width: 100%; height: 100%; display: block; font-size: 35px; transition: all 0.3s;}
footer .inner .copyright{font-size: 13px; display: inline; width: 100%; color: #ccc;}
```