Fiscal Year:	FY 2016	**Task Last Updated:**	FY 04/02/2018
PI Name:	Lawler, John Ph.D.		
Project Title:	Redox Regulation of nNOS Translocation and Muscle Atrophy During Mechanical Unloading		
Division Name:	Space Biology		
Program/Discipline:	SPACE BIOLOGY		
Program/Discipline--Element/Subdiscipline:			
Joint Agency Name:		**TechPort:**	No
Human Research Program Elements:	None		
Human Research Program Risks:	None		
Space Biology Element:	(1) Cell & Molecular Biology (2) Animal Biology: Vertebrate		
Space Biology Cross-Element Discipline:	(1) Musculoskeletal Biology		
Space Biology Special Category:	(1) Translational (Countermeasure) Potential		
PI Email:	jml2621@tamu.edu	**Fax:**	FY
PI Organization Type:	UNIVERSITY	**Phone:**	979-862-2038
Organization Name:	Texas A&M University		
PI Address 1:	Health & Kinesiology		
PI Address 2:	305 Gilchrist Bldg. 2929 Research Blvd. Redox Biology & Cell Signaling Laboratory		
PI Web Page:			
City:	College Station	**State:**	TX
Zip Code:	77843	**Congressional District:**	17
Comments:			
Project Type:	Ground	**Solicitation / Funding Source:**	2011 Space Biology NNH11ZTT002N
Start Date:	08/24/2012	**End Date:**	11/15/2018
No. of Post Docs:	1	**No. of PhD Degrees:**	
No. of PhD Candidates:	5	**No. of Master' Degrees:**	
No. of Master's Candidates:	2	**No. of Bachelor's Degrees:**	3
No. of Bachelor's Candidates:	6	**Monitoring Center:**	NASA ARC
Contact Monitor:	Sato, Kevin	**Contact Phone:**	650-604-1104
Contact Email:	kevin.y.sato@nasa.gov		
Flight Program:			
Flight Assignment:	NOTE: Extended to 11/15/2018 (latest end date was 8/22/2018 before this extension) per F. Hernandez/ARC (Ed., 10/16/18) NOTE: Extended to 8/22/2018 (previously extended in 2016 to 8/22/2017) perNSSC information (Ed., 10/6/17) NOTE: Extended to 8/22/2017 per F. Hernandez/ARC and NSSC information (Ed., 8/30/16) NOTE: Extended to 8/23/2016 per A. Chu/ARC and NSSC information (Ed., 6/16/15) NOTE: Grant number changed to NNX13AE45G, per A. Chu via NSSC (Ed., 1/29/13) NOTE: Grant number changed to NNX12AR62G, per A. Chu via NSSC (Ed., 9/28/12) NOTE: Period of performance (previously 6/27/12-6/26/15) and grant number (previously NNX12AL23G) changed per A. Chu/ARC and NSSC information (Ed., 9/12/2012)		
Key Personnel Changes/Previous PI:	No key personnel changes		
COI Name (Institution):	Fluckey, James Ph.D. (Texas A&M University)		
Grant/Contract No.:	NNX13AE45G ; NNX12AR62G (previous grant #)		
Performance Goal No.:			

Performance Goal Text:	
Task Description:	A critical limitation to astronaut performance during spaceflight missions including those to the International Space Station (ISS) and Mars is the impaired contractile ability of skeletal muscles. Skeletal muscle is a highly specialized tissue that rapidly adapts to dynamic changes in mechanical loading by modifying its ultrastructure and mass. Detection and transmittance of loading are vital to muscle integrity and protein turnover, with a nexus associated with the subsarcolemmal cytoskeleton that includes the dystrophin-glycoprotein complex (DGC) and caveolae. This interface between myocytes and the extracellular matrix confers mechanical integrity and activates cell signaling pathways that regulate protein turnover, mitochondrial, muscle fiber cross-sectional area, and fiber phenotype. Mechanical unloading experienced in the microgravity of spaceflight elicits large decrements in force generating capacity via reduction in muscle fiber cross sectional area or atrophy. While unloading-induced atrophy is a function of reduced protein synthesis coupled with increased protein degradation, activation of the transcription factors FoxO3a and nuclear factor-kappaB have drawn significant attention as mediators. Although the upstream triggers are not fully understood, translocation of neuronal nitric oxide synthase (nNOS) from the DGC and sarcolemma to the sarcoplasm is a novel signaling event that stimulates proteolysis, and thus atrophy. New clues can be gleaned from Duchenne and many of the limb-girdle muscular dystrophies, pathologies involving mutations to DGC, and other sarcolemmal proteins. Because MDs and microgravity both increase susceptibility of muscles to damage, oxidative stress, and pro-inflammatory signaling, a shared root cause is suspected: disruption of the subsarcolemmal cytoskeleton. New studies and Preliminary Data indicate the importance of NAD(P)H oxidase (NOX), a sarcolemmal source of oxidative stress, and caveolin-3 in stimulating myopathy in muscular dystrophy models. NOX may be activated upstream by angiotensin II and c-abl, a tyrosine kinase. Further, our pilot data show that unloading-induced alterations in caveolin-3 and nNOS are redox dependent and linked to atrophy and shift in muscle fiber-type. Our central hypothesis is that oxidative stress produced by NOX pathways and mitochondria directly contribute to a sarcolemmal loss of nNOS during mechanical unloading, enhancing proteolysis, and suppressing protein synthesis. The rodent hindlimb unloading model and novel fractional synthesis and degradation will be used to test our hypotheses. Specific Aim 1 will Identify NOX-dependent signaling on nNOS translocation and muscle fiber atrophy with hindlimb unloading. Specific Aim 2 will determine directly the role of mitochondrial and cytosolic oxidative stress in movement of nNOS away from the muscle cell membrane and disruption of DGC with mechanical unloading. In short, our primary objective is to identify the trigger by which skeletal muscles switch from being an anabolic to a catabolic machine during spaceflight, causing muscle atrophy and weakness. We propose that oxidative stress produced by a NOX pathway and mitochondria move the master switch protein (nNOS) away from the cell membrane, which slows protein synthesis and accelerates breakdown of protein. Our study would directly address high-priority gaps in "Recapturing a Future for Space Exploration" including the role of reactive oxygen species in protein balance and maintaining the slow contractile phenotype. Our grant proposal would also forward our understanding of (1) alterations in the subsarcolemmal cytoskeleton and membrane domains, (2) sensing and transduction of loading and gravity, (3) protein turnover, and (4) regulatory mechanisms that govern alterations in skeletal muscle, all programmatic emphases and goals of the current Space Biology NRA (NASA Research Announcement).
Rationale for HRP Directed Research:	
Research Impact/Earth Benefits:	Bedrest, casting, and spaceflight cause significant skeletal muscle atrophy and weakness as a result of disuse. Prolonged spaceflight presents great challenges to the physical performance and health of astronauts as a result of microgravity, or reduced gravitational forces (i.e., loads). Mechanical unloading and extreme disuse during spaceflight produce rapid and dramatic skeletal muscle and weakness. Prolonged disuse also predisposes skeletal muscle to damage when landing on Mars, in an EVA (extra-vehicular activity), or returning to Earth. Furthermore, chronic disuse also contributes to and exacerbates underlying chronic pathology, including insulin resistance and cardiovascular disease. As a result crew health, safety, and completion of mission objectives are placed in jeopardy. While the pathways that cause atrophy and weakness due to disuse remain uncertain, proteins that sense changes in forces that skeletal muscles must produce may be the key. One of these proteins is nitric oxide synthase (nNOS), which is positioned near the muscle cell membrane. During spaceflight as well as aging and some types of muscular dystrophy, nNOS appears to be transported away from the cell membrane where it transforms from a muscle building to a muscle wasting agent. We will focus on oxidative stress, produced by excess free radicals produced by proteins near the cell membrane (ex. NOX) and mitochondria and how they affect nNOS transport as well as skeletal muscle atrophy. Understanding how these key membrane proteins are regulated will not only aid us in our treatment of disuse-related atrophy, but also will allow development of new therapeutics combating sedentary lifestyle and possible application to aging, Type 2 diabetes, and muscular dystrophies. Indeed, changes that are altered during spaceflight and ground models of spaceflight also appear to change with aging and diseases that cause skeletal muscle wasting and weakness. For example, loss of nNOSμ from the sarcolemma is a commonality abound spaceflight/disuse, aging, Type 2 diabetes, and Duchenne muscular dystrophy. Oxidative stress appears to be at the root of nNOSμ loss in theses muscle myopathies. Out laboratory seeks to understand the underlying redox mechanisms that leader to perturbation in nNOS function and thus myopathy.
Task Progress:	[Ed. note: compiled from Principal Investigator's 2015-2016 annual technical report submitted in 2016] Statement of Progress and Summary Data In the original research proposal, two specific aims were listed with specific aim 1 to be completed on years 1 & 2 and specific aim 2 to be completed on years 2 & 3: Specific Aim 1: Identify NADPH oxidase-dependent signaling on nNOS translocation, FoxO3a activation, and muscle fiber atrophy with hindlimb unloading. We hypothesize that NOX inhibition using (a) a peptidyl inhibitor (gp91ds-tat), (b) dissociation of NOX subunits (apocynin), and (c) genetic ablation (gp91phox-/-) will attenuate the disuse phenotype: loss of nNOS from the sarcolemma, activation of NF-?B and FoxO3a, proteolysis, reduced protein synthesis, and fiber atrophy. We further postulate that inhibition of c-abl (imatinib) and the angiotensin II pathway via angiotensin receptor 1 blockade (losartan) will abrogate atrophy and loss of nNOS. Specific Aim 2: Determine redox regulatory role in DGC disruption with mechanical unloading and atrophy. We hypothesize that unloading-induced elevation translocation of nNOS as well as muscle fiber atrophy are dependent on

	oxidative stress near the sarcolemma. An SOD/catalase mimetic (EUK-134) and novel mitochondrial-specific antioxidant peptide (SS-31) will mitigate caveolin-3 upregulation, nNOS translocation, and proteolysis. Conversely, genetic ablation of GPX3 (cytosolic glutathione peroxidase) will enhance unloading-induced atrophy and preserve the slow contractile phenotype.
Bibliography Type:	Description: (Last Updated: 11/13/2025)
Abstracts for Journals and Proceedings	Hord JM, Lawler JM. "Age-Related Perturbations in the Sarcolemmal Environment are Attenuated by Lifelong Caloric Restriction and Voluntary Wheel Running." Experimental Biology 2016, San Diego, CA, April 2-6, 2016. FASEB Journal. 2016 Apr;30(1 Suppl). , Apr-2016
Abstracts for Journals and Proceedings	Lawler JM, Hord JM, Guzzoni V, Lee Y, Garcia-Villatoro EE, Ginnings Z, Kuczmarski JM. "Role of NOX2 on mechanical unloading-induced skeletal muscle atropyy." Experimental Biology 2016, San Diego, CA, April 2-6, 2016. FASEB Journal. 2016 Apr;30(1 Suppl). , Apr-2016
Abstracts for Journals and Proceedings	Rodriguez DA, Hord JM, Lee Y, Kuczmarski JM, Guzzoni V, Lawler JM. "Treatment with EUK-134 Enhance Anabolic Akt/mTOR/p70S6kinase Pathways, Protecting Against Muscle Atrophy in the Rat Soleus in a 7 Day Hindlimb Unloading." Texas Chapter American College of Sports Medicine meeting 2016, College Station, TX, March 3-4, 2016. International Journal of Exercise Science Conference Proceedings. 2016;2(8):108. https://digitalcommons.wku.edu/ijesab/vol2/iss8/108 , Mar-2016
Abstracts for Journals and Proceedings	Little SE, Hord JM, Rodriguez DA, Garcia-Villatoro EL, Garcia MM, Lawler JM. "Mediation of the translocation of nNOSμ during unloading-Induced atrophy of skeletal muscle via NOX2 inhibition." Texas Chapter American College of Sports Medicine meeting 2016, College Station, TX, March 3-4, 2016. International Journal of Exercise Science Conference Proceedings. 2016;2(8):106. https://digitalcommons.wku.edu/ijesab/vol2/iss8/106 , Mar-2016
Abstracts for Journals and Proceedings	Lawler JM, Hord JM, Guzzoni V, Lee Y, Kuczmarski JM, Lawler MS, Rodriguez D, Garcia-Villatoro EE. "Redox Regulation of Mechanotransduction Leading to Muscle Atrophy during Mechanical Unloading." 31st Annual Meeting of the American Society for Gravitational and Space Research, Alexandria, VA, November 11-14, 2015. 31st Annual Meeting of the American Society for Gravitational and Space Research, Alexandria, VA, November 11-14, 2015. , Nov-2015
Articles in Other Journals or Periodicals	Hord JM, Botchlett R, Lawler JM. "Age-related alterations in the sarcolemmal environment are attenuated by lifelong caloric restriction and voluntary exercise." Exp Gerontol. 2016 Aug 14. [Epub ahead of print] , Aug-2016
Articles in Peer-reviewed Journals	Lee Y, Kwak HB, Hord J, Kim JH, Lawler JM. "Exercise training attenuates age-dependent elevation of angiotensin II type 1 receptor and Nox2 signaling in the rat heart." Exp Gerontol. 2015 Oct;70:163-73. Epub 2015 Jul 31. https://doi.org/10.1016/j.exger.2015.07.016 ; PubMed PMID: 26239262 , Oct-2015
Articles in Peer-reviewed Journals	Lawler JM, Rodriguez DA, Hord JM. "Mitochondria in the middle: exercise preconditioning protection of striated muscle." J Physiol. 2016 Sep 15;594(18):5161-83. Review. 2016 Apr 6. Epub ahead of print. https://doi.org/10.1113/JP270656 ; PubMed PMID: 27060608; PubMed Central PMCID: PMC5023703 , Sep-2016