Fiscal Year:	FY 2006	**Task Last Updated:**	FY 11/01/2006
PI Name:	Zhong, Katie Wei Hong Ph.D.		
Project Title:	Hybrid Composites with Reactive Nano-matrix for Cosmic Radiation Shielding		
Division Name:	Physical Sciences		
Program/Discipline:	RADIATION SHIELDING		
Program/Discipline--Element/Subdiscipline:	RADIATION SHIELDING--Radiation shielding		
Joint Agency Name:		**TechPort:**	No
Human Research Program Elements:	None		
Human Research Program Risks:	None		
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	katie_zhong@wsu.edu	**Fax:**	FY 509-335-4662
PI Organization Type:	UNIVERSITY	**Phone:**	509-335-7658
Organization Name:	Washington State University		
PI Address 1:	School of Mechanical and Materials Engineering		
PI Address 2:			
PI Web Page:			
City:	Pullman	**State:**	WA
Zip Code:	99164-2920	**Congressional District:**	5
Comments:	Formerly at North Dakota State University; moved September 2007 to Washington State University.		
Project Type:	Ground	**Solicitation / Funding Source:**	2003 Space Radiation Biology and Shielding 03-OBPR-07
Start Date:	07/01/2004	**End Date:**	09/30/2007
No. of Post Docs:	2	**No. of PhD Degrees:**	
No. of PhD Candidates:	2	**No. of Master' Degrees:**	1
No. of Master's Candidates:	5	**No. of Bachelor's Degrees:**	
No. of Bachelor's Candidates:		**Monitoring Center:**	NASA MSFC
Contact Monitor:		**Contact Phone:**	
Contact Email:			
Flight Program:			
Flight Assignment:	NOTE: Received NCE to 9/30/2007 per PI (10/06)		
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Stone, James J. (North Dakota State University)		
Grant/Contract No.:	NNM04AA62G		
Performance Goal No.:			
Performance Goal Text:			
	The goal of this project is to design and manufacture more reliable multifunctional high performance shielding materials i.e., ultrahigh molecular weight polyethylene (UHMWPE) fiber /graphite fiber (CF) hybrid composites with reactive nano-matrix. The novel polymer nano-matrices with reactive molecular structures can effectively improve the adhesion and bonding strength of UHMWPE fiber and CF to the nano-matrix. The resulting UHMWPE fiber/CF hybrid composites will achieve significant enhancement of structural integrity and safety, and maintain excellent cosmic radiation shielding properties. Instead of a simple mixture of nanofibers and polymers to create a nanocomposite, the nano-matrix materials have unified molecules or carbon nanofiber-thermoset resin pendant reactive groups. Due to functions of reactive graphitic nanofibers (r-GNFs) with linker molecules containing reactive amino groups, the nano-matrix can not only have		

Task Description:

drastically enhanced mechanical properties, but can also obtain improved interface adhesion between the continuous fibers and the polymer nano-matrix without high costs in surface treatment for the reinforcements. Moreover, since much lower nanofiber-loading is involved in the process, changes of current manufacturing procedures of shielding composite structures used in NASA missions are not required. Therefore, composites containing UHMWPE fiber and the super nano-matrix are cost-effective, and will possess excellent cosmic radiation shielding performance and enhanced structural reliability and safety.

The proposed research activities include: (a) Fabrication of reactive nano-matrix materials. Based on derivatized GNFs, the reactive nano-matrix containing r-GNFs-epoxy with controlled nanofiber size and low fiber loading will be fabricated. (b) Structure and Property Characterization of Nano-matrices. The micro- and nano-scale structures, curing mechanisms, mechanical properties and aging resistance of the nano-epoxy matrix will be investigated. (c) Study of interface adhesion of UHMWPE fiber to the nano-matrices. The contact angle of the nano-epoxy matrix to the UHMWPE material. (d) Fabrication of UHMWPE fiber reinforced nano-matrix composites and UHMWPE/graphite hybrid fibers reinforced nano-matrix composites, and investigation of mechanical properties. (e) Characterization of shielding performance in NASA Space Radiation Laboratory (NSRL), study of the effect of the irradiation on reliability and safety issues for the composites.

Rationale for HRP Directed Research:

Research Impact/Earth Benefits:

Through conducting this project, we developed the following two innovative technologies:
1. “Fiber Reinforced Reactive Nano-epoxy Composites” 2. “Improvement in Wetting and Adhesion by Modifying Polymer Resin Materials”

One of the impacts and potential benefits of these technologies is in extending the application space for the UHMWPE fibers in aeropace and airplane structures. UHWMPE fibers have comprehensive and attractive advanced properties including ultralight weight, high strength, high modulus, and cosmic radiation resistance and anti-corrosion properties. However, the weak interfacial adhesion with polymer resins is the inherent problem when this kind of fiber is used as a reinforcement in composite materials. Our research created a foundation for the development and design of composites reinforced with UHMWPE fiber, and will increase the scope of their applications to more complex, highly loaded space and aero structures. It is important to note that this technlogy is a cost effective approach with no impact to current production, and in fact reduces current processing steps. And most importantly, this class of composites can offer an alternative to the widespread use of carbon composites with can cause galvanic corrosion to contiguous aluminum, requiring heavy and costly barriers in aerospace applications. Carbon fibers additionally are subject to threats of global shortages as non-aerospace applications increase, so alternative UHMWPE fiber composites offer a risk reduction strategy for aerospace end-users if the deficiencies associated with weak interfacial adhesion has been solved.

Another impact of this research is from the nanotechnology we developd from this NASA project, which is can be applied to the next generation of commercial aircraft such as the Boeing 787. The Boeing Company has interest in this sector of technology development and I was invited to give three seminars at the Boeing Company on these research results, two in Nov. 2005 and one in Jan. 2006.

Based on the excellent research supported by this NASA project, I was further invited by the Boeing Company to teach the class "Polymer Nanocomposites and Functionalities", a 30 hour class that I developed and gave twice in July 2006 as part of the Boeing Professional Nanotechnology Certificate Class. This class included the research activities supported by NASA. The teaching results were very good and 60 Boeing engineers, technical fellows, program managers and program directors became exposed to nanotechnology and nanocomposites and developed lasting enthusiasm for this area that is being spread throughout the company.

Currently, I am working on establishing collaborative projects with The Boeing Company and The Spirit Aerosystems Company, to apply our nanotechnology developed in this NASA project to the Boeing 787 airplanes and other advanced industrial projects.

Task Progress:

1. A nano-epoxy matrix material with enhanced properties for UHMWPE fiber composites was developed through solving the challenging problems :
(1) Application of functionalized graphitic nanofibers (GNFs), and then improved the interphase between nanofibers/epoxy. (2) Realization of chemical bonding between graphitic nanofibers and epoxy resin molecules through developing reactive nanofibers (r-GNFs). (3) Realization of uniform dispersion of the nanofibers in epoxy resin. (4) Examination of the effects of the nanofibers on properties of the nano-epoxy matrix, and determination of the optimized parameters for curing mechanism

2. The mechanical and thermal properties as well as other properties of the nano-epoxy as a matrix for composite materials were characterized:

(1) Mechanical: Flexural strength, modulus and breaking strain by three-point bending tests; fracture toughness by single edge notched bending tests; (2) Thermal: storage modulus E’ and glass transition temperature Tg by DMA; CTE by thermal mechanical analysis (TMA) (3) Relaxation behavior: differential scanning calorimetry (DSC) (4) Viscosity (static): viscometer (5) Chemorheological: Dynamic viscosity, gelation time, Activation energy

3. The wettability of the nano-epoxy matrix to UHMWPE fibers through using the methods was studied:

(1) Contact angle analysis (2) Drop spreading test

4. Interfacial adhesion properties in UHMWPE fiber/nano-epoxy composites were investigated:

(1) Bundle composites Pullout test (2) Microbond test

5. The UHMWPE fiber/nano-epoxy composites in bundle form were studied:

(1) Tensile at room temperature. (2) Effects of hygrothermal and UV on Tensile property

6. UHMWPE fiber/nano-epoxy composites, and hybrid (UHMWPE and Glass) fibers reinforced composites were prepared for cosmic radiation tests.

	7. The cosmic radiation tests were finished at Brook Haven National Laboratory for the UHMWPE fiber and hybrid fibers reinforced nano-epoxy composites. 8. We fabricated three kinds of carbon fibers reinforced nano-epoxy composites, glass fiber reinforced nano-epoxy composites, and Kevlar fiber reinforced nano-composites for mechanical tests.
Bibliography Type:	Description: (Last Updated: 09/17/2008)
Abstracts for Journals and Proceedings	Zhong WH, Maguire RG. "Nanotechnology Performance Opportunities for Next Generation Commercial Aircraft Structure and Systems." 48th AIAA Structures, Structural Dynamics and Materials Conference, Waikiki, Hawaii, April 23-26, 2007. 48th AIAA Structures, Structural Dynamics and Materials Conference, Abstracts. , Apr-2007
Abstracts for Journals and Proceedings	Zhong WH, Zhamu A, Stone JJ. "Fabrication and Interfacial Property Characterization of a Nano-matrix with Reactive Graphitic Nanofibers." 16th Annual NASA Space Radiation Investigators' Workshop, Port Jefferson, NY, May 15-18, 2005. Abstract and presentation, 16th Annual NASA Space Radiation Investigators' Workshop, May 2005. , May-2005
Articles in Peer-reviewed Journals	Jana S, Zhamu A, Zhong WH, Gan YX, Stone JJ. "Effect of Reactive Graphitic Nanofibers (r-GNFs) on Tensile Behavior of UHMWPE Fiber/Nano-Epoxy Bundle Composites." Materials and Manufacturing Processes (in press) October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Jana S, Zhong WH, Stone JJ, Gan YX. "Characterization of the flexural behavior of a reactive graphitic nanofibers reinforced epoxy using a non-linear damage model." Materials Science and Engineering, A (in press), October 2006. Available online 4 October 2006. , Oct-2006
Articles in Peer-reviewed Journals	Jana S, Zhamu A, Zhong WH, Gan YX. "Evaluation of Adhesion Property of UHMWPE Fibers/Nano-epoxy by a Pullout Test." Journal of Adhesion (in press), October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Salehi-Khojin A, Stone JJ, Zhong WH. "Improvement of Interfacial Adhesion between UHMWPE Fiber and Epoxy Matrix Using Functionalized Graphitic Nanofibers." J. Composite Materials (in press), October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Salehi-Khojin A, Jana S, Zhong WH. "Enthalpy Relaxation of Reactive Graphitic Nanofibers Reinforced Epoxy." Journal of Materials Science (in press) October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Salehi-Khojin A, Jana S, Zhong WH. "Thermal-Mechanical Properties of a Graphitic Nanofibers-Reinforced Epoxy." Journal of Nanoscience and Nanotechnology (in press) October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Zhamu A, Jana S, Salehi-Khojin A, Kolodka E, Gan YX, Zhong WH. "Chemorheology of Reactive Graphitic Nanofibers-Reinforced Epoxy as a Composite Matrix." Composite Interfaces (in press), October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Zhamu A, Zhong WH, Stone JJ. "Experimental study on adhesion property of UHMWPE fiber/nano-epoxy by fiber bundle pull-out tests." Composites Science and Technology, 2006 Dec 1;66(15): 2736-42. , Dec-2006
Articles in Peer-reviewed Journals	Zhamu A, Hou YP, Zhong WH, Stone JJ, Li J, Lukehart CM. "Properties of a Reactive-Graphitic-Carbon-Nanofibers-Reinforced Epoxy." Polymer Composites (in press) October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Zhamu A, Wingert MT, Zhong WH, Stone JJ. "Treatment of Functionalized Graphitic Nanofibers (GNFs) and the Adhesion of GNFs-Reinforced-Epoxy with Ultra High Molecular Weight Polyethylene Fiber." Composites Part A (in press) October 2006. Expected publication January 2007. , Oct-2006
Articles in Peer-reviewed Journals	Neema S, Salehi-Khojin A, Zhamu A, Zhong WH, Jana S, Gan YX. "Wettability of nano-epoxies to UHMWPE fibers." J Colloid Interface Sci. 2006 Jul 1;299(1):332-41. PMID: 16524585 , Jul-2006
Dissertations and Theses	Wingert, Michael T. "Improvement of Adhesion between UHMWPE Fiber/Epoxy Matrix Using Graphitic Carbon Nanofibers including Dispersion Improvement of the Nano-reinforcements in Epoxy Resin." Thesis, North Dakota State University, Fargo, ND, December 2006. , Dec-2006
Papers from Meeting Proceedings	Jana S, Zhong WH. "Nano-epoxy and UHMWPE fiber/Nano-epoxy Composites under Moisture and UV Conditions." Society for the Advancement of Material and Process Engineering (SAMPE)'06, Dallas, TX, November 6-9, 2006 (full paper and presentation). SAMPE'06 Dallas Proceedings, 2006. , Nov-2006
Papers from Meeting Proceedings	Zhong WH, Jana S, Zhamu A, Hou YP, Stone JJ, Li J, Lukehart CM. "Effects of Reactive Graphitic Nanofibers on Mechancial and Thermal Properties of a Nano-epoxy." Society for the Advancement of Material and Process Engineering (SAMPE)'06, Dallas, TX, November 6-9, 2006 (full paper and presentation). SAMPE'06 Dallas Proceedings 2006. , Nov-2006
Papers from Meeting Proceedings	Zhong WH, Jana S, Zhamu A, Stone JJ. "Tensile Behavior of UHMWPE Fiber/Nano-epoxy Bundle Composites." Society for the Advancement of Material and Process Engineering (SAMPE)'06, Long Beach, CA, April 30-May 4, 2006, (full paper and presentation). SAMPE'06 Long Beach Proceedings, April 2006. , Apr-2006
Papers from Meeting Proceedings	Salehi-Khojin A, Zhong WH, Zhamu A. "Interfacial Adhesion in UHMWPE Fiber/Nano-epoxy by Single Fiber Pull-out Test." Society for the Advancement of Material and Process Engineering (SAMPE)'06, Long Beach, CA, April 30-May 4, 2006, (full paper and presentation). SAMPE'06 Long Beach Proceedings, April 2006. , Apr-2006

Papers from Meeting Proceedings	Zhong WH, Zhamu A, Hou YP, Li J, Stone JJ. "Adhesion and Mechanical Properties of Reactive Graphitic Nanofibers Reinforced Epoxy as a Composite Matrix." American Society for Composites, 20th Annual Technical Conference, Philadelphia, PA, September 7-9, 2005, (full paper and presentation). ACS'05 Philadelphia Proceedings, September 2005. , Sep-2005
Papers from Meeting Proceedings	Zhong WH, Zhamu A, Wingert M, Stone JJ. "Improvement in Wetting and Adhesion Between UHMWPE fiber and Epoxy using Graphitic Nanofibers." Society for the Advancement of Material and Process Engineering (SAMPE)'05, Long Beach, CA, May 1-5, 2005, (full paper and presentation). SAMPE'05 Long Beach Proceedings, May 2005. , May-2005
Papers from Meeting Proceedings	Wingert MT, Winkenwader L, Zhong WH. "Processing and Mechanical Properties of Reactive Graphitic Carbon Nanofiber-Reinforced Epoxy As Composite Matrix." CANEUS 2004 International Conference on Micro- Nano-Technologies for Aerospace Applications, American Institute of Aeronautics and Astronautics (AIAA), Monterey, CA, Nov 4-6, 2004 (full paper). CANEUS'04 Monterey Proceedings, November 2004. , Nov-2004