Fiscal Year:	FY 2025	**Task Last Updated:**	FY 06/29/2025
PI Name:	Diaz Artiles, Ana Ph.D.		
Project Title:	Predicting Acute Cardiovascular and Ocular Changes due to Changes in the Gravitational Vector and Effects of Countermeasures		
Division Name:	Human Research		
Program/Discipline:			
Program/Discipline--Element/Subdiscipline:			
Joint Agency Name:		**TechPort:**	Yes
Human Research Program Elements:	(1) **HHC**:Human Health Countermeasures		
Human Research Program Risks:	(1) **Cardiovascular**:Risk of Cardiovascular Adaptations Contributing to Adverse Mission Performance and Health Outcomes (2) **SANS**:Risk of Spaceflight Associated Neuro-ocular Syndrome (SANS)		
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	adartiles@tamu.edu	**Fax:**	FY
PI Organization Type:	UNIVERSITY	**Phone:**	617-909-0644
Organization Name:	Texas A&M University		
PI Address 1:	Aerospace Engineering Department		
PI Address 2:	701 Ross Street		
PI Web Page:			
City:	College Station	**State:**	TX
Zip Code:	77843-0001	**Congressional District:**	17
Comments:			
Project Type:	Ground	**Solicitation / Funding Source:**	2019 HERO 80JSC019N0001-FLAGSHIP & OMNIBUS: Human Research Program Crew Health. Appendix A&B
Start Date:	09/01/2020	**End Date:**	12/26/2026
No. of Post Docs:	1	**No. of PhD Degrees:**	
No. of PhD Candidates:	1	**No. of Master' Degrees:**	2
No. of Master's Candidates:		**No. of Bachelor's Degrees:**	2
No. of Bachelor's Candidates:	2	**Monitoring Center:**	NASA JSC
Contact Monitor:	Brocato, Becky	**Contact Phone:**	
Contact Email:	becky.brocato@nasa.gov		
Flight Program:			
Flight Assignment:	NOTE: End date changed to 12/26/2026 per NSSC information (Ed., 6/9/25) NOTE: End date changed to 06/30/2025 per V. Lehman/JSC (Ed., 4/20/23) NOTE: End date changed to 8/31/2023 per NSSC information (Ed., 8/22/22) NOTE: End date changed to 8/31/2022 per NSSC information (Ed., 8/13/21)		
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Dunbar, Bonnie Ph.D. (Texas A&M University)		
Grant/Contract No.:	80NSSC20K1521		
Performance Goal No.:			
Performance Goal Text:			

	Exposure to weightlessness results in the removal of hydrostatic pressure gradients and a permanent headward fluid shift, causing a redistribution of blood. Additionally, in space postural changes don't occur and thus, astronauts are not exposed to daily fluid shifts (between supine and upright postures) as we are on Earth. This has currently unknown consequences, but it might be related to a series of neuro-ocular and functional changes developed in some astronauts during both short and long-duration spaceflight, collectively known as Spaceflight Associated Neuro-Ocular Syndrome (SANS). While the exact etiology of SANS is currently unknown, chronic fluid redistribution affecting intravascular, interstitial, and cerebrospinal fluids and pressures is widely hypothesized to be a contributing factor. Additionally, recently demonstrated stagnant and retrograde blood flow and venous thrombosis in the left internal jugular vein during spaceflight could also be associated with sustained headward blood and tissue fluid shift. Based on the current knowledge and hypotheses, countermeasures focused on producing hydrostatic gradients or reducing the microgravity-induced fluid shift, such as lower body negative pressure (LBNP) or centrifugation, become particularly interesting. LBNP shifts fluids from the head to the lower body is expected to reduce the translaminar pressure across the eye and thus, might prevent some of the ocular changes and remodeling associated with SANS. LBNP is also a promising countermeasure to enhance venous flow in the upper body. Similarly, head-to-foot (Gz) centrifugation also produces a fluid shift and induces hydrostatic gradients within the vessels in the body, which may also reduce intraocular pressure (IOP), reduce the translaminar pressure, and enhance venous flow. However, at present, it is not possible to estimate the overall physiological response (neither acute nor long term) of a particular "dose" of artificial gravity (AG) or LBNP, and more specifically and relevant to our purposes, the response in the upper body and around the eye. As a first step and in the context of this short project, we propose to focus on acute responses. Our objective is to generate acute gravitational dose-response curves of cardiovascular (CV) and ocular variables due to changes in the gravitational vector, with and without countermeasures. We propose to conduct a series of experimental studies (using tilt table, LBNP, and centrifugation), and combine the results with numerical modeling to leverage the advantages of both experimental and computational methodologies. Then, we propose to exert the full flexibility of the numerical framework to investigate CV and ocular responses in additional configurations where data collection is difficult, expensive, or infeasible.
Task Description:	A short-description of the experiments is shown below: - Experiment 1: Tilt table. Subjects will be exposed to multiple tilt angles, from 45° HUT (head up tilt) to 45° HDT (head down tilt), in both prone and supine configurations. CV and ocular measures will be collected and used to generate gravitational dose-response curves as a function of tilt angle. - Experiment 2: LBNP. Subjects will be exposed to multiple levels of negative pressure (from 0 to -50 mmHg), in both supine and 15° HDT. Similarly, CV and ocular measures will be collected and used to generate gravitational dose-response curves as a function of external pressure. - Experiment 3: Centrifugation. Subjects will be exposed to multiple levels of artificial gravity on the human short-radius NASA centrifuge that is being relocated and installed at Texas A&M University (TAMU). CV and ocular measures will be collected and used to generate gravitational dose-response curves as a function of g-level. In addition to the experiments, we will develop a numerical model from two different but complementary lumped-parameter models that have been previously validated and published in the literature: 1) A full-body model that provides an accurate simulation of short-term CV regulatory changes during changes in the gravitational vector (i.e., different tilt angles, centrifugation) and countermeasures (i.e., LBNP, exercise). This model features a more accurate body representation, including a cardiac pacemaker (i.e., pulsatile waveform), baroreceptor and cardiopulmonary feedback control of heart and arterial parameters, and a large number of compartments, particularly in the Gz direction, allowing for an improved representation of hydrostatic gradients in this direction and overall body hemodynamics. 2) An eye model that simulates volume/pressure alterations in the eye during gravitational changes. We will combine both approaches leveraging the advantages of each one of them into a unique more powerful and versatile model to study SANS, the cranial venous system, and other fluid shifts mechanisms and the effects of potential countermeasures. The model will be validated with the experimental data generated during the experiments. Results from this investigation will inform current and future countermeasure development and in-flight prescriptions.
Rationale for HRP Directed Research:	
Research Impact/Earth Benefits:	This project investigates the influence of gravity (or more generally fluid shifts) on cardiovascular and ocular responses using a variety of interventions, including tilt paradigms, Lower Body Negative Pressure (LBNP), and centrifugation. Results will provide critical information for current and future cardiovascular and ocular related countermeasures and in-flight prescriptions. In addition, this research effort has direct application to cardiovascular and ocular pathologies on Earth, for example, orthostatic hypotension and conditions related to cardiovascular regulation.
	The objective of this ground-based research effort is to generate acute gravitational dose-response curves of cardiovascular and ocular variables when exposed to different types of orthostatic stress. We propose to use both experimental and computational approaches to leverage the advantages of each one of these research methodologies. Our study includes three different ground experiments where the same male and female subjects are exposed to different levels of tilt (from 45° HUT to 45° HDT, experiment 1), different levels of lower body negative pressure or LBNP (from 0 mmHg to -50 mmHg, in both supine and -15° HDT, experiment 2), and centrifugation (from 0g to 2g, measured at the center of mass, experiment 3). In all experiments we are collecting objective measures related to human performance and cardiovascular regulation, including continuous CV variables (Finapres NOVA), non-invasive cardiac output (Innocor, Innovision), ECG and autonomic responses (Finapres NOVA), intraocular pressure (IOP) (I-care tonometer), brachial blood pressure for calibration (Omron), metabolic data (Innocor), blood volume (Blood Tec), Internal Jugular Vein (IJV) pressure (Vein Press), and cross-sectional areas and flows of the IJV (left and right side) and the Common Carotid Arteries (CCA, left and right side) (Ultra sound VScan Extend and Butterfly iQ+). We also derive other metrics such as Ocular Perfusion Pressure. When possible, measurements are continuously monitored during the pre- (baseline), during-, and post-experimental testing (e.g., Finapres); otherwise, measurements are collected after an appropriate time of exposure to the intervention to ensure steady state (typically 5 min). During baseline, all data are also collected in upright seated position. In 2023 we received an additional augmentation grant in order to extend our study from male subjects to also include female subjects (tilt and LBNP) and capture sex-differences in the gravitational dose-response curves. Our study also includes the development of cardiovascular modeling tools capable of predicting the expected

Task Progress:	dose-response to the different gravitational environments. EXPERIMENTAL WORK To date, we have successfully completed the first two experiments (i.e., tilt and LBNP) for both male and female subjects. Several peer-reviewed articles, as well as many conference papers and abstracts, have been published during the duration of the project. Specifically, during this past year, we have published one journal paper with our LBNP integrative results (experiment 2) (Whittle et al., 2025). Additionally, another journal article related to sex differences in CV responses to a tilt paradigm (experiment 1) is in review. We also continue to work on the Aerospace Engineering centrifuge and expect to have it ready soon, so we can conduct our third experiment. In addition, in 2024 we received an augmentation grant to investigate cardiovascular and ocular adaptation during 60 minutes of exposure to simulated microgravity (6° HDT). Testing and preliminary data analysis have been completed and two journal articles capturing this work are currently in preparation. MODELING WORK We are also investigating gravitational dose responses using modeling approaches. We are developing a comprehensive numerical framework capable of predicting the expected acute cardiovascular responses and ocular changes when exposed to different types of orthostatic stress. To date, we have conducted several modeling efforts within the context of this project: Eye model: We modified an existing numerical model of the eye (Nelson et al., 2017b) to model IOP during a full range of tilt positions (360°, which covers both prone and supine positions). Experimental data collected in 13 subjects supported the hypothesis that IOP is statistically significantly higher in the prone position than in the supine position due to the extra hydrostatic column between the eye globe and the coronal plane, and this is true at most of the tilt angles investigated. Our modified version of the model successfully reproduced these results (Petersen et al., 2022). Full body model: We have extended our full body model to include a detailed simulation of the head, incorporating multiple cranial venous drainage pathways. We have also improved the simulation of the decrease in intravascular volume as a result of transcapillary flow to the dependent vasculature during head-down tilt, as well as the effects of body weight. Validation of these changes has been completed with data from experiments 1 and 2, and the model has also been used to simulate additional scenarios, such as centrifugation and changes in gravity. Results are being prepared for a publication in a peer-reviewed journal and will be shared with the research community. Sensitivity analysis full body model: Additionally, we have conducted a comprehensive sensitivity analysis in a “full body” numerical model (Diaz-Artiles et al., 2019b) to investigate individual differences in cardiovascular responses to orthostatic stress (Whittle & Diaz-Artiles, 2021b). Conditions simulated include constant gravity conditions (from 0g to 1g, in increments of 0.25g), and gravitation stress generated by a short-radius centrifuge, which induces a strong gravity gradient in the head-to-toe direction (from 0g to 1g, in increments of 0.25g, measured at the center of mass). Results from the constant gravity conditions show that model parameters related to the length, resistance, and compliance of the large veins and parameters related to right ventricular function have the most influence on model outcomes. For most outcome measures considered, parameters related to the heart are dominant. Results highlight which model parameters to accurately value in simulations of individual subjects’ CV response to gravitational stress, improving the accuracy of predictions. Influential parameters remain largely similar across gravity levels, highlighting that accurate model fitting in 1g can increase the accuracy of predictive responses in reduced gravity (Whittle & Diaz-Artiles, 2021b). In addition, this year we have focused on a similar analysis that includes both hypergravity conditions (“constant gravity” from 1g to 2g), as well as centrifugation (in which there are gravity gradients). Final data analysis is underway, and one publication is in preparation.

Bibliography Type:	Description: (Last Updated: 07/10/2026)
Abstracts for Journals and Proceedings	Zaman Y, Fois M, Scarsoglio S, Ridolfi L, Diaz-Artiles A. "The autonomic response to 60-minute head-down tilt exposure." 28th European Low Gravity Research Association (ELGRA) 2024 Symposium, September 3-6, 2024, Liverpool, UK. Abstracts. 28th European Low Gravity Research Association (ELGRA) 2024 Symposium, September 3-6, 2024, Liverpool, UK. , Sep-2024
Abstracts for Journals and Proceedings	Zaman Y, Robin A, Monsó A, Fois M, Scarsoglio S, Ridolfi L, Diaz-Artiles A. "Characterizing physiological adaptation to fluid redistribution caused by 60-minute head down tilt." 2025 NASA Human Research Program Investigators’ Workshop, Galveston, Texas, January 28-31, 2025. Abstracts. 2025 NASA Human Research Program Investigators’ Workshop, Galveston, Texas, January 28-31, 2025. , Jan-2025
Articles in Peer-reviewed Journals	Whittle RS, Keller N, Hall EA, Patanam S, Dunbar BJ, Diaz-Artiles A. "Integrative cardiovascular dose-response to graded lower-body negative pressure." Exp Physiol. 2025 May 14. https://doi.org/10.1101/2024.11.16.623934 ; PubMed PMID: 40369900 , May-2025
Dissertations and Theses	Zaman SY. "Cardiovascular and ocular changes observed during 60-minute exposure to simulated microgravity." MS Thesis, Texas A&M University, October 2024. , Oct-2024
Significant Media Coverage	Lydia Hill ’21. (Illustrations by Joe McKendry). "How can we safely explore space? Meet Texas A&M University faculty studying what happens to the human body as we venture farther into the final frontier." Spirit. The Texas A&M Foundation Magazine. https://spirit.txamfoundation.com/winter-2024/how-can-we-safely-explore-space.aspx , Dec-2024