Fiscal Year:	FY 2026	**Task Last Updated:**	FY 10/20/2025
PI Name:	Lee, Stuart M.C. Ph.D.		
Project Title:	Effect of Sex on Orthostatic Intolerance and Cardiovascular Responses during Lunar Descent and Ascent		
Division Name:	Human Research		
Program/Discipline:			
Program/Discipline--Element/Subdiscipline:			
Joint Agency Name:		**TechPort:**	No
Human Research Program Elements:	(1) **HHC**:Human Health Countermeasures		
Human Research Program Risks:	(1) **Cardiovascular**:Risk of Cardiovascular Adaptations Contributing to Adverse Mission Performance and Health Outcomes		
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	stuart.lee-1@nasa.gov	**Fax:**	FY
PI Organization Type:	NASA CENTER	**Phone:**	281-483-3726
Organization Name:	KBR/NASA Johnson Space Center		
PI Address 1:	2400 NASA Parkway		
PI Address 2:			
PI Web Page:			
City:	Houston	**State:**	TX
Zip Code:	77058-2749	**Congressional District:**	36
Comments:			
Project Type:	Ground	**Solicitation / Funding Source:**	Directed Research
Start Date:	12/17/2021	**End Date:**	04/30/2025
No. of Post Docs:	0	**No. of PhD Degrees:**	0
No. of PhD Candidates:	0	**No. of Master' Degrees:**	0
No. of Master's Candidates:	0	**No. of Bachelor's Degrees:**	0
No. of Bachelor's Candidates:	0	**Monitoring Center:**	NASA JSC
Contact Monitor:	Brocato, Becky	**Contact Phone:**	
Contact Email:	becky.brocato@nasa.gov		
Flight Program:			
Flight Assignment:	NOTE: End date changed to 04/30/2025 per C. Ribeiro/JSC (Ed., 3/3/25). NOTE: End date changed to 12/15/2024 per C. Ribeiro/JSC (Ed., 3/21/23).		
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Lytle, Jason Ph.D. (KBR/NASA Johnson Space Center) Laurie, Steven Ph.D. (KBR/NASA Johnson Space Center) Macias, Brandon Ph.D. (NASA Johnson Space Center) Young, Millennia Ph.D. (NASA Johnson Space Center)		
Grant/Contract No.:	Directed Research		
Performance Goal No.:			
Performance Goal Text:			

Task Description:	Cabin design configurations for the Human Landing System (HLS) have not yet been finalized and may include standing with head-to-foot accelerations during the lunar descent and ascent. None of the Apollo astronauts reported symptoms of orthostatic intolerance while standing in the Lunar Module during sustained gravity levels (G-levels) ranging from 0.4- to 0.6 G over ~9 minutes during lunar descent and ascent, but almost all experienced elevated heart rates, likely resulting from the combination of some amount of cardiovascular deconditioning known to occur with weightlessness, the head-to-foot acceleration, and the psychological stressors during these phases of flight. The G-levels to which the Artemis astronauts will be exposed have not been defined, but it is likely that the G-levels will be greater and/or the exposures will be longer (up to 20 minutes) than those on Apollo missions, and thus may represent a greater challenge to the spaceflight-adapted cardiovascular system. All the Apollo astronauts were male, but the proportion of women in the astronaut corps has increased and the first Artemis mission to the surface of the moon will include at least one woman. Because women are more susceptible to post-spaceflight orthostatic intolerance when re-exposed to Earth's gravity, there is a need for orthostatic intolerance data in both sexes across varying gravity levels to inform NASA standards to safely protect all astronauts during lunar descent and ascent. Further, there are limited data, particularly with regard to women, as to the efficacy of the lower body compression garments to protect against orthostatic intolerance at the magnitude and duration of head-to-foot acceleration that Artemis astronauts might experience. We will address these knowledge gaps using diuretic-induced hypovolemia as an analog of short-duration spaceflight adaptation in a two-phased approach. First, we will determine whether there are differences between sexes in orthostatic tolerance during 20 minutes of exposure to a range of gravity levels (0.50, 0.75, and 1.00 G) that Artemis astronauts might experience during descent to and ascent from the lunar surface. Due to limited data in the acceleration range from 0.50 to 1.00 G, data from this phase (Study Phase I) will provide evidence to inform NASA standards on the magnitude and duration of sustained accelerations that can be tolerated by all astronauts. Second, we will determine whether lower body compression garments will extend tolerance times and reduce the stress on the cardiovascular system in women and men exposed to the same range of gravity levels and duration of sustained acceleration as used in Study Phase I. These data will further inform NASA standards by increasing the operational range of lunar ascent and descent acceleration limits when the Orion Orthostatic Intolerance Garment (OIG) is used. Thus, this study will determine whether female astronauts will experience a greater risk for developing orthostatic intolerance than male astronauts during descent to or ascent from the lunar surface across a range of gravitational levels and whether the planned compression garment countermeasure can effectively mitigate this risk in all astronauts during Artemis missions. Specific Aims 1) To determine whether there are differences between hypovolemic men and women in orthostatic tolerance (assessed by tilt time) and cardiovascular responses during 20 minutes of exposure to a range of gravity levels (0.50, 0.75, and 1.00 G) simulated by different angles of head-up tilt that Artemis astronauts might experience during descent to and ascent from the lunar surface (Study Phase I). 2) To determine whether the Orion Orthostatic Intolerance Garment (OIG) will protect men and women against orthostatic intolerance (assessed by tilt time) and reduce the cardiovascular responses caused by exposure to the range gravity levels (0.50, 0.75, and 1.00 G) simulated by different angles of head-up tilt that Artemis astronauts might experience during descent to and ascent from the lunar surface (Study Phase II).
Rationale for HRP Directed Research:	This research is directed because it contains highly constrained research. This work is recommended to be performed as a directed study to inform Human Landing System (HLS) requirements in a time efficient manner to meet the schedule for the assessment of proposals provided by the HLS commercial partners. Results from this study will inform the sustained acceleration limits for HLS, including the requirements related to the use of the standing posture during descent to and ascent from the lunar surface and the use of lower body compression garments, e.g., the Orion Orthostatic Intolerance Garment (OIG), to protect crew during exposure to head-to-foot accelerations after exposure to weightlessness.
Research Impact/Earth Benefits:	Results from this study will inform the sustained acceleration limits for HLS, including the requirements related to the use of the standing posture during descent to and ascent from the lunar surface and the use of lower body compression garments, the Orion OIG, to protect against crew during exposure to head-to-foot accelerations after exposure to weightlessness. The lower body compression garment tested in this project also may have clinical applications for patients who recovering from prolonged bed rest and hospitalization and for those with chronic orthostatic intolerance.
Task Progress:	The study has been completed and the results have been provided to NASA's Human Landing System Health and Medical Technical Authority for use in the revision of the sustained acceleration limits for the Artemis Program. These data will be used to inform the acceleration limits in the standing posture during short-duration missions to the lunar surface. Results of the study will be submitted for consideration for publishing in a peer-reviewed scientific journal. Using pharmacologically-induced hypovolemia as a model of short-duration spaceflight, we assessed orthostatic tolerance and cardiovascular responses in 34 healthy individuals (16 females) during 20 minutes of 30°, 50°, and 80° head-up tilt, simulating sustained 0.50-, 0.75-G, 1.00-Gz, respectively. On a separate day, using the same model, we evaluated the efficacy of a lower body compression garment countermeasure, the orthostatic intolerance garment (OIG) planned for use by Artemis astronauts. When not wearing the OIG, females had a higher likelihood of orthostatic intolerance during head-up tilt simulating 1.00- and 0.75-G, but there was no effect of sex during head-up tilt simulating 0.50-G. Tolerance time during head-up tilt when wearing the OIG was not different between females and males and was significantly increased compared to head-up tilt without the OIG. When wearing the OIG, all participants tolerated 20 minutes of head-up tilt at 30° and 50°, and only one was unable to tolerate 20 minutes at 80°.
Bibliography Type:	Description: (Last Updated: 11/18/2025)

Abstracts for Journals and Proceedings	Lytle JR, Lee SMC, Miller AE, Melvin SA, Pickering SK, O'Grady CS, Poczatek MJ, Perez SA, Laurie SS, Young M, Pattarini JM, Macias BR. "Characterizing the risk of orthostatic intolerance and countermeasure prescription for exploration missions." Aerospace Medicine Association (AsMA) 95th Annual Scientific Meeting, Atlanta, GA, June 1-6, 2025. Abstracts. Aerospace Medicine Association (AsMA) 95th Annual Scientific Meeting, Atlanta, GA, June 1-6, 2025. , Jun-2025
Abstracts for Journals and Proceedings	Lytle JR, Lee SMC, Pickering SK, Ferguson C, Melvin SA, Miller AE, O'Grady CS, Poczatek MJ, Perez SA, Laurie SS, Young M, Macias BR. "Effect of sex on orthostatic intolerance and cardiovascular responses during lunar descent and ascent." 2025 NASA Human Research Program Investigators' Workshop, Galveston, Texas, January 28-31, 2025. Abstracts. 2025 NASA Human Research Program Investigators' Workshop, Galveston, Texas, January 28-31, 2025. , Jan-2025