

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 - ANALYTICAL PROBLEM SOLVING

Course Code:	CSA0309	Course Title:	Data Structures
CO Assessed:	CO2 - Manipulation (BL3, BL4)	Assessment:	Assessment Tool 1 - Analytical Problem Solving
Weightage:	30% of CIA	Total Marks:	100
CO2 Statement:	Implement linear data structures such as stacks, queues, and linked lists, and analyze the efficiency of linear and binary search techniques.		
Student Name:	Karish Kumar V	Reg. No.:	192S24361
Section / Batch:	D	Date:	17/07/2026

Code of Conduct

I, Karish Kumar V (192S24361) (Name / Reg No)

certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: Karish Kumar V

Instructions


- This test contains 80 Analytical problem-solving questions. Total: 100 Marks.
- When a student answer using an Analytical problem-solving, in evaluation the answer should be with following five requirements: Understanding of problem, select appropriate data structure, Design the solution, analyze, Clarity of representation.
- Each student should write 2 questions. No negative marking. Unanswered questions carry zero marks.
- No DTP printouts or electronic devices permitted. They should provide written materials.

Section / Topic	Focus	Q Nos	Marks
Linked Data Structure, Search Data Structure	List Operations, Binary Search	1	50
Stack Data Structure, Queue Data Structures	Stack Notations, Priority Queue	2	50
GRAND TOTAL:			100 Marks

38	192511310	VAIBHAVA LAKSHMI K	- Two algorithms solve the same problem. Algorithm A uses recursion, while Algorithm B uses an explicit stack. Compare both approaches in terms of memory usage, execution flow, and risk of stack overflow. - A stack has a capacity of 5 elements. Explain what happens if the following operations are executed: Push(A), Push(B), Push(C), Push(D), Push(E), Push(F). Identify the error and suggest two possible solutions.
39	192524458	VASANTHAN S	- Compare the performance of a linear queue and a circular queue when 100 enqueue and dequeue operations are performed alternately. - A queue implemented using an array report "Queue Full" even though some positions are empty. - Analyze why this occurs. - Explain how a circular queue solves this problem.
40	192524083	YARRAPPAREDDY ARI SAI GOPAL REDDY	- Consider the singly linked list: $10 \rightarrow 20 \rightarrow 30 \rightarrow 40 \rightarrow 50$. Delete the node containing 30. Explain how the links change after deletion. - Given two sorted linked lists: L1: $1 \rightarrow 3 \rightarrow 5 \rightarrow 7$ L2: $2 \rightarrow 4 \rightarrow 6 \rightarrow 8$

Rubrics for Calculation

Criteria	Weightage	Level 4 - Exemplary	Level 3 - Proficient	Level 2 - Developing	Level 1 - Beginning
Problem Understanding	20	Demonstrates complete and precise understanding; identifies all constraints and edge cases	Shows clear understanding with minor gaps	Partial understanding; misses some constraints	Misinterprets problem or lacks clarity
Data Structure Selection	20	Selects optimal data structure with strong justification and comparison	Selects appropriate structure with reasonable justification	Selects somewhat suitable structure with weak reasoning	Incorrect or no data structure selection
Algorithm Design	20	Designs efficient, logically sound, and well-structured algorithm	Algorithm is correct with minor inefficiencies	Algorithm is partially correct or lacks clarity	Algorithm is incorrect or missing
Accuracy of Solution	30	Error-free, well-structured, optimized code/solution	Minor errors but overall functional	Multiple errors; partially working	Non-functional or missing solution
Clarity	10	Exceptionally clear, well-organized, uses diagrams effectively	Clear and organized with minor issues	Somewhat organized but lacks clarity	Poorly organized and unclear

Faculty In-charge	Course Coordinator	Program Director
Signature: 	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

From

Kaushik Kumar V

192524361

CSA 0309

Data Structures

CO2 ATT

1. Evaluate the following postfix expression using a stack. Show the stack contents after every operation
 $23*54*+9-$

=> Postfix expression: $23*54*+9-$

Rule:

* If the symbol is an operand $\rightarrow$ Push it.

* If the symbol is an operator $\rightarrow$ Pop two operands, perform the operation, and push the result.

Step	Symbol	Operation	Stack
1	2	Push 2	[2]
2	3	Push 3	[2, 3]
3	*	$2 \times 3 = 6$	[6]
4	5	Push 5	[6, 5]
5	4	Push 4	[6, 5, 4]
6	*	$5 \times 4 = 20$	[6, 20]
7	+	$6 + 20 = 26$	[26]
8	9	Push 9	[26, 9]
9	-	$26 - 9 = 17$	[17]

Answer: 17

2. Design an algorithm to evaluate any postfix expression using a stack. Explain why stacks are more suitable than queues for postfix evaluation.

⇒ Algorithm

- (i) Start with an empty stack
- (ii) Scan the postfix expression from left to right.
- (iii) If the symbol is an operand, push it onto the stack
- (iv) If the symbol is an operator, pop the top two elements.
- (v) Apply the operator as: second popped operand operator first popped operand.
- (vi) Push the result back onto the stack.
- (vii) Continue until all symbols are processed.
- (viii) The final element in the stack is the result.
- (ix) Stop

Pseudocode:

EvaluatePostfix(expression)

 Create an empty stack

 For each symbol in expression:

 If symbol is an operand:

 Push symbol into stack

 Else if symbol is an operator:

$a = \text{pop}()$

$b = \text{pop}()$

 Result $\leftarrow b \text{ operator } a$

 Push result into stack

Result Pop()