

CSA0503-DATABASE MANAGEMENT SYSTEMS

EXPERIMENT 2 - DDL Commands with Constraints – PRIMARY, FOREIGN KEY, UNIQUE, CHECK

1) Alter the table STUDENT2 with following structure.

```
mysql> DESC Student2
-> ;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(20)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	varchar(10)	YES		NULL	
City	varchar(20)	YES		NULL	

2) Alter the table name FACULTY with following structure.

```
mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
FacNo	varchar(4)	NO	PRI	NULL	
FacName	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	varchar(10)	YES		NULL	
Dept	varchar(10)	YES		NULL	

3) Create a table name DEPARTMENT with following structure.

```
mysql> desc department;
```

Field	Type	Null	Key	Default	Extra
DeptNo	varchar(4)	NO	PRI	NULL	
DeptName	varchar(15)	YES		NULL	
DeptHead	varchar(4)	YES		NULL	

4) Create a table name COURSE with following structure.

```
mysql> desc course;
```

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	NO	PRI	NULL	
CourseDesc	varchar(14)	YES		NULL	
CourseType	char(1)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	varchar(4)	YES		NULL	

6 rows in set (0.00 sec)

5) Alter the table name STUDENT2 with following structure.

```
mysql> desc student2;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(20)	YES	UNI	NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	varchar(10)	YES		NULL	
City	varchar(20)	YES		NULL	

6) After the STUDENT2 & STUDENT3 tables are successfully created, test if you can add a constraint FOREIGN KEY to the RegNo of this table.

```
mysql> desc student3;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	varchar(10)	YES		NULL	
City	varchar(15)	YES		NULL	

RESULT:

DDL Commands with Primary, Foreign, Unique, Check constraints are updated and verified.