

CSA0503-DATABASE MANAGEMENT SYSTEMS

EXPERIMENT 5 - SELECT with various clause – WHERE, pattern matching

1) The student counselor wanted to display the registration number, student name and date of birth for all the students.

```
mysql> select * from student;
+-----+-----+-----+-----+-----+-----+
| Reg_No | Name  | Gender | DOB      | Mobile_No | City   |
+-----+-----+-----+-----+-----+-----+
| 101    | Arun  | M      | 2005-02-15 | 9876500001 | Chennai |
| 102    | Divya | F      | 2004-11-22 | 9876500002 | Vellore |
| 103    | Karthik | M    | 2005-08-10 | 9876500003 | Ranipet |
| 191711342 | Kanish | M    | 2005-01-01 | 9876500004 | Vellore |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

2) The controller of examinations wanted to list all the female students

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Gender = 'F';
+-----+-----+-----+-----+-----+-----+
| Reg_No | Name  | Gender | DOB      | Mobile_No | City   |
+-----+-----+-----+-----+-----+-----+
| 102    | Divya | F      | 2004-11-22 | 9876500002 | Vellore |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

3) List the Students who registered for the “C001” course.

```
mysql> SELECT *
-> FROM STUDENT5
-> WHERE CourseNo = 'C001';
+-----+-----+-----+
| Reg_No | Name  | CourseNo |
+-----+-----+-----+
| 101    | Arun  | C001     |
| 103    | Karthik | C001     |
| 105    | Priya  | C001     |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

4) Display all faculty details joined before “November 2014”

```
mysql> SELECT *
-> FROM FACULTY
-> WHERE DOJ < '2014-11-01';
```

FacNo	FacName	Gender	DOB	DOJ	MobileNo	Dept	Age
F001	Ravi	M	1985-04-12	2010-06-15	9876543210	CSE	41
F003	Kumar	M	1983-11-05	2008-08-25	9988776655	ECE	42
F004	Mohan	M	1967-05-10	1995-06-15	9876543211	CSE	59

3 rows in set (0.01 sec)

5) Display all the courses not allotted to hall ‘H001’

```
mysql> SELECT *
-> FROM COURSE
-> WHERE HallNo <> 'H001';
```

CourseNo	CourseDesc	CourseType	SemNo	HallNo	FacNo
C01	DBMS	T	3	H101	F001
C02	Python	L	2	H102	F002
C03	Networks	T	4	H103	F003

3 rows in set (0.01 sec)

6) List the students whose name ends with the substring “sh”

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Name LIKE '%sh';
```

Reg_No	Name	Gender	DOB	Mobile_No	City
191711342	Kanish	M	2005-01-01	9876500004	Vellore

1 row in set (0.00 sec)

7) Display all students whose name contains the substring “sh”

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Name LIKE '%sh%';
```

Reg_No	Name	Gender	DOB	Mobile_No	City
191711342	Kanish	M	2005-01-01	9876500004	Vellore

1 row in set (0.00 sec)

8) Find all the students who are located in cities having “Sal” as substring

```
mysql> SELECT *
-> FROM STUDENT6
-> WHERE City LIKE '%Sal%';
```

Reg_No	Name	Gender	DOB	Mobile_No	City
101	Arun	M	2005-02-15	9876500001	Salem
103	Karthik	M	2005-08-10	9876500003	Salgam
105	Rahul	M	2004-06-18	9876500005	Salzburg

3 rows in set (0.00 sec)

9) Display the students whose names do not contain six letters.

```
mysql> SELECT *
-> FROM STUDENT6
-> WHERE CHAR_LENGTH(Name) <> 6;
```

Reg_No	Name	Gender	DOB	Mobile_No	City
101	Arun	M	2005-02-15	9876500001	Salem
102	Divya	F	2004-11-22	9876500002	Vellore
103	Karthik	M	2005-08-10	9876500003	Salgam
104	Priya	F	2005-01-20	9876500004	Chennai
105	Rahul	M	2004-06-18	9876500005	Salzburg

5 rows in set (0.01 sec)

10) Find all the students whose names contains “am”.

```
mysql> SELECT *
-> FROM STUDENT6
-> WHERE Name LIKE '%am%';
```

Reg_No	Name	Gender	DOB	Mobile_No	City
106	Ram	M	2005-03-12	9876500006	Vellore

1 row in set (0.00 sec)

RESULT:

The records from the tables are displayed using SELECT commands with WHERE Clause and Pattern matching.