

CSA0503-DATABASE MANAGEMENT SYSTEMS

EXPERIMENT 21 - MYSQL STRING FUNCTIONS- REPLACE, REPEAT, REVERSE, RIGHT, LEFT, RPAD, LPAD

1)

```
mysql> -- 1. SPACE()
mysql> SELECT CONCAT('Hello', SPACE(5), 'World') AS Space_Result;
+-----+
| Space_Result |
+-----+
| Hello      World |
+-----+
1 row in set (0.03 sec)
```

```
mysql>
mysql>
mysql> -- 2. SUBSTRING()
mysql> SELECT SUBSTRING('DATABASE', 1, 4) AS Substring_Result;
+-----+
| Substring_Result |
+-----+
| DATA            |
+-----+
1 row in set (0.00 sec)
```

```
mysql> -- 4. UPPER()
mysql> SELECT UPPER('mysql database') AS Upper_Result;
+-----+
| Upper_Result |
+-----+
| MYSQL DATABASE |
+-----+
1 row in set (0.00 sec)
```

```
mysql>
mysql>
mysql> -- 5. LOWER()
mysql> SELECT LOWER('MYSQL DATABASE') AS Lower_Result;
+-----+
| Lower_Result |
+-----+
| mysql database |
+-----+
1 row in set (0.00 sec)
```



```

mysql> -- 12. CHAR_LENGTH()
mysql> SELECT CHAR_LENGTH('MySQL') AS Char_Length_Result;
+-----+
| Char_Length_Result |
+-----+
| 5 |
+-----+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- 13. CONCAT()
mysql> SELECT CONCAT('Hello', ' ', 'MySQL') AS Concat_Result;
+-----+
| Concat_Result |
+-----+
| Hello MySQL |
+-----+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- 14. INSTR()
mysql> SELECT INSTR('Hello MySQL', 'MySQL') AS Instr_Result;
+-----+
| Instr_Result |
+-----+
| 7 |
+-----+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- 15. LOCATE()
mysql> SELECT LOCATE('SQL', 'MySQL Database') AS Locate_Result;
+-----+
| Locate_Result |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)

```

```

mysql> -- 16. LOCATE() with starting position
mysql> SELECT LOCATE('a', 'Database', 3) AS Locate_Position_Result;
+-----+
| Locate_Position_Result |
+-----+
| 4 |
+-----+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- 17. MID()
mysql> SELECT MID('COMPUTER', 5, 4) AS Mid_Result;
+-----+
| Mid_Result |
+-----+
| UTER |
+-----+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- 18. POSITION()
mysql> SELECT POSITION('SQL' IN 'MySQL') AS Position_Result;
+-----+
| Position_Result |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)

```

RESULT:

Thus the String Functions such as space, substr, upper, lower, trim, length are executed successfully.