Status	Finished
Started	Tuesday, 20 October 2026, 12:34 PM
Completed	Tuesday, 20 October 2026, 12:48 PM
Duration	14 mins 5 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Hash search

b. Binary search

c. Linear search ✓

d. Both (1) & (3)

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. There must be a mechanism to delete and/or insert elements in the list ✓

b. There should be direct access to the middle element in any sublist

c. The list must be sorted

d. Number values should only be present

Number values should only be present

Question **3**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list
b. At the beginning of the list
c. In the right sublist ✓
d. In the left sublist

Question **4**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Determining whether an element is present in a list ✓
b. Deleting elements from a list
c. Inserting elements into a list
d. Sorting elements in a list

Question **5**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Both (1) & (3)
b. Hash
c. Binary ✓
d. Linear

Question **6**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Complexity

b. Selection

c. Insertion

d. Bubble ✓

Question **7**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the right sublist

b. In the left sublist ✓

c. At the beginning of the list

d. In the entire list

Question **8**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. log n

b. n/2

c. n ✓

d. 1

Question **9**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Divide the list into two equal parts
b. Compare the target element with the middle element in the list ✓
c. Sort the list
d. Compare the target element with the first element in the list

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

a. Binary search algorithm is not efficient when the data elements more than 1500 ✓
b. Must use a sorted array
c. Requirement of sorted array is expensive when a lot of insertion and deletions are needed
d. There must be a mechanism to access middle element directly

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Linear search ✓
b. Binary search
c. Dynamic search
d. Hashing

Question **12**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

a. O(log n)
b. O👎 ✓
c. O(n log n)
d. O(1)

Question **13**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By dividing the list length by two ✓
- b. By comparing each element sequentially
- c. By using a hash function
- d. By starting from the first element

Question **14**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 100
- b. 89 and 94
- c. 90 and 99 ✓
- d. 94 and 99

Question **15**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

- a. 90 and 99 ✓
- b. 89 and 94
- c. 90 and 94
- d. 89 and 99