Status	Finished
Started	Tuesday, 20 October 2026, 12:07 PM
Completed	Tuesday, 20 October 2026, 12:15 PM
Duration	7 mins 27 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+
b. wb ✓
c. rb
d. w

The correct answer is: wb

Question **2**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file
b. move the file pointer five characters ahead from the current position ✓
c. move the file pointer five characters behind from the current position
d. moves the file pointer to the end of a file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **3**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind from the current position.

b. • Move file pointer five characters behind ahead from the end of a file.

c. Move file pointer five characters ahead from the beginning

d. • Move file pointer five characters ahead from the current position. ✓

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **4**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Append

b. Binary

c. Write

d. Read ✓

The correct answer is: Read

Question **5**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Opens a file in binary mode
- b. Appends to an existing file
- c. Opens an existing file in read mode
- d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The access mode of the file
- b. The buffer size for the file operations ✓
- c. The file's read/write position
- d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. read(size) ✓
b. readchar()
c. readlines()
d. readline()

The correct answer is: read(size)

Question **9**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To write data to a file
b. To delete a file
c. To read data from a file
d. To automatically close the file after its suite finishes ✓

The correct answer is: To automatically close the file after its suite finishes

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. w
b. r
c. a
d. r+ ✓

The correct answer is: r+

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. read()
b. readline() ✓
c. readline(size)
d. readlines()

The correct answer is: readline()

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. Text file
c. none of the given choices
d. Binary file

The correct answer is: Both text and binary file

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. insert()
c. read()
d. write() ✓

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method
b. Using a for loop ✓
c. Using the readline() method
d. Using the readlines() method

The correct answer is: Using a for loop

Question **15**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open("c:\\scores.txt", "w") ✓
b. outfile = open(file = "c:\\scores.txt", "w")
c. outfile = open(file = "c:\scores.txt", "w")
d. outfile = open("c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")