Status	Finished
Started	Monday, 19 October 2026, 2:40 PM
Completed	Monday, 19 October 2026, 2:47 PM
Duration	7 mins 4 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. [1,2,3,4]

b. (1,4,5,6,7) ✓

c. ("Wonder")

d. {1,3,8,9,41}

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (30, 40, 50)(40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. TypeError: update() doesn't allow list as a argument.

c. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 2

b. 117 ✓

c. 100

d. Error

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. iii,iv

b. i,iii ✓

c. ii,iv

d. i,ii

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. All of the above

c. i,ii ✓

d. iii

Question **7**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. None of these

b. A tuple is unordered

c. A tuple maintains the order of items ✓

d. We can change the tuple once created

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. () ✓

b. Computer

c. Error

d. (Computer)

Question **9**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (16,17,18)

c. (25,19,18,17)

d. (16,17,18,19) ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
print type(a)
```

a. <class 'int'>

b. <class 'str'> ✓

c. str

d. <class 'tuple'>

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl1=tupl+tupl ✓

c. tupl.sort()

d. tupl[1]=2

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 1

b. 5

c. Error ✓

d. 2

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. False
True

c. True ✓
True

d. True
False

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,3,2,1)

b. Error

c. (1,2,3)(4,5,6)

d. (1,2,3,4,5,6) ✓

Question **15**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set2 will get appended to set1

b. A new set will be created with the elements of both set1 and set2

c. Elements of set1 will get appended to set2

d. A new set will be created with the unique elements of set1 and set2. ✕