NAME:- KANISHKA VARSHEY
SECTION:-FB
ROLL NO:-28
UNI ROLL NO:-12515000746

DSA ASSIGNMENT-2

1



3

2

2



```java
import java.util.*;
public class Main {

    static void printNumbers(int n) {
        if (n == 0) {
            return;
        }

        System.out.print(n + " ");
        printNumbers(n - 1);
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter N:");
        int n = sc.nextInt();

        printNumbers(n);
    }
}
```

```
Enter N:
5
5 4 3 2 1

...Program finished with exit code 0
Press ENTER to exit console.
```

4



```java
import java.util.*;
public class Main {

    static void printOdd(int n) {
        if (n == 0) {
            return;
        }

        printOdd(n - 1);

        if (n % 2 != 0) {
            System.out.print(n + " ");
        }
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);


        System.out.println("Enter N:");
        int n = sc.nextInt();

        printOdd(n);
    }
}
```

```
Enter N:
10
1 3 5 7 9

...Program finished with exit code 0
Press ENTER to exit console.
```

5



```java
import java.util.*;
public class Main {

    static int sum(int n) {
        if (n == 0) {
            return 0;
        }

        return n + sum(n - 1);
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter N:");
        int n = sc.nextInt();

        System.out.println("Sum = " + sum(n));
    }
}
```


```
Enter N:
5
Sum = 15

...Program finished with exit code 0
```

6


Online Java Compiler - online c
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
BugHerd
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int factorial(int n) {
if (n == 0 || n == 1) {
return 1;
}
return n * factorial(n - 1);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a number:");
int n = sc.nextInt();
System.out.println("Factorial = " + factorial(n));
}
}
close ad [x]
It's tough looking for customers, let them find you instead.
Google Ads
input
Enter a number:
5
Factorial = 120
...Program finished with exit code 0
Press ENTER to exit console.


7


Online Java Compiler - online c
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
BugHerd
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static void reverse(String str, int index) {
if (index < 0) {
return;
}
System.out.print(str.charAt(index));
reverse(str, index - 1);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a string:");
String str = sc.nextLine();
reverse(str, str.length() - 1);
}
}
close ad [x]
It's tough looking for customers, let them find you instead.
Google Ads
input
Enter a string:
hello
olleh
...Program finished with exit code 0
Press ENTER to exit console.

8


Online Java Compiler - online c
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
BugHerd
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static boolean isPalindrome(String str, int start, int end) {
if (start >= end) {
return true;
}
if (str.charAt(start) != str.charAt(end)) {
return false;
}
return isPalindrome(str, start + 1, end - 1);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a string:");
String str = sc.nextLine();
if (isPalindrome(str, 0, str.length() - 1)) {
System.out.println("Palindrome");
} else {
System.out.println("Not Palindrome");
}
}
}
close ad [x]
It's tough looking for customers, let them find you instead.
Google Ads
input
Enter a string:
madam
Palindrome
...Program finished with exit code 0


9


Online Java Compiler - online
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
BugHerd
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int reverse(int n, int rev) {
if (n == 0) {
return rev;
}
int digit = n % 10;
rev = rev * 10 + digit;
return reverse(n / 10, rev);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a number:");
int n = sc.nextInt();
int result = reverse(n, 0);
System.out.println("Reverse = " + result);
}
}
close ad [x]
It's tough looking for customers, let them find you instead.
Google Ads
input
Enter a number:
1234
Reverse = 4321
...Program finished with exit code 0
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

10


Online Java Compiler - online
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
BugHerd
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int sum(int n) {
if (n == 0) {
return 0;
}
int digit = n % 10;
return digit + sum(n / 10);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a number:");
int n = sc.nextInt();
System.out.println("Sum of digits = " + sum(n));
}
}
close ad [x]
It's tough looking for customers, let them find you instead.
Google Ads
input
Enter a number:
1234
Sum of digits = 10
...Program finished with exit code 0
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

11


GitHub
Online Java Compiler - online
onlinegdb.com/online_java_compiler
Ask Gemini
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Wegic
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int product(int n) {
if (n == 0) {
return 1;
}
int digit = n % 10;
return digit * product(n / 10);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a number:");
int n = sc.nextInt();
System.out.println("Product of digits = " + product(n));
}
}
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe Creative Cloud Pro
Level up your college work with pro apps.
Now Offering for Students
Learn more
input
Enter a number:
1234
Product of digits = 24
...Program finished with exit code 0
Press ENTER to exit console.
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

12



```
import java.util.*;
public class Main {
    static int countDigits(int n) {
        if (n == 0) {
            return 0;
        }
        return 1 + countDigits(n / 10);
    }
    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);


        System.out.println("Enter a number:");
        int n = sc.nextInt();

        if (n == 0) {
            System.out.println("Number of digits = 1");
        } else {
            System.out.println("Number of digits = " + countDigits(Math.abs(n)));
        }
    }
}
```

```
Enter a number:
12345
Number of digits = 5

...Program finished with exit code 0
Press ENTER to exit console.
```

13



```
import java.util.*;
public class Main {
    static int power(int a, int b) {
        if (b == 0) {
            return 1;
        }
        return a * power(a, b - 1);
    }
    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.println("Enter base:");
        int a = sc.nextInt();


        System.out.println("Enter exponent:");
        int b = sc.nextInt();

        System.out.println("Answer = " + power(a, b));
    }
}
```

```
Enter base:
2
Enter exponent:
3
Answer = 8

...Program finished with exit code 0
```

14



```
import java.util.*;
public class Main {
    static int fibonacci(int n) {
        if (n == 0) {
            return 0;
        }
        if (n == 1) {
            return 1;
        }
        return fibonacci(n - 1) + fibonacci(n - 2);
    }
    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);


        System.out.println("Enter number of terms:");
        int n = sc.nextInt();

        for (int i = 0; i < n; i++) {
            System.out.print(fibonacci(i) + " ");
        }
    }
}
```

```
Enter number of terms:
7
0 1 1 2 3 5 8

...Program finished with exit code 0
Press ENTER to exit console.
```


15


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int gcd(int a, int b) {
if (b == 0) {
return a;
}
return gcd(b, a % b);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter first number:");
int a = sc.nextInt();
System.out.println("Enter second number:");
int b = sc.nextInt();
System.out.println("GCD = " + gcd(a, b));
}
}
input
Enter first number:
12
Enter second number:
18
GCD = 6
...Program finished with exit code 0
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe Creative Cloud Pro
Level up your college work with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

16


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int gcd(int a, int b) {
if (b == 0) {
return a;
}
return gcd(b, a % b);
}
static int lcm(int a, int b) {
return (a * b) / gcd(a, b);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter first number:");
int a = sc.nextInt();
System.out.println("Enter second number:");
int b = sc.nextInt();
System.out.println("LCM = " + lcm(a, b));
}
}
input
Enter first number:
12
Enter second number:
18
LCM = 36
...Program finished with exit code 0
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe Creative Cloud Pro
Level up your college work with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online


17


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static void decimalToBinary(int n) {
if (n == 0) {
return;
}
decimalToBinary(n / 2);
System.out.print(n % 2);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a decimal number:");
int n = sc.nextInt();
if (n == 0) {
System.out.print(0);
} else {
decimalToBinary(n);
}
}
}
input
Enter a decimal number:
10
1010
...Program finished with exit code 0
Press ENTER to exit console
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe Creative Cloud Pro
Level up your college work with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online


18


onlinegdb.com/online_java_compiler
OnlineGDB
Welcome, kanishka varshney
Main.java
import java.util.*;
public class Main {
static int binaryToDecimal(int n) {
if (n == 0) {
return 0;
}
return (n % 10) + 2 * binaryToDecimal(n / 10);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a binary number:");
int n = sc.nextInt();
System.out.println("Decimal = " + binaryToDecimal(n));
}
}
input
Enter a binary number:
1010
Decimal = 10
...Program finished with exit code 0
Press ENTER to exit console.


19


onlinegdb.com/online_java_compiler
OnlineGDB
Welcome, kanishka varshney
Main.java
import java.util.*;
public class Main {
static int countChar(String str, char ch, int index) {
if (index == str.length()) {
return 0;
}
if (str.charAt(index) == ch) {
return 1 + countChar(str, ch, index + 1);
}
return countChar(str, ch, index + 1);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a string:");
String str = sc.nextLine();
System.out.println("Enter a character:");
char ch = sc.next().charAt(0);
int result = countChar(str, ch, 0);
System.out.println("Occurrences = " + result);
}
}
input
Enter a string:
banana
Enter a character:
a
Occurrences = 3
...Program finished with exit code 0

20


onlinegdb.com/online_java_compiler
OnlineGDB
Welcome, kanishka varshney
Main.java
import java.util.*;
public class Main {
static String removeChar(String str, char ch, int index) {
if (index == str.length()) {
return "";
}
if (str.charAt(index) == ch) {
return removeChar(str, ch, index + 1);
}
return str.charAt(index) + removeChar(str, ch, index + 1);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter a string:");
String str = sc.nextLine();
System.out.println("Enter character to remove:");
char ch = sc.next().charAt(0);
System.out.println("Result = " + removeChar(str, ch, 0));
}
}
input
Enter a string:
banana
Enter character to remove:
a
Result = bnn
...Program finished with exit code 0

21



```
import java.util.*;
public class Main {
    static String replaceChar(String str, char oldChar, char newChar, int index) {
        if (index == str.length()) {
            return "";
        }
        if (str.charAt(index) == oldChar) {
            return newChar + replaceChar(str, oldChar, newChar, index + 1);
        }
        return str.charAt(index) + replaceChar(str, oldChar, newChar, index + 1);
    }
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter a string: ");
        String str = sc.nextLine();
        System.out.print("Enter character to replace: ");
        char oldChar = sc.next().charAt(0);
        System.out.print("Enter new character: ");
        char newChar = sc.next().charAt(0);
        String result = replaceChar(str, oldChar, newChar, 0);
        System.out.println("Updated String: " + result);
    }
}
```

```
Enter a string: banana
Enter character to replace: a
Enter new character: o
Updated String: bonono

...Program finished with exit code 0
Press ENTER to exit console.
```


22



```
public class Main {
    static boolean isSorted(int arr[], int index) {
        if (index == arr.length - 1) {
            return true;
        }
        if (arr[index] > arr[index + 1]) {
            return false;
        }
        return isSorted(arr, index + 1);
    }
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter array size: ");
        int n = sc.nextInt();
        int arr[] = new int[n];
        System.out.println("Enter array elements:");
        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }
        if (isSorted(arr, 0)) {
            System.out.println("Array is Sorted");
        } else {
            System.out.println("Array is Not Sorted");
        }
    }
```

```
Enter array size: 5
Enter array elements:
2 5 8 3 1
Array is Not Sorted
```

23




```
import java.util.*;
public class Main {
    static int findMax(int arr[], int index) {
        if (index == arr.length - 1) {
            return arr[index];
        }
        int max = findMax(arr, index + 1);
        if (arr[index] > max) {
            return arr[index];
        }
        return max;
    }
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter array size: ");
        int n = sc.nextInt();
        if (n <= 0) {
            System.out.println("Array size must be positive.");
            return;
        }
        int arr[] = new int[n];
        System.out.println("Enter array elements:");
        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }
        int result = findMax(arr, 0);
        System.out.println("Maximum Element: " + result);
    }
}
```

```
Input
Enter array size: 5
Enter array elements:
10 40 30 90 75
Maximum Element: 90

...Program finished with exit code 0
Press ENTER to exit console.
```

24




```
import java.util.*;
public class Main {
    static int findMin(int arr[], int index) {
        if (index == arr.length - 1) {
            return arr[index];
        }
        int min = findMin(arr, index + 1);
        if (arr[index] < min) {
            return arr[index];
        }
        return min;
    }
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter array size: ");
        int n = sc.nextInt();
        if (n <= 0) {
            System.out.println("Array size must be positive.");
            return;
        }
        int arr[] = new int[n];
        System.out.println("Enter array elements:");
        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }
        int result = findMin(arr, 0);
        System.out.println("Minimum Element: " + result);
    }
}
```


```
Input
Enter array size: 5
Enter array elements:
10 30 7 45 40
Minimum Element: 7

...Program finished with exit code 0
Press ENTER to exit console.
```


25




```
import java.util.*;
public class Main {
    static int linearSearch(int arr[], int index, int key) {
        if (index == arr.length) {
            return -1;
        }
        if (arr[index] == key) {
            return index;
        }
        return linearSearch(arr, index + 1, key);
    }
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter array size: ");
        int n = sc.nextInt();
        if (n <= 0) {
            System.out.println("Array size must be positive.");
            return;
        }
        int arr[] = new int[n];
        System.out.println("Enter array elements:");
        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }
        System.out.print("Enter element to search: ");
```


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
return linearSearch(arr, index + 1, key);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print("Enter array size: ");
int n = sc.nextInt();
if (n <= 0) {
System.out.println("Array size must be positive.");
return;
}
int arr[] = new int[n];
System.out.println("Enter array elements:");
for (int i = 0; i < n; i++) {
arr[i] = sc.nextInt();
}
System.out.print("Enter element to search: ");
int key = sc.nextInt();
int result = linearSearch(arr, 0, key);
if (result == -1) {
System.out.println("Element Not Found");
} else {
System.out.println("Element Found at Index: " + result);
}
}
input
Enter array size: 5
Enter array elements:
10 20 4 56 7
Enter element to search: 56
Element Found at Index: 3
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe
Creative Cloud Pro
Build career-ready skills with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

26


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
import java.util.*;
public class Main {
static int binarySearch(int arr[], int start, int end, int key) {
if (start > end) {
return -1;
}
int mid = start + (end - start) / 2;
if (arr[mid] == key) {
return mid;
}
if (arr[mid] < key) {
return binarySearch(arr, mid + 1, end, key);
}
return binarySearch(arr, start, mid - 1, key);
}
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print("Enter array size: ");
int n = sc.nextInt();
if (n <= 0) {
System.out.println("Array size must be positive.");
return;
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe
Creative Cloud Pro
Build career-ready skills with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online


onlinegdb.com/online_java_compiler
OnlineGDB
online compiler and debugger for c/c++
Welcome, kanishka varshney
Create New Project
My Projects
Classroom
Learn Programming
Programming Questions
Upgrade
Logout
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
Scanner sc = new Scanner(System.in);
System.out.print("Enter array size: ");
int n = sc.nextInt();
if (n <= 0) {
System.out.println("Array size must be positive.");
return;
}
int arr[] = new int[n];
System.out.println("Enter sorted array elements:");
for (int i = 0; i < n; i++) {
arr[i] = sc.nextInt();
}
System.out.print("Enter element to search: ");
int key = sc.nextInt();
int result = binarySearch(arr, 0, n - 1, key);
if (result == -1) {
System.out.println("Element Not Found");
} else {
System.out.println("Element Found at Index: " + result);
}
}
}
input
Enter array size: 5
Enter sorted array elements:
10 20 30 40 50
Enter element to search: 40
Element Found at Index: 3
...Program finished with exit code 0
close ad [x]
Search for
India Exports Data 2026
AI Coding Tools For Programmers
Web Creating Services
Best Budget Laptops
Adobe
Creative Cloud Pro
Build career-ready skills with pro apps.
Now ₹399/mo for Students
Learn more
Modern, dynamic and visually stunning websites created from a simple business description.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online