```
int main () {
int n,i,j;
printf("Enter number of processes:");
scanf("%d",&n);
int at[n],bt[n],ct[n],tat[n],wt[n];
for(i=0;i<n;i++) {
printf("Enter Arrival Time and Burst Time for P%d:",i+1);
scanf("%d%d",&at[i],&bt[i]);
}
float total_tat=0,total_wt=0;
ct[0] = at[0]+bt[0];
for(i=1;i<n;i++) {
if(ct[i-1]<at[i])
ct[i] = at[i] + bt[i];
else
ct[i]=ct[i-1]+bt[i];
}
for(i=0;i<n;i++) {
tat[i]=ct[i]-at[i];
wt[i]=tat[i]-bt[i];
total_tat += tat[i];
total_wt += wt[i];
}
printf("\nAverage Turnaround Time:%.2f",total_tat /n);
printf("\nAverage Waiting Time:%.2f",total_wt /n);
return 0;
 }
~
~
~
~
~
~
~
~
~
~
~
:wq
```

```
nithyasri@nithyasri-QEMU-Virtual-Machine:~/shell/pc/pc/pc/pc$ ls
a.out  backup  first.sh  nithya.sh  ntihya.sh  prod.c  script.awk
nithyasri@nithyasri-QEMU-Virtual-Machine:~/shell/pc/pc/pc/pc$ vi fcfs.c
nithyasri@nithyasri-QEMU-Virtual-Machine:~/shell/pc/pc/pc/pc$ gcc fcfs.c
nithyasri@nithyasri-QEMU-Virtual-Machine:~/shell/pc/pc/pc/pc$ ./a.out
Enter number of processes:6
Enter Arrival Time and Burst Time for P1:4
3
Enter Arrival Time and Burst Time for P2:5
8
Enter Arrival Time and Burst Time for P3:8
4
Enter Arrival Time and Burst Time for P4:9
5
Enter Arrival Time and Burst Time for P5:2
67
Enter Arrival Time and Burst Time for P6:5
3

Average Turnaround Time:36.17
```