


```
include <stdio.h>
nt main(){
    int pages[] = {1,2,3,1,4,5};
    int frames[3] = {-1,-1,-1};
    int time[3] = {0};
    int i,j,fault=0,counter=0, pos, min;
    for (i=0;i<6;i++){
        int found=0;
        for (j=0;j<3;j++){
            if (frames[j] == pages[i]){
                counter++;
                time[j] = counter;
                found = 1;
            }
        }
        if (!found){
            min = time[0];
            pos=0;
            for(j=1;j<3;j++){
                if (time[j]<min){
                    min = time[j];
                    pos = j;
                }
            }
            counter++;
            frames[pos] = pages[i];
            time[pos]=counter;
        }
    }
}
```

```

        time[j] = counter;
        found = 1;
    }
}
if (!found){
    min = time[0];
    pos=0;
    for(j=1;j<3;j++){
        if (time[j]<min){
            min = time[j];
            pos = j;
        }
    }
    counter++;
    frames[pos] = pages[i];
    time[pos]=counter;
    fault++;
}
printf("Page %d -> ",pages[i]);
for (j=0;j<3;j++)
    printf("%d ",frames[j]);
printf("\n");
}
printf("Page Faults = %d\n",fault);
return 0;
}

```



```
mo@mo:~/pr$ mkdir lru
mo@mo:~/pr$ cd lru
mo@mo:~/lru$ nano lru.c
mo@mo:~/lru$ gcc lru.c
mo@mo:~/lru$ ./a.out
Page 1 -> 1 1 -1
Page 2 -> 1 2 -1
Page 3 -> 1 2 3
Page 1 -> 1 2 3
Page 4 -> 1 4 3
Page 5 -> 1 4 5
Page Faults = 5
mo@mo:~/lru$
```