

Create a new React Application with the name “myfirstreact”, Run the application to print “welcome to the first session of React” as heading of that page.


1. To create a React Application with the name of “myfirstreact”.
2. Once the App is created, navigate into the folder of myfirstreact .
3. App.js

```
import React from 'react';

function App(){
  return(
    <h1>Welcome the first session of react</h1>
  );
}

export default App;
```

4. Run the following command to execute the React application:




```
Windows PowerShell
Microsoft Windows [Version 10.0.26100.4652]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mkanm>cd myfirstreact
C:\Users\mkanm\myfirstreact> code .
C:\Users\mkanm\myfirstreact>npm start

> myfirstreact@0.1.0 start
> react-scripts start

(node:26544) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:26544) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
```

5. Open a new browser window and type “localhost:3000” in the address bar



6407636

KANMANI MURUGHAIYAN