
AWS CLOUD & DATA ENGINEERING





Name : Kannaiahgari Tharun
Roll Number: 23BTRCO043
College Name : JAIN DEEMED TO BE UNIVERSITY
Batch : 2023-2027
Date : 10-10-2026


CREATING TABLES AND INSERTED VALUES


1.customers table
2.vehicles table
3.charging_stations table
4.charging_points table
5.charging_sessions table
6.payments







MySql
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company_db
ecommerce
EV_Charging_Network
information_schema
performance_schema
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
Untitled.sql
-- charging stations table --
CREATE TABLE charging_stations (
station_id INT PRIMARY KEY AUTO_INCREMENT,
station_name VARCHAR(100) NOT NULL,
city VARCHAR(50) NOT NULL,
address VARCHAR(200),
operational_status VARCHAR(20) NOT NULL
);
select * from charging_stations;
INSERT INTO charging_stations
(station_name, city, address, operational_status)
VALUES
('VoltGrid MG Road', 'Bengaluru', 'MG Road, Bengaluru', 'ACTIVE'),
('VoltGrid Whitefield', 'Bengaluru', 'ITPL Main Road, Whitefield', 'ACTIVE'),
('VoltGrid Electronic City', 'Bengaluru', 'Phase 1, Electronic City', 'ACTIVE'),
('VoltGrid Indiranagar', 'Bengaluru', '100 Feet Road, Indiranagar', 'ACTIVE'),
('VoltGrid Koramangala', 'Bengaluru', '5th Block, Koramangala', 'ACTIVE'),
('VoltGrid Hebbal', 'Bengaluru', 'Hebbal Flyover Road', 'ACTIVE'),
('VoltGrid Yelahanka', 'Bengaluru', 'New Town, Yelahanka', 'MAINTENANCE'),
('VoltGrid Jayanagar', 'Bengaluru', '4th Block, Jayanagar', 'ACTIVE'),
('VoltGrid Marathahalli', 'Bengaluru', 'Outer Ring Road, Marathahalli', 'ACTIVE'),
('VoltGrid Rajajinagar', 'Bengaluru', 'Dr Rajkumar Road, Rajajinagar', 'INACTIVE'),
('VoltGrid Hyderabad Central', 'Hyderabad', 'Hitech City Road', 'ACTIVE');
Ln 61, Col 3
Output
Result #10
station_id station_name city address operational_status
1 VoltGrid MG Road Bengaluru MG Road, Bengaluru ACTIVE
2 VoltGrid Whitefield Bengaluru ITPL Main Road, Whitefield ACTIVE
3 VoltGrid Electronic City Bengaluru Phase 1, Electronic City ACTIVE
4 VoltGrid Indiranagar Bengaluru 100 Feet Road, Indiranagar ACTIVE
5 VoltGrid Koramangala Bengaluru 5th Block, Koramangala ACTIVE
6 VoltGrid Hebbal Bengaluru Hebbal Flyover Road ACTIVE
7 VoltGrid Yelahanka Bengaluru New Town, Yelahanka MAINTENANCE
8 VoltGrid Jayanagar Bengaluru 4th Block, Jayanagar ACTIVE
9 VoltGrid Marathahalli Bengaluru Outer Ring Road, Marathahalli ACTIVE
10 VoltGrid Rajajinagar Bengaluru Dr Rajkumar Road, Rajajinagar INACTIVE
OK, 11 records retrieved in 0.743ms
View:
Pages:
Edit:



MySql
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company_db
ecommerce
EV_Charging_Network
information_schema
performance_schema
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
Untitled.sql
-- charging points table--
CREATE TABLE charging_points (
point_id INT PRIMARY KEY AUTO_INCREMENT,
station_id INT NOT NULL,
charger_type VARCHAR(30) NOT NULL,
power_capacity_kw DECIMAL(6,2) NOT NULL,
availability_status VARCHAR(20) NOT NULL,
FOREIGN KEY (station_id)
REFERENCES charging_stations(station_id)
);
select*from charging_points;
INSERT INTO charging_points
(station_id, charger_type, power_capacity_kw, availability_status)
VALUES
(1, 'DC Fast', 60.00, 'AVAILABLE'),
(1, 'AC', 7.40, 'IN_USE'),
(2, 'Ultra Fast', 150.00, 'AVAILABLE'),
(2, 'DC Fast', 60.00, 'IN_USE'),
(3, 'DC Fast', 50.00, 'AVAILABLE'),
(3, 'AC', 11.00, 'AVAILABLE'),
(4, 'AC', 7.40, 'IN_USE'),
(5, 'Ultra Fast', 120.00, 'AVAILABLE'),
(5, 'DC Fast', 60.00, 'OUT_OF_SERVICE'),
(6, 'DC Fast', 50.00, 'AVAILABLE'),
(7, 'AC', 11.00, 'OUT_OF_SERVICE'),
Ln 89, Col 3
Output
Result #13
point_id station_id charger_type power_capacity_kw availability_status
1 1 DC Fast 60.00 AVAILABLE
2 1 AC 7.40 IN_USE
3 2 Ultra Fast 150.00 AVAILABLE
4 2 DC Fast 60.00 IN_USE
5 3 DC Fast 50.00 AVAILABLE
6 3 AC 11.00 AVAILABLE
7 4 AC 7.40 IN_USE
8 5 Ultra Fast 120.00 AVAILABLE
9 5 DC Fast 60.00 OUT_OF_SERVICE
10 6 DC Fast 50.00 AVAILABLE
OK, 14 records retrieved in 0.923ms
View:
Pages:
Edit:


MySql
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company_db
ecommerce
EV_Charging_Network
information_schema
performance_schema
sys
Untitled.sql
-- charging sessions --
CREATE TABLE charging_sessions (
session_id INT PRIMARY KEY AUTO_INCREMENT,
vehicle_id INT NOT NULL,
point_id INT NOT NULL,
start_time DATETIME NOT NULL,
end_time DATETIME,
energy_consumed_kwh DECIMAL(8,2) NOT NULL,
session_status VARCHAR(20) NOT NULL,
FOREIGN KEY (vehicle_id)
REFERENCES vehicles(vehicle_id),
FOREIGN KEY (point_id)
REFERENCES charging_points(point_id)
);
SELECT * from charging_sessions;
INSERT INTO charging_sessions
(vehicle_id, point_id, start_time, end_time,
energy_consumed_kwh, session_status)
VALUES
(101, 1, '2026-06-06 10:00:00', '2026-06-06 10:45:00', 34.20, 'COMPLETED'),
(102, 3, '2026-06-06 13:00:00', '2026-06-06 13:30:00', 24.80, 'COMPLETED'),
(103, 5, '2026-06-07 09:30:00', '2026-06-07 10:15:00', 40.50, 'COMPLETED'),
(104, 8, '2026-06-07 11:00:00', '2026-06-07 11:25:00', 12.60, 'COMPLETED');
Ln 125, Col 1
Output
Result #16
session_id vehicle_id point_id start_time end_time energy_consumed_kwh session_status
1 101 1 06/06/2026 06/06/2026 34.20 COMPLETED
2 102 3 06/06/2026 06/06/2026 24.80 COMPLETED
3 103 5 06/07/2026 06/07/2026 40.50 COMPLETED
4 104 8 06/07/2026 06/07/2026 12.60 COMPLETED
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 4 records retrieved in 0.817ms
View:
Pages:
Edit:



MySql
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company_db
ecommerce
EV_Charging_Network
information_schema
performance_schema
sys
Untitled.sql
-- payment table --
CREATE TABLE payments (
payment_id INT PRIMARY KEY AUTO_INCREMENT,
session_id INT NOT NULL,
amount DECIMAL(10,2) NOT NULL,
payment_method VARCHAR(30) NOT NULL,
payment_date DATETIME,
payment_status VARCHAR(20) NOT NULL,
FOREIGN KEY (session_id)
REFERENCES charging_sessions(session_id)
);
select * from payments;
INSERT INTO payments
(session_id, amount, payment_method, payment_date, payment_status)
VALUES
(1, 325.00, 'UPI', '2026-06-01 09:46:00', 'SUCCESS'),
(2, 287.50, 'CARD', '2026-06-01 10:41:00', 'SUCCESS'),
(3, 302.00, 'UPI', '2026-06-02 09:16:00', 'SUCCESS'),
(4, 184.00, 'WALLET', '2026-06-02 12:21:00', 'SUCCESS'),
(5, 356.00, 'CARD', '2026-06-03 14:51:00', 'SUCCESS'),
(6, 268.00, 'UPI', '2026-06-03 16:11:00', 'SUCCESS'),
(7, 293.00, 'UPI', '2026-06-04 10:01:00', 'SUCCESS'),
(8, 215.00, 'CARD', '2026-06-04 12:36:00', 'SUCCESS'),
(9, 427.00, 'WALLET', '2026-06-05 08:41:00', 'SUCCESS'),
(10, 386.00, 'UPI', '2026-06-05 17:51:00', 'SUCCESS');
Ln 135, Col 17
Output
Result #16
session_id vehicle_id point_id start_time end_time energy_consumed_kwh session_status
1 101 1 06/06/2026 06/06/2026 34.20 COMPLETED
2 102 3 06/06/2026 06/06/2026 24.80 COMPLETED
3 103 5 06/07/2026 06/07/2026 40.50 COMPLETED
4 104 8 06/07/2026 06/07/2026 12.60 COMPLETED
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 4 records retrieved in 0.817ms
View:
Pages:
Edit:

—QUERIES—


1.Find all vehicles manufactured by Tata?




2.Find charging stations located in Bengaluru ?




3.Count the total number of customers




4.Display successful payments from highest to lowest amount




5.Count charging stations in each city




6.Display each vehicle's registration number, brand, and owner's name




7.Display station names and their charger types




8.Calculate total successful payments for each payment method




9.Find vehicles with battery capacity greater than 40 kWh




10.Find customers who own more than one vehicle




11.Calculate total energy consumed by each vehicle




12.Find vehicles that consumed more than 30 kWh in total




13.Find payment methods with more than three successful payments



14.Find vehicles whose energy consumption is greater than the average energy consumed per session



15.Find charging points with power capacity greater than 50 kW



LINUX COMMANDS

Command 1: `pwd` — Present Working Directory

Command 2: `ls` — List Files

Command 3: `ls -l` — Detailed File Listing

Command 4: `whoami` — Current User

Command 5: `date` — Display Date and Time

Command 6: `uname -a` — System Information

Command 7: `mkdir practice` — Create Directory

Command 8: `cd practice` — Change Directory

Command 9: `touch notes.txt` — Create a File

Command 10: `cat notes.txt` — Display File Contents

Command 11: `echo "Hello Linux" > notes.txt` — Write Text to a File

Command 12: `cp notes.txt backup.txt` — Copy File

Command 13: `mv backup.txt newfile.txt` — Rename File

Command 14: `df -h` — Check Disk Space


Command 15:vm_stat — checks memory usages in system

```
Last login: Sun Oct 11 00:08:39 on ttys000
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % pwd
/Users/kannaiahgaritharun
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % ls
Desktop         Downloads       Hello.java      linux           Music           practice        python
Documents       Hello.class     Library         Movies          Pictures        Public          test.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % ls -l
total 24
drwx------+ 13 kannaiahgaritharun  staff   416 11 Oct 00:01 Desktop
drwx------+  5 kannaiahgaritharun  staff   160  5 Oct 11:10 Documents
drwx------+ 27 kannaiahgaritharun  staff   864 10 Oct 19:31 Downloads
-rw-r--r--   1 kannaiahgaritharun  staff   420  7 Oct 13:57 Hello.class
-rw-r--r--   1 kannaiahgaritharun  staff   123  7 Oct 13:57 Hello.java
drwx------@ 88 kannaiahgaritharun  staff  2816  5 Oct 10:52 Library
drwxr-xr-x   4 kannaiahgaritharun  staff   128 11 Oct 00:25 linux
drwx------   5 kannaiahgaritharun  staff   160 10 Oct 20:21 Movies
drwx------+  3 kannaiahgaritharun  staff    96  4 Oct 15:07 Music
drwx------+  4 kannaiahgaritharun  staff   128  4 Oct 15:07 Pictures
drwxr-xr-x   6 kannaiahgaritharun  staff   192  8 Oct 01:45 practice
drwxr-xr-x+  4 kannaiahgaritharun  staff   128  4 Oct 15:07 Public
drwxr-xr-x@ 10 kannaiahgaritharun  staff   320  8 Oct 18:35 python
-rw-r--r--   1 kannaiahgaritharun  staff    15  8 Oct 22:02 test.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % whoami
kannaiahgaritharun
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % date
Sun Oct 11 00:28:45 IST 2026
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % uname -a
Darwin tharuns-MacBook-Air-2.local 27.0.0 Darwin Kernel Version 27.0.0: Tue Aug 11 21:05:27 PDT 2026; root:xnu-13432.1.9~1/RELEASE_ARM64_T8103 arm64
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % mkdir commands
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % cd commands
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % touch notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % cat notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % echo "Hello Linux" > notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % cp notes.txt backup.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % mv backup.txt newfile.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % df -h
Filesystem                                        Size    Used   Avail Capacity iused ifree %iused  Mounted on
/dev/disk3s1s1                                   228Gi    13Gi   141Gi     9%    484k  1.5G    0%   /
devfs                                            204Ki   204Ki     0Bi   100%     704     0  100%   /dev
/dev/disk3s6                                     228Gi   6.0Gi   141Gi     5%       6  1.5G    0%   /System/Volumes/VM
/dev/disk3s2                                     228Gi    10Gi   141Gi     7%     940  1.5G    0%   /System/Volumes/Preboot
/dev/disk3s4                                     228Gi    77Mi   141Gi     1%      70  1.5G    0%   /System/Volumes/Update
/dev/disk1s2                                     500Mi   6.0Mi   482Mi     2%       1  4.9M    0%   /System/Volumes/xarts
/dev/disk1s1                                     500Mi   6.0Mi   482Mi     2%      31  4.9M    0%   /System/Volumes/iSCPreboot
/dev/disk1s3                                     500Mi   1.3Mi   482Mi     1%      72  4.9M    0%   /System/Volumes/Hardware
/dev/disk3s5                                     228Gi    57Gi   141Gi    29%    538k  1.5G    0%   /System/Volumes/Data
map auto_home                                      0Bi     0Bi     0Bi   100%       0     0     -   /System/Volumes/Data/home
/Users/kannaiahgaritharun/Downloads/GitHub Desktop.app   228Gi    51Gi   153Gi    25%    379k  1.6G    0%   /private/var/folders/hr/l8wkjcq92tb_c6tzcww0dx1m0000gn/T/AppTranslocation/ACA90F13-FE81-4F40-AAAC-FA8DD15A7D6B
/dev/disk3s3                                     228Gi   1.4Gi   141Gi     2%      66  1.5G    0%   /Volumes/Recovery
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % free -h
zsh: command not found: free
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % free -h
zsh: command not found: free
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % vm_stat
Mach Virtual Memory Statistics: (page size of 16384 bytes)
Pages free:                                15409.
Pages active:                             113362.
```


```
-rw-r--r--   1 kannaiahgaritharun  staff    15  8 Oct 22:02 test.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % whoami
kannaiahgaritharun
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % date
Sun Oct 11 00:28:45 IST 2026
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % uname -a
Darwin tharuns-MacBook-Air-2.local 27.0.0 Darwin Kernel Version 27.0.0: Tue Aug 11 21:05:27 PDT 2026; root:xnu-13432.1.9~1/RELEASE_ARM64_T8103 arm64
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % mkdir commands
kannaiahgaritharun@tharuns-MacBook-Air-2 ~ % cd commands
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % touch notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % cat notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % echo "Hello Linux" > notes.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % cp notes.txt backup.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % mv backup.txt newfile.txt
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % df -h
Filesystem                                        Size    Used   Avail Capacity iused ifree %iused  Mounted on
/dev/disk3s1s1                                   228Gi    13Gi   141Gi     9%    484k  1.5G    0%   /
devfs                                            204Ki   204Ki     0Bi   100%     704     0  100%   /dev
/dev/disk3s6                                     228Gi   6.0Gi   141Gi     5%       6  1.5G    0%   /System/Volumes/VM
/dev/disk3s2                                     228Gi    10Gi   141Gi     7%     940  1.5G    0%   /System/Volumes/Preboot
/dev/disk3s4                                     228Gi    77Mi   141Gi     1%      70  1.5G    0%   /System/Volumes/Update
/dev/disk1s2                                     500Mi   6.0Mi   482Mi     2%       1  4.9M    0%   /System/Volumes/xarts
/dev/disk1s1                                     500Mi   6.0Mi   482Mi     2%      31  4.9M    0%   /System/Volumes/iSCPreboot
/dev/disk1s3                                     500Mi   1.3Mi   482Mi     1%      72  4.9M    0%   /System/Volumes/Hardware
/dev/disk3s5                                     228Gi    57Gi   141Gi    29%    538k  1.5G    0%   /System/Volumes/Data
map auto_home                                      0Bi     0Bi     0Bi   100%       0     0     -   /System/Volumes/Data/home
/Users/kannaiahgaritharun/Downloads/GitHub Desktop.app   228Gi    51Gi   153Gi    25%    379k  1.6G    0%   /private/var/folders/hr/l8wkjcq92tb_c6tzcww0dx1m0000gn/T/AppTranslocation/ACA90F13-FE81-4F40-AAAC-FA8DD15A7D6B
/dev/disk3s3                                     228Gi   1.4Gi   141Gi     2%      66  1.5G    0%   /Volumes/Recovery
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % free -h
zsh: command not found: free
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % free -h
zsh: command not found: free
kannaiahgaritharun@tharuns-MacBook-Air-2 commands % vm_stat
Mach Virtual Memory Statistics: (page size of 16384 bytes)
Pages free:                                15409.
Pages active:                             113362.
Pages inactive:                           111649.
Pages speculative:                          1142.
Pages throttled:                               0.
Pages wired down:                          91948.
Pages purgeable:                            8961.
"Translation faults":                    903377665.
Pages copy-on-write:                      42193061.
Pages zero filled:                       423612404.
Pages reactivated:                       201078038.
Pages purged:                             16782735.
File-backed pages:                           82109.
Anonymous pages:                            144044.
Pages stored in compressor:                 384659.
Pages occupied by compressor:               155152.
Decompressions:                          208119041.
Compressions:                            269627965.
Pageins:                                  58060485.
Pageouts:                                   423673.
Swapins:                                   2191366.
Swapouts:                                  2937645.
kannaiahgaritharun@tharuns-MacBook-Air-2 commands %
```

AWS Account / Region


AWS CONSOLE:




AWS REGION




CREATING BUCKET AND UPLOADING FILES IN S3 BUCKET




CREATING I AM ROLE




PERMISSIONS




ADDING ROLE NAME




ADDING POLICY PERMISSIONS




ADDING DATABASE IN AWS GLUE




CREATED THE CATLOG IN AWS GLUE





CREATING CREAWLERS




ADDING THE GLUE TABLES







690387687475-k2gmnoan.us-east-1.console.aws.amazon.com/glue/home?region=us-east-1#/v2/data-catalog/crawlers/add
Search
[Option+S]
United States (N. Virginia)
Kannaiahgari Tharun (690387687475)
root
AWS Glue > Crawlers > Add crawler
AWS Glue
Getting started
SageMaker Unified Studio
ETL jobs
Visual ETL
Notebooks
Job run monitoring
Data Catalog tables
Data connections
Workflows (orchestration)
Zero-ETL integrations
Data Catalog
Catalogs
Databases
Tables
Stream schema registries
Schemas
Connections
Crawlers
Classifiers
Catalog settings
Data Integration and ETL
Legacy pages
What's New
Documentation
Failed to submit crawler: Account 690387687475 is denied access.
Notifications 2 0 1 0 0
Step 1 Set crawler properties
Step 2 Choose data sources and classifiers
Step 3 Configure security settings
Step 4 Set output and scheduling
Step 5 Review and create
Review and create
Step 1: Set crawler properties
Edit
Set crawler properties
Name
employees-crawler
Description
-
Tags
-
Step 2: Choose data sources and classifiers
Edit
Glue tables (1) Info
The list of AWS Glue Catalog tables to be scanned by the crawler.
Database
Tables
Parameters
glue_training_db
1 table
Recrawl all
Step 3: Configure security settings
Edit
Configure security settings
IAM role
AWSGlueServiceRole-employees
Security configuration
-
Lake Formation configuration
-
Step 4: Set output and scheduling
Edit
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

VISUAL ETL


690387687475-k2gmnoan.us-east-1.console.aws.amazon.com/gluestudio/home?region=us-east-1#/editor/blank/graph
Search
[Option+S]
United States (N. Virginia)
Kannaiahgari Tharun (690387687475)
root
AWS now provides personalized help through Amazon Q
Click Q help to receive personalized guidance for console tasks through Q Chat. To deactivate, click Deactivate Q help to access your console settings. Once deactivated, you'll receive static help content when available.
Launch Q help
Untitled job
Actions
Save
Run
Visual
Script
Job details
Runs
Data quality
Schedules
Version Control
Data source - S3 bucket
Amazon S3
Data source - S3 bucket
Amazon S3
Transform - DropFields
Drop Fields
Data target - MySQL
MySQL
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Explain the complete workflow in your own words.
S3 → Glue Crawler → Glue Data Catalog → Glue Visual ETL → Transformation → S3 Curated Data



Step by step

1. S3 (Raw) :- Upload employee csv file to s3 bucket in raw/folder.

2) Glue Crawler :- Scans the files, detects schema and datatypes.

3) Glue Data Catalog :- stores metadata in sale_training_db and creates employee table.

4) Glue table visual :- create a job using Data Catlog source add Drop fields transform (remove city) and set s3 targeted.