

Committed Product Backlog Item	Tasks	NOT STARTED	IN PROGRESS	COMPLETED
--------------------------------	-------	-------------	-------------	-----------

PBI #1: As the product owner, I want IRV and OPLV to work properly so that the software can be used to determine real election results.				- Fix the OPLV -1 rank bug - <i>Joel</i>
Acceptance criteria: - Software calculates the results and prints the audit file for the IRV and OPL type elections				- Fix the time format on the file names for the Audit and Media summary files <i>-Bat-Ider</i>
Definition done: - Results and audit reports are stored - Eliminate bug list - Unit tests pass				
Effort: Medium				
PBI Author: Joel Alfveby				

Committed Product Backlog Item	Tasks	NOT STARTED	IN PROGRESS	COMPLETED
<p>PBI #2: As an election official, I want the software to take multiple election files so that all ballots are properly accounted for from the different voting locations.</p> <p>Acceptance criteria: - Software must be able to accept multiple ballots files for all types of elections</p> <p>Definition done: - Software accepts and can handle one or more than one csv file at a time - Software accepts files from more than one voting location -Results and audit report for each election file is stored in the current directory by the software - All unit tests pass per the acceptance criteria</p> <p>Effort: Small</p> <p>PBI Author: Kanoog Moua</p>				<p>- Create a string vector to store different csv files in order -<i>Bat-ider</i></p> <p>- Sequentially process the csv files in order and produce output - <i>Kanoog</i></p> <p>- Write Unit tests - <i>Joel</i></p> <p>- Make the software run in a loop until all files are accounted for -<i>Ramanish, Kanoog</i></p>

Committed Product Backlog Item	Tasks	NOT STARTED	IN PROGRESS	COMPLETED
<p>PBI #3: As an election official, I want the IRV ballots to have at least half of the candidates ranked and invalidated ballots marked so that a fair election is guaranteed per State Election guidelines.</p> <p>Acceptance Criteria: - Invalidated ballots are removed from the election -Way to store the invalidated ballots in one place</p> <p>Definition done: - Software takes in IRV ballots - Software ranks candidates rounded from 0.5 or above to the next higher integer value for the ballot to be valid - Software removed invalidated ballots - All unit tests pass per the acceptance criteria</p> <p>Effort: Medium</p> <p>PBI Author: Kanoog Moua</p>				<p>- Create a file that stores the invalidated votes called invalidated_dateofelection.xxx - <i>Joel</i></p> <p>- Do not add ballots with <50% of candidates ranked -<i>Ramanish</i></p> <p>- Write Unit Tests - <i>Kanoog</i></p>

Committed Product Backlog Item	Tasks	NOT STARTED	IN PROGRESS	COMPLETED
<p>PBI #4: As an election official, I want the program to take in PO ballots so that the program can determine the results of the election.</p> <p>Acceptance criteria: - The software takes in PO ballots and displays the winner and number of votes</p> <p>Definition done: - All unit tests pass per the acceptance criteria -The program takes in the csv and correctly parses it -Program displays the winner correctly with the number of votes</p> <p>Effort: Large</p> <p>PBI Author:Ramanish Singh, Joel Alfveby</p>		<ul style="list-style-type: none"> - Find winner of election - Percentage of votes for each candidates - Write calculations to audit file (?) - Summary file (?) 	<ul style="list-style-type: none"> - Design and architecture of the PO election type - <i>Bat-Ider</i> -Take in ballots via csv - Joel - Process ballot data into data structure -<i>Kanoog</i> -Random choice for tiebreaker - <i>Kanoog</i> - Percentage of votes for each candidates -<i>Bat-Ider</i> - Find winner from the vector of candidates -<i>Ramanish</i> - Write Unit tests - Joel - Create GUI - Joel 	<ul style="list-style-type: none"> - Create PO election class - Joel