

# Ultrasound Examination Report

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| <b>Report Date:</b>         | 2025-12-16                                      |
| <b>Referring Physician:</b> | Dr. Sarra Khlifi, MD                            |
| <b>Patient Name:</b>        | Karim Chaabane                                  |
| <b>Patient ID:</b>          | 24789103                                        |
| <b>Date of Birth:</b>       | 12 November 1978                                |
| <b>Age:</b>                 | 47 years                                        |
| <b>Gender:</b>              | Male                                            |
| <b>Examination Date:</b>    | 2025-12-16                                      |
| <b>Examination Type:</b>    | Abdominal Ultrasound (Complete)                 |
| <b>Scanner:</b>             | GE Logiq E9 with curvilinear transducer 3.5 MHz |

## Clinical Indication

Epigastric pain for 2 weeks, postprandial discomfort, nausea without vomiting. No fever, weight loss, or jaundice. History of fatty diet, occasional alcohol (2-3 units/week). No prior abdominal surgery.

## Technique

Real-time grayscale and color Doppler ultrasound of the abdomen performed in supine and lateral decubitus positions. No contrast used.

## Findings

### Liver

- Size: 15.2 cm (normal <16 cm), homogeneous echotexture.

- Mild increased echogenicity consistent with mild steatosis (fatty liver). No focal lesions, masses, or cysts.
- No intrahepatic biliary dilatation.
- Portal vein patent with normal hepatopetal flow on Doppler.

## **Gallbladder and Biliary Tree**

- Gallbladder normal in size, wall thickness 2 mm (normal). No stones, sludge, or pericholecystic fluid.
- Common bile duct: 4 mm (normal), no dilatation.

## **Spleen**

- Size: 11.3 cm (normal), homogeneous echotexture. No focal lesions.

## **Pancreas**

- Visualized head and body: Normal size and echotexture. Head 2.8 cm, body 1.9 cm.
- Tail obscured by bowel gas.
- Pancreatic duct not dilated.

## **Kidneys**

- Right kidney: 11.2 cm long, normal corticomedullary differentiation, no hydronephrosis, stones, or masses. Cortical thickness 1.4 cm.
- Left kidney: 11.0 cm long, similar appearance. No abnormalities.
- Bladders: Moderately filled, no wall thickening, stones, or post-void residual (post-micturition volume 20 ml).

## **Aorta**

- Abdominal aorta: 2.1 cm diameter (normal), no aneurysm or significant atherosclerosis.

## **Other**

- No free intraperitoneal fluid.
- Prostate: Normal size 32 cc, homogeneous.
- No significant bowel wall thickening or lymphadenopathy.

## Impression

1. Mild hepatic steatosis. Recommend lifestyle modifications (diet, exercise, weight loss if applicable), follow-up ultrasound in 6 months.
2. No gallstones or biliary dilatation.
3. Kidneys, pancreas (visualized portions), spleen, and abdominal aorta normal.
4. No evidence of acute pathology (e.g., cholecystitis, pancreatitis, renal colic).

Correlation with clinical findings and laboratory results (LFTs, amylase, lipids) recommended. If symptoms persist, consider upper GI endoscopy or CT abdomen if indicated.

### **Radiologist:**

Dr. Sarra Khlifi, MD

Consultant Radiologist - Ultrasound Specialist

Electronically signed: 2025-12-16 14:30 CET

Clinic Logo/Stamp Placeholder:

