```
{
  "@type": "ControllerIdentificationRecord",
  "controller_id": "string",
  "legal_name": "string",
  "jurisdiction": {
    "@type": "dpv:Location",
    "dpv:hasJurisdiction": "string (ISO 3166-2 code)"
  },
  "contact_email": "string",
  "published_at": "string (ISO 8601 datetime)"
}
```


Annex B — CIR schema + Article 11 Code of Conduct mapping v1

This annex packages the **Controller Identification Record (CIR)** as a Code of Conduct-ready disclosure artefact: a machine-readable, inspectable controller identity and governance statement that can be checked *before identification*.

CIR (core JSON schema excerpt)

This is the minimal CIR structure used in the ISO/IEC 27560-1 profile documentation (see `/.well-known/controller-identification-record.json`).

```
{
  "@type": "ControllerIdentificationRecord",
  "controller_id": "string",
  "legal_name": "string",
  "jurisdiction": {
    "@type": "dpv:Location",
    "dpv:hasJurisdiction": "string (ISO 3166-2 code)"
  },
  "contact_email": "string",
  "published_at": "string (ISO 8601 datetime)"
}
```

Optional (examples): `dpo_contact`, `privacy_policy_url`, and `registry` verification metadata, without principal_id in header.

Convention 108+ mapping (core fields → treaty principle → transparency-by-default purpose)

CIR field	Convention 108+ anchor (incl. Article 11 CoC intent)	CoE reference (108+)	Meaning for "Transparency by Default" / "Compliant by Default"	Conformance test signal (pass/fail)
`controller_id`	Accountability + enforceability: identifies the controller as a stable governance target for a Code of Conduct claim.	Art. 5(2) fairness; Art. 8(1) transparency; Art. 11 (CoC, where used)	Controller can be evaluated before any principal identifier is demanded; enables "inspectable-before-identification".	CIR is fetchable at a predictable location; `controller_id` matches serving domain.
`legal_name`	Transparency: identifies the legal entity behind processing (supports effective remedies and oversight).	Art. 8(1) transparency; Art. 10 rights & remedies (enabling practical exercise)	Prevents anonymous/opaque controllers; supports jurisdictional accountability at scale.	`legal_name` is present and non-empty; optionally matches registry/verification evidence.
`jurisdiction` (`dpv:hasJurisdiction`)	Transborder governance: makes applicable legal regime explicit; supports CoC applicability and enforcement context.	Art. 14 transborder flows; Art. 8(1) transparency	Allows individuals/regulators to assess protections before disclosure; supports cross-border comparability.	Jurisdiction is declared in a standard form (ISO 3166-2) and is consistent across receipts.
`contact_email` (and optional `dpo_contact`)	Rights practicality: provides a direct channel for inquiries/complaints and Code of Conduct commitments.	Art. 10 rights of the individual; Art. 11 (CoC commitments and contactability, where used)	Enables usable rights access without requiring account binding as the price of contact.	Email fields are present and syntactically valid; rights access point does not require login by default.
`published_at`	Evidence of timing: supports a verifiable claim that identity disclosure existed before processing began.	Art. 8(1) transparency (timely notice); Art. 5(2) fairness (no retroactive UI-theatre)	Makes "compliant by default" testable: disclosure is not retroactive UI theatre.	`published_at` is not future-dated; Stage 1 Notice Receipt references a CIR that pre-exists first collection/use.
`privacy_policy_url` (optional)	Transparency of terms: links to full notice content (human + machine	Art. 8(1) transparency; Art. 5(4) purpose	Supports layered notice: quick machine-checkable	URL resolves over HTTPS; stable reference can be

CIR field	Convention 108+ anchor (incl. Article 11 CoC intent)	CoE reference (108+)	Meaning for "Transparency by Default" / "Compliant by Default"	Conformance test signal (pass/fail)
	readable where available).	limitation (expressed as policy/terms)	CIR + deeper policy details.	hashed/anchored in notice receipts.
`registry` (optional, Level 2+)	Article 11 Code of Conduct credibility: supports verification/attestation mechanisms (beyond self-assertion).	Art. 11 Codes of conduct	Enables scalable trust signals and automated assessment (TPI-R) without sharing principal identifiers.	Verification metadata exists and is accessible (certificate URL or registry record).

Article 11 Code of Conduct: operational pattern (how CIR becomes enforceable)

Code of Conduct requirement (operational)	CIR / ANCR mechanism	What becomes measurable
Public commitment + defined scope	CIR publishes controller identity + jurisdiction + optional governance claims (registry/attestation).	Whether the controller is identifiable, in-scope, and comparable across ecosystems.
Evidence of implementation	Stage 1 Notice Receipt references CIR and a specific notice state; Notice Event Log captures updates.	Whether notice was issued before identification/processing; whether terms changed post hoc.
Independent oversight / auditability	TPI-R style checks validate availability, timing, and rights access behaviour at scale.	Population-scale verification (pass/fail) rather than controller-attested narrative.

Report Navigation
WG 5 Report : **Introduction to ANCR 27560 Exchange Profile Model v1**

- Annex A — Evidence-grade ANCR 27560 - use cases (Digital ID, Age assurance, AI, Digital twin ecosystems) v1
- Annex B — CIR schema + Article 11 Code of Conduct mapping v1
- Annex C — CIR-first legal crosswalk (Convention 108+ anchored) v1
- Annex D — Closeable issues + conformance tests v1